

Standard Bronze

www.StandardBronze.com

179 West 5th Street · Bayonne, NJ · 07002-0062

Phone: 201-339-1351 Fax: 201-339-3492

January 15, 2009 Price List

===== 15JAN09									
NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA		WGT.
660	1-1/2" MPS NON ADJ. FLANGED ADAPTER	SPECIAL ORDER	REF.DRWG.5164			C/P/B	45.25		0.4
664	2" MPS NON ADJ. FLANGED ADAPTER	SPECIAL ORDER	REF.DRWG.5164			C/P/B	60.65		0.5
665	2-1/2" MPS NON ADJ. FLANGED ADAPTER	SPECIAL ORDER	REF.DRWG.5164			C/P/B	91.75		1.1
699	RECTANGULAR ROPE EYE					C/P/B	25.80		0.2
706	OVAL ROPE EYE					C/P/B	P.O.A.		0.1
708	2-1/2" DIA ROUND ROPE EYE 1-1/2" PROJ.		1-1/2 OD. X 1" 8-ID.			C/P/B	39.90		0.3
710	5/8" LONG THREADED ROPE EYE 3/8"-16 THREAD		REF.DRWG.5282			C/P/B	28.55		0.2
776	WALL SOCKET 1-1/2" PIPE (1.90")	NON STOCK STD.	DISCONTINUED	ALUM		WH/AL			0.6
777-DAL	RD. DECK ANCHOR 1-1/2" PIPE (1.90")3/8" SQ. HOLE	STANDARD	DRWGS.5048 & 5369	ALUM	28.85	WH/AL	31.50		0.7
777-DSP	AS ABOVE MACH. TO SUIT POOL COPING 3/8" SQ. HOLE	SPECIAL ORDER.	DRWG.No.5048			BRZE			0.7
777-BR	RD. DECK ANCHOR 1-1/2" PIPE (1.90")1/2" DIA. HOLE	SPECIAL ORDER.		BRZE	55.20	C/P/B	68.50		2.0
777-PL	BOTTOM ANCHOR PLATE 3" DIA. FOR ABOVE		SEE NEW 5540	ALUM	9.85	BRZE	14.80		
777-NG	NEO. SEALING GASKET 3" DIA. FOR ABOVE		SEE NEW 6877			RUBBER	2.55		
787-AL	RD. DECK ANCHOR 4" DIA 1-1/2"(1.90)WITH CROSS HOLE	DISCONTINUED	REF.DRWG.5050	ALUM					0.7
788-AL	ROUND DECK ANCHOR 5-1/4" DIA. 1-1/2" PIPE (1.90")	(4) HOLE MOUNT	REF.DRWG.5051	ALUM	79.05	WH/AL	101.60		2.0
788-BR	ROUND DECK ANCHOR 5-1/4" DIA. 1-1/2" PIPE (1.90")	NON-STOCK STD.		BRZE	141.45	C/P/B	164.85		6.8
789-DAL	RECTANGULAR DECK ANCHOR 3" X 4-1/8"1-1/2 PIPE (1.90")	(4) HOLE MOUNT	DRWGS.5049 & 5372	ALUM	30.10	WH/AL	32.80		0.7
789-BR	RECTANGULAR DECK ANCHOR 3"X 4-1/8" 1-1/2"PIPE (1.90")	NON-STOCK STD.	REF.DRWG.5372	BRZ	66.90	C/P/B	76.45		1.9
789-PL	BOTTOM ANCHOR PLATE FOR ABOVE.	SEE NEW 6878		ALUM	32.25	BRZE	41.35		
804	BAR SUPPLIES AND RAILING FITTINGS		INFO ON REQUEST	BRASS					
847-DAL	SLOPED RD. DECK ANCHOR 1-1/2" PIPE (1.90")3/8" SQ. HOLE	STANDARD	DRWGS.5048 & 5370	ALUM	26.40	WH/AL	28.95		0.8
847-DSP	AS ABOVE MACH'D TO SUIT POOL COPING 3/8" SQ. HOLE	SPECIAL ORDER.	P.O.A.	ALUM		WH/AL			0.8
847-BR	SLOPED RD. DECK ANCHOR 1-1/2" PIPE (1.90")1/2" DIA. HOLE	SPECIAL ORDER.	NOT IN PRODUCTION	BRZE		C/P/B			2.6
855	1-1/4" MPS NON ADJ. FLANGED ADAPTER	SPECIAL ORDER.				C/P/B	92.35		0.5
866	1-1/4" MPS ADJ. FLANGED ADAPTER	SPECIAL ORDER.				C/P/B	117.00		0.6
905	FLOOR FLANGES 3/8" THROUGH 4" PIPE SIZES	INFO. ON REQUEST		ALUM		BRZE	N/A		
970	ANCHOR DOOR KNOCKER	INFO. ON REQUEST				P/BR	N/A		
1133-S	"RANCHMASTER" MAIL BOX WITH MAGAZINE STRAPS	PATENTED	INFO ON REQUEST	SW.IRON		P/BR	N/A		7.2
1342	1-3/8" DIA. MONUMENT MARKER					S/BRZ	N/A		0.4
1343	2" DIA. MONUMENT MARKER						N/A		0.6
1344	2-1/2" DIA. MONUMENT MARKER					S/BRZ	N/A		0.8
1416-B	ROPE HOOK PLUG BAYONET LOCK 1-1/2" PIPE (1.90")					ST.ST.	N/A		1.3
1417-B	BAYONET TYPE DECK SOCKET 1-1/2" PIPE WITH PLUG	REF DRWG.5314				C/P/B	N/A		4.5
1418-B	DECK STANCHION BAYONET LOCK 1-1/2" PIPE (1.90")					ST.ST.	N/A		8.0
1419	STANCHION ASSEMBLY 1-1/2" PIPE (1.90")OLD 6920	REMOVABLE TOP EYE			REF.DRWG.5205	ST.ST.	N/A		
1420	CENTER STANCHION 2" TUBE (2.00")					ST.ST.	N/A		
1442	1-1/4" DIA. MONUMENT MARKER					S/BRZ	N/A		0.5
1651	"MERMAID" DOOR PULL		INFO ON REQUEST	P/BRZ		C/P/B			1.8
1940	TRI-NUT 1/2"-13 THREAD (USE 1941 SPANNER WRENCH)					BRZE	N/A		0.2
2020-HB	DECORATIVE GARDEN FAUCETS	INFO. ON REQUEST		VERDI		P/BR.	N/A		
2126	SCALLOPED FONT BASIN 4" X 10" 5-5/8" PROJ.	WATER BALANCED		VERDI		OX/BRZ	397.75		6.2
2236-F	9" HIGH BENGAL TIGER HEAD FONT 2-1/2" PROJ.	3/4" SLIP HOLE	NON STOCK STD.	VERDI	344.55	OX/BRZ	339.15		7.0
2238-F	8-1/4" HIGH LIONS HEAD FONT 3-3/4" PROJ.	3/4" SLIP HOLE	NON STOCK STD.	VERDI		OX/BRZ	318.60		6.0
2240-F	3-5/8" HIGH LIONS HEAD FONT 1-7/8" PROJ.	1/2" SLIP HOLE	NON STOCK STD.	VERDI	98.05	OX/BRZ	68.15		0.9
2241-F	4-3/4" HIGH LIONS HEAD FONT 2-1/4" PROJ.	5/8" SLIP HOLE		VERDI	99.20	OX/BRZ	85.75		1.4
2242-F	6-1/2" HIGH LIONS HEAD FONT 2-3/4" PROJ.	3/4" SLIP HOLE		VERDI	159.60	OX/BRZ	148.70		3.0
2243-F	8" HIGH LIONS HEAD FONT 3" PROJ.	3/4" SLIP HOLE		VERDI	204.20	OX/BRZ	195.25		5.0
2382-RBH	DECORATIVE ROSE BUD HOOKS	INFO. ON REQUEST				P/BR	P.O.A.		
3020	LE MODERNE SHELF BRACKETS,3"-5"-7"-9"-11" SIZES	INFO. ON REQUEST				P/BR	P.O.A.		
3087	4-3/8" X 17-5/8" SCALLOPED FONT BASIN 9-1/2"PROJ.	(WATER BALANCED)		VERDI	1147.60	OX/BRZ	1128.85		18.0
3320	1-1/4" FPT SIDE OUTLET BELL TRAP DRAIN	REPL.STR.17403	DISCONTINUED				N/A		3.8
3321	1-1/4" FPT BOTTOM OUTLET BELL TRAP DRAIN	REPL.STR.17403	DISCONTINUED				N/A		2.2
3322	1-1/2" FPT BOTTOM OUTLET BELL TRAP DRAIN	REPL.STR.17404	DISCONTINUED				N/A		2.2
3323	2" FPT BOTTOM OUTLET BELL TRAP DRAIN	REPL.STR.17404	DISCONTINUED				N/A		4.7
3324-F	11-5/8" HIGH LIONS HEAD FONT 4-1/4" PROJ.	3/4" SLIP HOLE	NON STOCK STD.	VERDI		OX/BRZ	644.20		15.0
3325-F	17-1/2" HIGH DOLPHIN FONT 4-1/4" PROJ.	3/4" SLIP HOLE	NON STOCK STD.	VERDI	677.40	OX/BRZ	652.50		
3326-F	15" HIGH BANJO CATFISH FONT 3-3/4"PROJ.	3/4" SLIP HOLE	NON STOCK STD.	VERDI	422.50	OX/BRZ	386.30		8.0
3327-F	7" HIGH BANJO CATFISH HEAD FONT 4"PROJ.	3/4" SLIP HOLE	NON STOCK STD.	VERDI	358.75	OX/BRZ	342.45		8.0
3330									
3344	BELL ESCUT. 1" TUBE (1.00") (FOR SLIP & BUCK ANCHORS)	3" DIA. OD.	(YMCA SPEC)	P/BR		C/P/B	44.90		3.4
3568-N	DECK ANCHOR WITH PLUG 1-1/2" TUBE (1.50")	REPL. PLUG 15736	(REF.DRWG.5431)	P/BR		C/P/B	201.00		0.2
3569	DECK ANCHOR WITH PLUG 2" TUBE (2.00")	REPL. PLUG 15735		P/BR		C/P/B	202.60		
3572									
3585	DECK ANCHOR WITH PLUG 2-3/4" TUBE (2.75")	(REPL. PLUG 15739)	(SPECIAL ORDER)	P/BR		C/P/B			6.0
3586-AL	HANDLE CONVERSION ADAPT.1-1/2" BOLTED 1" 8 THREAD.	NO BOLTS & NUTS	Ref.21426			ALUM	34.20		0.4
3586-BR	HANDLE CONVERSION ADAPT.1-1/2" BOLTED 1" 8 THREAD.			B/BRZ	49.90	C/P/B	55.65		1.1
3625									
3668	DECK ANCHOR WITH PLUG 1-1/2" PIPE (1.90")REPLACEMENT PLUG 15735					C/P/B	202.60		2.7
3711	2-1/2" DIA CLINCH RING					C/P/B	13.95		
3712	1-1/8" DIA. CLINCH RING					C/P/B	P.O.A.		2.0
	*PARTS LISTS AVAILABLE ON ALL VACUUM CLEANER ASSEMBLIES - DRAWING NUMBERS AS INDICATED								
	* FONTS ARE AVAILABLE IN A VARIETY OF MATERIALS & FINISHES - INFORMATION ON REQUEST								
PAGE 1	* FOUNTAIN POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL								PAGE 1

NUMBER	DESCRIPTION		FINISH	LIST EA	FINISH	LIST EA	WGT.
3713	1-3/8" DIA CLINCH RING				C/P/B	5.65	0.1
3733	3" DIA CLINCH RING	SPECIAL ORDER	BR	24.15	C/P/B	29.00	0.3
3735							
3751-BR	UTILITY HOOK 10" PROJECTION		P/BR	95.55	C/P/B	120.65	1.6
3843	1-1/4" PIPE SLIP NEOPRENE GASKET		PRICED PER 100		RUBBER	137.05	
3844	1-1/2" PIPE SLIP NEOPRENE GASKET		PRICED PER 100		RUBBER	137.10	
3845	NEOPRENE GASKET 2-1/8" 1" DIA. SLIP		PRICED PER 100		RUBBER	123.75	
3846	NEOPRENE GASKET 2" PIPE (2.38")		PRICED PER 100		RUBBER	137.10	
3847	2-1/8" ID. COMPRESSION WASHER		PRICED PER 100		CAD/PL	111.00	3.0
3851-SP	2-1/8" -11 THREAD HEXAGON NUT				BR.	P.O.A.	0.2
3876	1/4" NYLON ROPE CLAMP, 2 PC. ASSY.				NYLON	6.55	
3877	3/8" NYLON ROPE CLAMP, 2 PC ASSY.				NYLON	6.60	
3878	1/2" NYLON ROPE CLAMP, 2 PC ASSY.				NYLON	6.60	
3880	3/4" NYLON ROPE CLAMP, 2 PC ASSY.				NYLON	7.30	
3901	REAR DIVING STAND WEDGE ANCHOR 1-1/2" PIPE (1.90")	15414-WEDGE ASSY. (REF.DRWG.5355)	REF.DRWG.5351		BRZE	190.85	5.0
3902	COMPRESS. BUCK ANCHOR 1 TUBE (1.00") LESS PLUG	(REF. DRWG 5351) USE 3344 BELL ESC.	BRZE	114.95	C/P/B	127.95	2.5
3909	SPANNER PLUG 1-7/16"-14 THREAD 3902-3910 ANCHORS	(USE 5790 WRENCH) (REF.DRWG.5351)			C/P/B	52.45	0.5
3910	COMP. BUCK ANCHOR 1" TUBE (1.00")2" SQ. TOP LESS PLUG	YMCA SPEC. USE 3344 BELL ESC.	BRZE	131.05	C/P/B	143.30	2.6
3911	REVERSIBLE EYE 1-7/16"-14 THREAD 3902-3910 ANCHORS	USE(5790 WRENCH)			C/P/B	70.20	0.6
3912	REVERSIBLE HOOK 1-7/16"-14 THREAD 3902-3910 ANCHORS				C/P/B	17.80	0.6
3913	SPLASH CURTAIN ASSY. 24" X 70 FT. INFO REQUIRED	YMCA SPEC. (REF.DRWG.5357)	P.O.A.		VINYL		16.0
3914	HDWE. FOR OLD YMCA TIE DOWN SPLASH CURTAIN ASSY.	YMCA SPEC (2) EXTRA SOCKETS REQUIRED			PAIR	106.45	0.8
3915	BACKSTROKE PENNANT ASSY.(6) FT. LANES DRWG. REQUIRED	YMCA SPEC. (REF.DRWG.5359)	*SEE FOOTNOTE		VINYL	P.O.A.	7.0
3916	BACKSTROKE PENNANT ASSY.(7) FT. LANES DRWG. REQUIRED	YMCA SPEC. (REF.DRWG.5460)	BLUE-RED-WHITE		VINYL	P.O.A.	7.0
3916-SP	BACKSTROKE PENNANTS WITH NUMBERS AND OR LETTERS	DRWG. REQUIRED (REF.DRWG.5399-A)			VINYL	P.O.A.	7.0
3917	FALSE START ROPE ASSEMBLY NEED INFO. FOR PRICING	YMCA SPEC. (REF.DRWG.5358)			NYLON	P.O.A.	4.0
3921	SPLASH CURTAIN ASSY. 24" X 56 FT. INFO. REQUIRED	YMCA SPEC. (REF.DRWG.5357)			NYLON	P.O.A.	14.0
3925	RECTANGULAR FRAME USED WITH 3932 6" EMBEDMENTS	9-3/8 X 17-1/2" ID (REF.DRWG.5181)	FITS 1 TO 9 FT.		GL/BRZ	P.O.A.	8.0
3926	RECTANGULAR FRAME USED WITH 3932 6" EMBEDMENTS	9-3/8" X21-1/2" ID (REF.DRWG.5181)	FITS 9-3/4 & 10 FT.		GL/BRZ	P.O.A.	8.0
3927	RECTANGULAR FRAME USED WITH 3932 6" EMBEDMENTS	9-3/8"X 22-3/8" ID (REF.DRWG.5179-81)	FITS 10	-3/4 FT.	GL/BRZ	P.O.A.	10.0
3928	BACKSTROKE PENNANT ASSY. 9 FT. LANES DRWG. REQUIRED	YMCA SPEC. (REF.DRWG.5359)	BLUE-RED-WHITE		VINYL	P.O.A.	7.0
3931	FRAMED EMBEDMENTS 6" HIGH INFORMATION ON REQUEST	(1) ASSEMBLY REF.DRWGS.5179-80-81			GL/BRZ	P.O.A.	12.0
3932	EMBEDMENTS 6" HIGH WITH INTEGRALLY CAST TIE BARS	YMCA OUTDOOR POOLS (REF.DRWGS.5381-82)	*SEE FOOTNOTE		GL/BRZ	P.O.A.	6.0
3933	1-1/2" FPT NO-LEAK FLANGE WATER STOP	(REF.DRWG.5022-R)	ZINC PL. FINISH		C/IRON	41.25	1.8
3934	2" FPT NO-LEAK FLANGE WATER STOP		ZINC PL. FINISH		C/IRON	44.20	2.3
3948	SPLASH CURTAIN ASSY. 24" X 77 FT. INFO. ON REQUEST	YMCA SPEC. (REF.DRWG.5357)	P.O.A.		VINYL	P.O.A.	18.0
3951	ROPE HOOK WITH WOOD SCREW	1-1/8" DIA. FLANGE			C/P/B	31.15	0.3
3952	ROPE HOOK 1/2"-13 THREAD 1-1/4" LONG	1-1/8" DIA. FLANGE			C/P/B	29.65	0.4
3953	ROPE EYE 5/16"-18 TAPPED HOLE	1-1/8" DIA. FLANGE			C/P/B	28.95	0.3
3954	ROPE HOOK 5/16"-18 TAPPED HOLE	1-1/8" DIA. FLANGE			C/P/B	31.15	0.3
3956	3/8" CLAMP HOOK STRAIGHT STYLE		(2) PC. ASSY.		C/P/B	29.45	0.5
3961	1/2" CLAMP HOOK STRAIGHT STYLE		(2) PC. ASSY.		C/P/B	29.50	0.5
3962	5/8" CLAMP HOOK STRAIGHT STYLE		(2) PC. ASSY.		C/P/B	34.65	0.7
3965	5/8" BULL DOG CLAMP	FOR RACING LANES (2) PC ASSY.	B/BRZ	57.15	C/P/B	66.10	0.9
3966	SPLASH CURTAIN ASSY. 36" x 70 FT. INFO. REQUIRED	YMCA SPEC. (REF.DRWG.5357)			VINYL	P.O.A.	23.0
3968-GS	3-1/4" DIA. SAFETY LINE ANCHOR WITH 4863 T/E	3/4"10 THREAD. 3-1/4" DEEP				N/A	1.7
3972	DEPTH MARKERS 4" NUMBERS (1 THROUGH 0)	(EACH NUMBER PRICED SEPARATELY)	(REF.DRWG.5178)		GL/BRZ	45.60	0.5
3972	DEPTH MARKERS 4" LETTERS D-E-M-P & NUMBER 1/2	(EACH LETTER PRICED SEPARATELY)			GL/BRZ	57.00	0.5
3972	DEPTH MARKERS 4" LETTERS F - T	(SPECIAL LETTERS TO ORDER)			GL/BRZ	50.50	0.5
3972-SP	DEPTH MARKERS 4" SYMBOLS-PERIOD-INCH & FOOT MARK				GL/BRZ	34.85	
3973	DEPTH MARKERS 6" NUMBERS 1-2-3-4-6-8-9	(EACH NUMBER PRICED SEPARATELY)	(REF.DRWG.5180)		GL/BRZ	68.90	1.3
3973	DEPTH MARKERS 6" NUMBERS 5 -7 -0 OR 1/2				GL/BRZ	86.50	1.3
3973	DEPTH MARKERS 6" LETTERS F - T OR M	(EACH LETTER PRICED SEPARATELY)			GL/BRZ	68.90	1.3
3973	DEPTH MARKERS 6" LETTERS -D -E OR P				GL/BRZ	70.95	1.3
3973-SP	DEPTH MARKERS 6"(SPECIAL LETTERS TO ORDER)	SYMBOLS - PERIOD -INCH & FOOT MARK			GL/BRZ	34.85	
3977	WEDGE ANCHOR 1- 1/2"PIPE (1.90")WEDGE ASSEM.15416				DISCONTINUED		
3978	COMP. BUCK ANCHOR 1-1/2" PIPE (1.90")2" MPS BOTTOM	(USE 5795 PLUG) USE 4187 BELL. ESC.	(REF.DRWG.5069)		BRZE	P.O.A.	3.0
3979	COMP. BUCK ANCHOR 1-1/2" PIPE (1.90")2-1/2" MPS TOP	USE 4187 BELL. ESC.	(REF.DRWG.5069)		BRZE	P.O.A.	3.1
3980-BR	BRUSH ASSEMBLY 24" 1-1/4" DIA. BOLTED CONN.	(REPL. BRUSH 4068) NYLON BRISTLES			BRZE	225.40	5.0
3981-AL	DECK SQUEEGEE 12" REV. RUBBER BLADE 1-1/4" DIA. BOLT.	(REP. BLADE 15607) SPECIAL ORDER			ALUM	P.O.A.	1.7
3981-BR	DECK SQUEEGEE 12" REV. RUBBER BLADE 1-1/4" DIA. BOLT.	SPECIAL ORDER			BRZE	P.O.A.	2.8
3982-BR	BRUSH ASSEMBLY 36" 1-1/4" DIA. BOLTED CONN.	(REPL. BRUSH 4069) NYLON BRISTLES			BRZE	P.O.A.	7.5
3983-AL	DECK SQUEEGEE 24" REV. RUBBER BLADE 1-1/4" DIA. BOLT.	(REP BLADE 15608) SPECIAL ORDER			ALUM	P.O.A.	2.5
3983-BR	DECK SQUEEGEE 24" REV. RUBBER BLADE 1-1/4" DIA. BOLT.				BRZE	P.O.A.	3.5
3985	WALL INLET 1-1/2" PIPE (1.90")FOR VINYL POOLS				BRZE	99.80	2.2
3986-AL	DECK SQUEEGEE 12" REVERS. RUBBER BLADE FEMALE THREAD	(REP. BLADE 15607) SPECIAL ORDER			ALUM	112.20	2.0
3986-BR	DECK SQUEEGEE 12" REVERS. RUBBER BLADE FEMALE THREAD	SPECIAL ORDER			BRZE	123.75	3.0
3988							
3991	BACKSTROKE PENNANT ASSY. 8 FT. LANES DRWG. REQUIRED	(YMCA SPEC) (REF. DRWG. 5359)	BLUE-RED-WHITE		VINYL	P.O.A.	7.0
3992	SPLASH CURTAIN ASSY. 24" X 35 FT. INFO. REQUIRED	(YMCA SPEC) (REF. DRWG. 5357)				P.O.A.	13.0
	*PENNANT ASSEMBLIES AVAILABLE IN A VARIETY OF COLORS, WITH NUMBERS AND LETTERS TO ORDER - INFORMATION ON REQUEST.						
	*REF. DRWG. 5359FOR REQ. INFO. TO INSURE CORRECT BACKSTROKE, FALSE START, SPLASH CURTAIN AND STANCHION ASSEMBLIES						
PAGE 2	*EMBEDMENTS QUOTED PER SPECIFIC POOL PROJECT						PAGE 2

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.
3994	BACK PLATE ASSEMBLY SOLD ONLY WITH 4179 ASSEMBLY						P.O.A.	0.2
3997	3" SQUARE LANE MARKER W/CROSS BAR 2" MPS	(REF.DRWG.5068)				C/P/B	101.90	1.2
3997-RC	AS ABOVE WITH GASKETS, WASHER AND NUT.					C/P/B	115.85	1.4
3999	SPLASH CURTAIN ASSY.36"X 77 FT. INFO REQUIRED	YMCA SPEC.	REF. DRWG 5357				P.O.A.	
4015 X	INLET FITTING 1-1/2" FPT X 4312-OVS 1-1/2" FPT	SPECIALS TO ORDER	(REF.DRWG.5237)			C/P/B		1.4
4015 X	4018 ADJUSTABLE INLET	SPECIALS TO ORDER	(REF.DRWG.5238)			C/P/B	136.30	1.4
4019	POOL COVER SOCKET SCREW TYPE 3/4" DIA.					BRASS	P.O.A.	
4020	1" FPT SPRAY INLET 4" DIA.	NOT IN PRODUCTION					N/A	
4021	BELL ESCUTCHEON 1-1/4" PIPE FOR SLIP & BUCK ANCHORS	3-9/16" O/D.	(REF.DRWG.5353)			C/P/B	72.35	1.0
4027	COVER PLATE - USED WITH 4030 STOP COLLAR	YMCA SPEC.	15542 BOLT REQ.			C/P/B	101.90	0.6
4028	WEDGE ANCHOR 1-1/2"PIPE (1.90")WEDGE ASSY. 15414	YMCA SPEC.	USE 5449 ESCUT.	(REF.DRWG.5327)		BRZE	100.00	4.0
4029	ESCUTCHEON PLATE 1-1/2" PIPE (1.90")			(REF.DRWG.5129)		C/P/B	49.25	0.5
4030	TILE STOP COLLAR - USE 4028 ANCHOR OR EQUAL	YMCA SPEC.	4027 COVER REQ.	(REF.DRWG.5327)		ST.ST.	67.05	0.4
4031	WEDGE ANCHOR 2" PIPE (2.375") WEDGE ASSY.15414		4033 COVER REQ.	(REF.DRWG.5137)		BR	121.80	
4032	ESCUTCHEON PLATE 2"PIPE (2.375")	SPECIAL ORDER				C/P/B	63.20	0.6
4033	ANCHOR COVER PLATE 2" PIPE (2.375")FITS 4031 ANCHOR	COUNTERSUNK FOR BOLT		GLZ/BZ	68.50	C/P/B	81.20	
4034	WALL ANCHOR 1/2"-13 THREAD 4" LONG 2" DIA. LESS PLUG	REPL. PLUG 15550		BRZE	66.45	C/P/B	75.80	1.3
4035	DECK ANCHOR SLIP TYPE 1" TUBE (1.00) 1" MPS THREAD.	OLD YMCA SPEC.	REF.DRWG.5351	P/BR	85.15	C/P/B	97.10	2.2
4036	REVERSIBLE PLUG 1" MPS THREAD FOR 4035 ANCHOR	(DISCONTINUED)		USE 4037-4038		C/P/B		0.4
4037	REVERSIBLE HOOK 1" MPS THREAD. (FOR 4035 ANCHOR)	(USE 5790 WRENCH)	REF.DRWG.5351	REF.DRWG.5351		C/P/B	60.85	0.4
4038	REVERSIBLE EYE 1" MPS THREAD. (FOR 4035 ANCHOR)	(USE 5790 WRENCH)				C/P/B	60.85	0.4
4039	STANCHION ASSEMBLY 1" TUBE (1.00") .083" WALL	REMOVABLE TOP EYE	SPECIFY THREAD EYE	REF.DRWG.5493		ST.ST.	P.O.A.	
4041	BACKSTROKE PENNANT ASSY.10 FT. LANES (DRWG. REQUIRED)	YMCA SPEC.	REF.DRWG.5359	*SEE FOOTNOTE		VINYL	P.O.A.	8.0
4042	BACKSTROKE PENNANT ASSY.11 FT. LANES (DRWG. REQUIRED)	YMCA SPEC.	REF.DRWG.5359	BLUE-RED-WHITE		VINYL	P.O.A.	9.0
4046	4" LONG TENSION SPRING					ST.ST.	17.95	0.4
4049	POOL COVER (SCREW TYPE) SOCKET, DRIVE FIT 3/4" PIPE					BRASS	12.45	0.5
4050	2" FPT DECK DRAIN 2-1/2" x 3-9/16"RECESS.STRAINER	REPL STR.7303	REF.DRWG.5042			C/P/B	98.90	1.8
4051	2" FPT DECK DRAIN 2-1/2" x 5-9/16"RECESS.STRAINER	REPL STR.7304	REF.DRWG.5043			C/P/B	129.25	2.1
4052	2" FPT DECK DRAIN 2-3/4" x 4" FLUSH STRAINER	REPL STR.7305	REF.DRWG.5116			C/P/B	94.70	1.8
4053	2" FPT DECK DRAIN 2-3/4" x 6" FLUSH STRAINER	REPL STR.7306	REF.DRWG.5116			C/P/B	121.00	2.1
4054	BACKSTROKE PENNANT ASSEMBLY 2.0 METER LANES	DRWG. REQUIRED	REF.DRWG.5359	*SEE FOOTNOTE		VINYL	P.O.A.	
4055	BACKSTROKE PENNANT ASSEMBLY 2.5 METER LANES	DRWG. REQUIRED	REF.DRWG.5359	BLUE-RED-WHITE		VINYL	P.O.A.	
4056	TAMPERPROOF SCREWS FOR (4) HOLE MT. STRAINER. ASSEMBLIES No. 4159-4163	5/8" LONG		USE 4059 TOOLS		ST. ST.	2.15	
4057	8-3/4" X 8-1/2" "CHERUB" FONT 3-3/4" PROJ.	1/2" SLIP HOLE	NON STOCK STD.	VERDI		OX/BRZ	527.25	12.0
4058	15-5/8" X 9-3/8" "NEPTUNE" FONT 4" PROJ.	3/4" SLIP HOLE	NON STOCK STD.	VERDI		OX/BRZ	654.15	22.0
4059-A	SPECIAL SCREW DRIVER & BIT FOR 4056 TAMPERPROOF SCREW ASSEMBLIES					ST. ST.	68.05	
4059-B	SPANNER BIT FOR 4059-A SCREW DRIVER & 4056 SPANNER SCREWS						26.35	
4060	RETURN FITTING 1-1/2" FPT X 2" MPS X 1-1/2" INSERT	(REF.DRWG.5028)				C/P/B	P.O.A.	1.7
4060-RC	AS ABOVE WY GASKETS, WASHER AND LOCK NUT LESS PLUG							
4061	3" SQ. RACING LINE CUP ANCHOR WITH CROSS BAR 2" MPS	1-3/8" DEEP	(REF.DRWG.5059)			C/P/B	102.75	1.2
4061-RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT					C/P/B	120.30	1.4
4062	2" MPS X 1-1/2" FPT ADJUSTABLE INLET 3" SQ.	SPECIAL ORDER	(REF.DRWG.5027)			C/P/B	168.65	1.6
4062-RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT					C/P/B	180.75	1.9
4063	1-1/2" FPT X 2" MPS VACUUM RETURN FITTING	SPECIAL ORDER		NEW		C/P/B	168.65	
4063-RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT					C/P/B	180.75	1.8
4064	1-1/2" FPS X 2" MPS VACUUM RETURN FITTING	SPECIAL ORDER				DISCONTINUED		1.4
4064-RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT					DISCONTINUED		1.5
4065	1-1/2" FPS X 2" MPS VACUUM RETURN FITTING	SPECIAL ORDER				C/P/B		1.4
4065-RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT					C/P/B		1.5
4066-SP	3/4" MPT. AERATOR 1-3/4" LONG	NEW				BRASS	25.30	0.4
4068	REPLACEMENT BRUSH 24" LONGFOR 3980-4094 & 4406 ASSY.	NYLON BRISTLES				POLY	59.15	0.8
4069	REPLACEMENT BRUSH 36" LONGFOR 3982,4095 & 6166 ASSY.	NYLON BRISTLES				POLY	90.55	1.2
4070	12" LONG PRY BAR FOR POOL COVER SPRING	SPECIAL ORDER				ST. ST.		0.7
4071	1-1/2" FPT X 2" MPS NON-ADJ. INLET	SPECIAL ORDER				C/P/B	98.75	1.7
4071-RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT					C/P/B	123.05	1.9
4072	3-1/2" LONG ROPE CLEAT			BRZ	18.45	C/P/B	25.30	0.2
4073 X	INLET FITTING 1" INSERT X 4077 OVS 1 FPT WALL POOLS	SPECIALS TO ORDER	SPECIFY ASSY.			C/P/B		2.0
4074 X	INLET FITTING 1-1/2" INSERT X 4322-OVS 1-1/2" FPT	SPECIALS TO ORDER	SPECIFY ASSY.			C/P/B		2.0
4075 X	INLET FITTING 1-1/2" FPT X 4322 1-1/2" FPT WALL POOLS	SPECIALS TO ORDER	SPECIFY ASSY.			C/P/B		
4079	POOL COVER HOOK FOR POOL COVER SPRINGS	SPECIAL ORDER					P.O.A.	
4080	HEAVY DUTY POOL COVER SPRING DOUBLE BAR ASSEMBLY	PATENTED				ST. ST.	26.50	0.4
4082	23-1/4" LONG PRY BAR FOR POOL COVER SPRING					ST. ST.	P.O.A.	1.3
4084	3/4"-10 WALL ANCHOR 4" LONG CONCRETE POOLS			BRZ	67.75	C/P/B	77.10	1.2
4085	3/4"-10 WALL ANCHOR 4-1/4" LONG LINER POOLS	(REF.DRWG.5064)				C/P/B	100.40	1.0
4086	4" LONG ROPE CLEAT	SPECIAL ORDER		BRZ	21.20	C/P/B	29.60	0.3
4087	5" LONG ROPE CLEAT	SPECIAL ORDER		BRZ	26.95	C/P/B	35.85	0.4
4088	1-1/2" FPT VACUUM INLET 2 X 6 MOUNT LINER POOLS	(REF.DRWG.5240)				C/P/B	101.15	2.0
4090	1-1/2" FPT VACUUM INLET 2 X 4 MOUNT LINER POOLS	(REF.DRWG.5239)				C/P/B	95.90	1.5
4092	1-1/2" FPT VACUUM INLET 4 X 4 MOUNT LINER POOLS	(REF.DRWG.5241)				C/P/B	100.80	2.0
	* REF. DRWG. 5359FOR REQ. INFO. TO INSURE CORRECT BACKSTROKE, FALSE START, SPLASH CURTAIN AND STANCHION ASSEMBLIES							
	* TAMPERPROOF HDWE IS AVAILABLE COMPLETE WITH SCREWS, BIT & DRIVER ON SPECIAL ORDER - PRICES ON REQUEST							
PAGE 3								PAGE 3
	NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY		NY (212) 267-6738		FAX (201) 339-3492		

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
4094-T	24" BRUSH ASSEMBLY 1"-8 THREAD (REPL. BRUSH 4068) NYLON BRISTLES			BRZE	234.05	5.0
4095-T	36" BRUSH ASSEMBLY 1"-8 THREAD (REPL. BRUSH 4069) NYLON BRISTLES			BRZE	320.60	6.7
4097	8" LONG STRAP SWIVEL ROPE EYE			ST.ST.	11.35	0.2
4099-1	1-1/2" FPT X 2" MPS ADJ. INLET SPECIAL ORDER. FOR STEEL POOLS			C/P/B	92.40	1.0
4099-1RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT (REF.DRWG.5018)			C/P/B	107.40	1.5
4099-2	1-1/2" FPT X 2" MPS NON-ADJ. INLET SPECIAL ORDER. FOR STEEL POOLS			C/P/B	85.15	1.3
4099-2RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT REF.DRWG.5018			C/P/B	97.15	1.8
4116	5/8"-11 THREAD WALL ANCHOR 3-1/2" LONG			BRZE	38.90	0.8
4117	3/4"-10 THREAD WALL ANCHOR 3-1/2" LONG REF.DRWG.5072			BRZE	37.85	0.7
4118	5-3/8" LONG STRAP SWIVEL EYE			ST.ST.	10.90	0.1
4119	3/4" BULL DOG ROPE CLAMP (FOR RACING LANES) (2) PC. ASSY.	B/BR	57.20	C/P/B	67.90	0.8
4120	POOL COVER SOCKET SPRING LOADED RETRACTABLE PLUG			BRASS	P.O.A.	
4121	3/4"-10 THREAD FLANGED ROPE EYE 1-3/8" LONG (1-3/4" DIAFLANGE) 2-3/8"OD.X 1-3/8" ID.	REF.DRWG.5285		C/P/B	68.40	1.0
4123	3/4" ROPE CLAMP HOOK STRAIGHT STYLE, 2 PC. ASSY (2) PC. ASSY.			C/P/B	41.90	0.9
4124	3/8" SIZE ROPE HOOK FIXED LEVER STYLE REF.DRWG.5281			C/P/B	12.25	0.1
4126	1/2" SIZE ROPE HOOK FIXED LEVER STYLE REF.DRWG.5281			C/P/B	13.60	0.2
4127	5/8" SIZE ROPE HOOK FIXED LEVER STYLE			C/P/B	15.00	0.2
4128	3/4" SIZE ROPE HOOK FIXED LEVER STYLE			C/P/B	18.60	0.3
4129-GS	3"RD RACING SAFETY LINE CUP ANCHOR SPECIFY WITH 4869 T/E OR 4723 T/E (2-5/8" DEEP)	REF.DRWG.5071-R		C/P/B	117.15	2.5
4130	BACK PLATE ASSEMBLY SOLD ONLY WITH 4189 ASSEMBLY REF.DRWG.5154			BRASS		
4131-GS	4" DIARACING SAFETY LINE CUP ANCHOR & 6688 THREADED EYE 4-3/4" DEEP REF.DRWG.5063			C/P/B	172.35	3.0
4132	1/2" SIZE ROPE HOOK SNAP SWIVEL STYLE			C/P/B	13.50	0.2
4133	5/8" SIZE ROPE HOOK SNAP SWIVEL STYLE			C/P/B	13.95	0.2
4134	1" SIZE ROPE HOOK SNAP SWIVEL STYLE 3/4" TO 1"			C/P/B	19.70	0.4
4135	1/4" ROPE LOOP STYLE CLAMP HOOK, 2 PC ASSY.			C/P/B	29.45	0.3
4136	3/8" ROPE LOOP STYLE CLAMP HOOK, 2 PC ASSY.			C/P/B	33.50	0.5
4137	1/2" ROPE LOOP STYLE CLAMP HOOK, 2 PC ASSY.			C/P/B	35.85	0.7
4139	3/4" ROPE LOOP STYLE CLAMP HOOK, 2 PC ASSY.			C/P/B	50.95	1.4
4140	3/4" FPT SPRAY INLET SPECIAL MACHINING TO ORDER			C/P/B	56.10	0.7
4141	3/4" FPT SPRAY INLET			C/P/B	64.70	0.7
4142	3/4" FPT SPRAY INLET SPECIAL MACHINING TO ORDER			C/P/B	73.00	0.7
4143	3/4" FPT SPRAY INLET			C/P/B	58.55	0.7
4144	1/2" SIZE ROPE HOOK SWIVEL LEVER STYLE			C/P/B	14.30	0.2
4145	5/8" SIZE ROPE HOOK SWIVEL LEVER STYLE			C/P/B	15.95	0.3
4146	3/4" SIZE ROPE HOOK SWIVEL LEVER STYLE			C/P/B	17.70	0.4
4147	1" FPT SPRAY INLET SPECIAL MACHINING TO ORDER			C/P/B	92.00	0.4
4148-SD	FRAME AND 6" SQ. STRAINER GRATE 4 HOLE MOUNT 3/4" HIGH (REPL. STR. 4148-1) 5035-5111-5213	GL/BRZ	206.80	C/P/B	233.85	4.0
4148-1	6" SQUARE STRAINER GRATE ONLY FOR ABOVE	GL/BRZ	123.05	C/P/B	140.20	1.5
4149	2" FPT DECK DRAIN 2-3/8" X 9-5/8" RECESSED STRAINER (REPL.STR.15551) (REF.DRWG.5012)	GL/BRZ	213.00	C/P/B	246.25	4.4
4150	2-1/2" MPT DECK DRAIN 2-3/8" X 9-5/8" RECESSED STRAINER (REPL.STR.15551) (USE 5676 TEST PLUG)	GL/BRZ	228.80	C/P/B	264.15	4.4
4151	3/8"-16 THREAD FLANGED ROPE EYE 2-1/4" LONG (2" DIA. FLANGE) 1-3/4" OD. (REF.DRWG.5284)	C/P/B		C/P/B	75.25	0.6
4152	1/2"-13 THREAD FLANGED ROPE EYE 2-1/4" LONG (2" DIA. FLANGE) 1-3/4" OD. (REF.DRWG.5284)	C/P/B		C/P/B	69.45	0.7
4153	1/2"-13 THREAD FLANGED ROPE EYE 1-3/4" LONG (1-1/2" DIAFLANGE) 1-3/4"OD. (REF. DRWG 5284)	C/P/B		C/P/B		0.3
4154	1" FPT X 1-1/4"MPS X 1-1/4" INSERT INLET FITTING			C/P/B	P.O.A.	0.1
4154-RC	AS ABOVE WITH GASKET, WASHER AND LOCK NUT			C/P/B	P.O.A.	1.0
4156	1" FPT X 1-1/4" MPS VACUUM RETURN FITTING			C/P/B	P.O.A.	1.0
4156-RC	AS ABOVE WITH GASKET, WASHER AND LOCK NUT			C/P/B	84.30	1.0
4157	1-1/2" FPS X 2" MPS VACUUM RETURN FITTING LESS PLUG 1-1/8" O/A (REF.DRWG.5260)	(USE 5717 PLUG)		C/P/B	71.70	1.0
4157-RC	AS ABOVE WITH GASKET, WASHER AND LOCK NUT			C/P/B	85.75	1.0
4158	1-1/2" FPT X 1-1/2" FPT X 2" MPS VACUUM FITTING 1-1/8" O/A			C/P/B	71.70	1.0
4158-RC	AS ABOVE WITH GASKET, WASHER AND LOCK NUT			C/P/B	86.30	1.3
4159-SD	FRAME & 7-7/8" SQ.STR.GRATE(4) HOLE MOUNT 3/4" HIGH (REPL. STR. 4159-1) (DRWG.5034-5035)	GL/BRZ	238.70	C/P/B	261.70	5.6
4159-1	7-7/8" SQUARE STRAINER GRATE ONLY FOR ABOVE	GL/BRZ	157.75	C/P/B	187.70	2.1
4160-SD	FRAME AND 10" SQ. STRAINER GRATE (4) HOLE MOUNT 3/4" HIGH (REPL. STR. 4160-1)	GL/BRZ	337.85	C/P/B	382.00	9.5
4160-1	10" SQUARE STRAINER GRATE ONLY FOR ABOVE	GL/BRZ	232.20	C/P/B	269.15	
4161-SD	FRAME AND 12" SQ. STRAINER GRATE (4) HOLE MOUNT 7/8" HIGH (REPL.STR.4161-1) SEE 5439 SD	GL/BRZ	486.65	C/P/B	568.95	11.3
4161-1	12" SQUARE STRAINER GRATE ONLY FOR ABOVE	GL/BRZ	295.20	C/P/B	342.40	10.0
4162-SD	FRAME AND 15" SQ.STR.GRATE(4) HOLE MOUNT 3/4" HIGH (REPL.STR.4162-1) (DRWG.5035-5037)	GL/BRZ	1105.60	C/P/B	1238.40	21.0
4162-1	15" SQUARE STRAINER GRATE ONLY FOR ABOVE (DRWG.5035-5038)	GL/BRZ	580.60	C/P/B	642.80	13.0
4163-SD	FRAME & 18" SQ.STR.GRATE(4) HOLE MOUNT 1-1/8" HIGH (REPL.STR.4163-1) (DRWG.5035-5038)	GL/BRZ	1664.00	C/P/B	1945.60	
4163-1	18" SQUARE STRAINER PLATE ONLY FOR ABOVE	GL/BRZ	950.85	C/P/B	1043.75	
4164	WALL ANCHOR 7/16-14 THREAD. 2-1/2" LONG			BRZE	24.50	0.4
4165	WALL ANCHOR 5/16-18 THREAD. USED WY 5937 ANCHOR ASSY.			BRZE	33.25	0.9
4167-GS	4" SQUARE RACING/SAFETY LINE CUP ANCHOR 1/2-13 EYE (6684)			DISCONTINUED		1.8
4168	3-5/8"RD.RACING/SAFETY LINE CUP ANCHOR 2" MPS CROSSBAR 1-3/8" DEEP REF.DRWG.5059			C/P/B	104.45	1.3
4168-RC	AS ABOVE WITH GASKET, WASHER AND LOCK NUT			C/P/B	120.15	1.6
4169-GS	6" SQ.RACING/SAFETY LINE CUP ANCHOR & 6688 THREADED EYE			DISCONTINUED		4.1
4173	2" MPT SIGHT GLASS ASSY. (CENTER BOLT STYLE) (DRWG.5030 & 5089) REPL. 17517 PYREX GLASS			BRZE	183.05	2.4
4174-SP	8-3/16" SQUARE STRAINER GRATE X 1/4" THICK (FITS FROST FRAME) NEW	GL/BRZ		C/P/B		2.5
4175	1-1/4" MPT SIGHT GLASS ASSY. (CENTER BOLT STYLE) REF.DRWG.5030 REPL. 17515 PYREX GLASS			BRZE	118.70	1.3
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED					
	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL					
PAGE 4	*SPRAY INLETS AVAILABLE WITH SPECIAL MACHINING - INFORMATION ON REQUEST				PAGE 4	
NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY	NY (212) 267-6738	FAX (201) 339-3492			

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.	
4176	3/4" RADIUS CURVED OVAL ROPE EYE	SEE 6754-2 ASSEMBLY		C/P/B	19.00	0.3	
4177	1" RADIUS CURVED OVAL ROPE EYE	SEE 6755-2 ASSEMBLY		C/P/B	19.00	0.3	
4178-GS	2-7/8" SQ. RACING LINE CUP ANCHOR & 6684 1/2-13 THREADED EYE	3-1/4" DEEP	REF.DRWG.5054	C/P/B	92.85	1.8	
4179	FLAT OVAL ROPE EYE LARGE PATTERN	SEE 6732 ASSY		(2) REQUIRED	C/P/B	39.50	
4179-CC	FLAT OVAL ROPE EYE ASSY. WY.3994 BACK PLATE & HARDWARE			(2) REQUIRED	C/P/B	56.10	
4180	3/8"-16 THREAD WALL ANCHOR 2-1/2" LONG			BRZE	23.80	0.4	
4181-GS	3-1/2" DIA RACING/SAFETY LINE CUP ANCHOR & 6684 T/E	FOR LINER POOLS	3" DEEP	REF.DRWG.5221	C/P/B	144.55	
4182	1-1/4" RADIUS CURVED OVAL ROPE EYE	SEE 6756-2 ASSEMBLY		C/P/B	19.95	0.3	
4183-GS	4" SQ. RACING/SAFETY LINE CUP ANCHOR & 5/16"CROSS BAR	DISCONTINUED		C/P/B		1.6	
4184-GS	3-1/2" DIA RACING/SAFETY LINE CUP ANCHOR CROSS BAR	FOR LINER POOLS	3" DEEP	REF.DRWG.5222	C/P/B	111.00	
4185	5/8" ROPE HOOK LARGE PATTERN			C/P/B	33.25	0.4	
4186	DOG BOLT ASSEMBLY	SPECIAL ORDER.		BRZE			
4187	BELL ESCUTCHEON 1-1/2" PIPE SLIP & BUCK ANCHORS	4-1/16" O/DIA.	DRWS.5061-5216	C/P/B	66.90	1.0	
4189	FLAT OVAL ROPE EYE SMALL PATTERN	SEE 6733,6777 & 6790	ASSEMBLIES	C/P/B	19.15	0.3	
4189-CC	OVAL ROPE EYE ASSY. 4130 BACK PLATE, GASKET & FASTENERS	REF.DRWG.5154		(2) REQUIRED	C/P/B	30.00	
4190	ROPE SPLICING TOOL	SPECIAL ORDER.		BRASS		0.2	
4191	12" LONG STRAP SWIVEL EYE			ST.ST.	12.00	0.2	
4192	ESCUTCHEON PLATE 1-1/2" PIPE (1.90")3-1/8" X 4-1/8"		REF.DRWG.5304	ST.ST.	11.00	0.1	
4193	ESCUTCHEON PLATE 1-1/2" PIPE (1.90")4" DIA.	DISCONTINUED	SEE 5450	ST.ST.		0.2	
4194	1/8" ROPE CLAMP, 2 PC. ASSY.	PACKED(2) IN POLY BAG	SEE 4472-73-74	C/P/B	9.65	0.1	
4195	1/4" ROPE CLAMP, 2 PC. ASSY.	FOR CABLE CLAMPS		C/P/B	9.65	0.1	
4197	3/8" ROPE CLAMP, 2 PC. ASSY.	PACKED(2) IN POLY BAG		C/P/B	9.65	0.1	
4198	1/2" ROPE CLAMP, 2 PC. ASSY.			C/P/B	9.65	0.1	
4199	ROPE HOOK EYE SMALL PATTERN			C/P/B	8.00	0.2	
4200	1/2"-13 THREAD WALL ANCHOR 7" LONG			BRZE	48.25	1.0	
4201-SP	SPECIAL SPLASH CURTAIN ASSEMBLIES	MADE TO ORDER	INFO. REQUIRED	VINYL	P.O.A.		
4202	THREADED EYE 1/2"-13 THREAD 1-3/4"L WY GASKET, WASHER & NUT	1-1/2" DIA. FLANGE 1-3/8" OD.X 1-3/16"	4316-TE	C/P/B	35.65	0.4	
4203	1" ROPE CLAMP, 2 PC. ASSY.			C/P/B	27.45	0.4	
4204	1/2"-13 THREAD WALL ANCHOR 2-1/2" LONG		REF.DRWG.5072	BRZE	22.15	0.4	
4205-AL	5" LONG ALGAE BRUSH 1"-8 THREAD	REPL. BRUSH 15609	STAINLESS BRISTLES	ALUM	80.50	1.2	
4205-BR	5" LONG ALGAE BRUSH 1"-8 THREAD	REPL. BRUSH 15609		BRZE	85.05	1.9	
4206-AL	9" LONG ALGAE BRUSH 1"-8 THREAD	REPL. BRUSH 15610	STAINLESS BRISTLES	ALUM	103.30	1.7	
4206-BR	9" LONG ALGAE BRUSH 1"-8 THREAD	REPL. BRUSH.15610		BRZE	115.45	3.0	
4207	CORNER WALL EYE		DISCONTINUED	C/P/B		0.4	
4208	EMBEDMENTS 4" HIGH INTEGRALLY CAST TIE BARS	*SEE FOOTNOTE		GL/BRZ	P.O.A.		
4209	SPLIT ESCUT.PLATE(2) PC. ASSY. 1-1/2" PIPE (1.90")	SPECIAL ORDER	REF.DRWG.5304	C/P/B	65.45	0.7	
4210	5/8" ROPE CLAMP, 2 PC. ASSEMBLY	PACKED(2) IN POLY BAG		C/P/B	16.05	0.3	
4211	3/4" ROPE CLAMP, 2 PC ASSEMBLY			C/P/B	16.05	0.3	
4212-GS	2-3/4" DIA RACING/SAFETY LINE CUP ANCHOR & 6684 T/E	3" DEEP	REF.DRWG.5054	C/P/B	80.10	1.5	
4213	ROPE HOOK EYE LARGE PATTERN			C/P/B	17.15	0.4	
4215	ESCUTCHEON PLATE 1-1/4" PIPE (1.66")		REF.DRWG.5304	C/P/B	41.55	0.5	
4216-GS	3" DIA RACING/SAFETY LINE CUP ANCHOR 1/2-13 T/E	6686 THREADED EYE		C/P/B	73.45	1.7	
4217	4" LONG ARROW WALL EYE SLIPS 1/2" ROPE			BRZE	14.95	0.3	
4218	3/4" ROPE HOOK LARGE PATTERN			C/P/B	33.90	0.4	
4219	ESCUTCHEON PLATE 1-1/2" PIPE (1.90")		REF.DRWG.5304	C/P/B	40.40	0.5	
4220-BR	HEAVY DUTY WEDGE ANCHOR 1-1/2" PIPE (1.90")	15414 WEDGE ASSY.	DRWG.5301	BRZE	92.90	3.8	
4224	EXTERNAL ROPE EYE LESS FASTENERS			C/P/B	31.90	0.3	
4226	ANCHOR COVER PLATE 1-1/2" PIPE (1.90")SLIP FITS	4028,4220,5720	SPECIFY ANCHOR	GL/BRZ	43.85	0.6	
4226-SD	COVER PLATE AS ABOVE SCREW DOWN FOR 4028,4220,5720	SPECIFY ANCHOR		GL/BRZ	66.95	1.6	
4227	2" MPS FLUG ADAPTER FLANGED	NEW	(REF.DRWG.5024)	C/P/B	39.50	0.6	
4228	THREADED EYE 1/2"-13 THREAD 1-3/4" LONG & EXP. SHIELD	1-1/2" DIAFLANGE	4316-TE	(3) PC. ASSY.	C/P/B	35.20	
4229-BR	19-3/4" C/L LADDER STEP LESS FASTENERS	NON STOCK STD.		BRZE	200.50	6.0	
4230-BR	18-3/4" C/L LADDER STEP LESS FASTENERS	NON STOCK STD.		C/P/B	137.10	5.0	
4231	1-1/2" FPT SPRAY INLET 1/8"45 DEGREE ARC SLOT	15,556 FACE PL.	REF.DRWG.5404	NEW	C/P/B	284.50	
4232	FLANGED THREADED EYE 3/8"-16 THREAD 1-1/8" LONG	1-1/8" DIA. FLANGE	REF.DRWG.5282	C/P/B	26.50	0.3	
4237	1-1/2" FPT RECIRCULATING WALL INLET (15575 FACEPLATE)	.625 OPEN AREA	REF.DRWG.5073-5149	C/P/B	279.85	4.9	
4238	1-1/2" MPS X 1-1/2" HOSE MALE HOSE ADAPTER			BRZE	36.60	0.6	
4239	1-1/2" MPS X 1-1/4" HOSE MALE HOSE ADAPTER			BRZE	31.15	0.5	
4243-AL	1-1/2" SPANNER WRENCH (HOSE SWIVELS)			B/ALUM	25.00	0.3	
4243-BR	1-1/2" SPANNER WRENCH (HOSE SWIVELS)			BRZE	30.55	0.9	
4244	1-1/2" MPT SIGHT GLASS ASSY (4 BOLT STYLE)	(REF.DRWG.5031)	REPL. 17,516 PYREX GLASS	BRZE	130.00	1.8	
4245	1-1/2" MPT SIGHT GLASS ASSY (CENTER BOLT STYLE)	(REF.DRWG.5030)	REPL. 17,516 PYREX GLASS	BRZE	128.15	1.8	
4246-BR	18-3/4"C/L 15 DEGREE ANGLE LADDER STEP LESS HARDWARE	(NON STOCK STD)		BRZE	114.95	4.5	
4247	1/2"-13 FLANGED THREADED EYE 1-1/8" LONG	(1-1/8" DIAFLANGE)	4639-40-41 ASSY.	REF.DRWG.5282	C/P/B	22.85	
4249-GS	1-1/2" FPT X 1-1/2" FPT VACUUM RETURN FITTING NO PLUG	(USE 4251 PLUG)	REF.DRWG.5204-6211	C/P/B	71.70	0.9	
4250-GS	1-1/2" FPT FRONT X 2" MPT VACUUM RETURN FITTING	(USE 4251 PLUG)	1-3/4" HIGH	REF.DRWG.6211	C/P/B	84.50	
4251	1-1/2" MPS PLUG ADAPTER FLANGED		REF.DRWG.5024	BRZE	23.90	0.4	
4252	1-1/2" MPS NON-ADJ. FLANGED INLET ADAPTER		REF.DRWG.5024	C/P/B	36.75	0.4	
4253	1-1/2" MPS ADJUSTABLE FLANGED INLET ADAPTER		REF.DRWG.5024	C/P/B	51.95	0.5	
4254-GS	1-1/2" FPT X 1-1/2" FPT X 2" MPT VACUUM/RETURN FITTING	1-3/4" HIGH	REF.DRWG.6211	C/P/B	99.85	1.3	
*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED							
*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL							
PAGE 5	*EMBEDMENTS QUOTED PER SPECIFIC POOL PROJECT					PAGE 5	
NJ (201) 339-1351-2-3		STANDARD BRONZE COMPANY			NY (212) 267-6738 FAX (201) 339-3492		

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.		
4255-BR	1-1/2" FPT X1" FPS DRAIN SUMP CHR.STR.15410 4-3/8" DIA	15411 CHR. OUTER RING	REF.DRWG. 5230		BRZE	415.55 9.0		
4256-BR	2" FPT X 1" FPS DRAIN SUMP CHR. STR. 15410 AND	15411 CHR. OUTER RING	REF.DRWG.5230		BRZE	415.55 9.3		
4257	1-1/2" FPS X 2"FPS VACUUM RETURN FITTING LESS PLUG	1-1/2" O/A	1-1/2" THREADED LENGTH	USE 4251 PLUG	C/P/B	78.80 1.4		
4257-RC	AS ABOVE WITH GASKET, WASHER AND LOCK NUT				C/P/B	90.90 1.6		
4261	1-1/2" TAPER X 1-1/2" HOSE MALE HOSE ALIP ADAPTER		REF.DRWG.5044		BRZE	33.50 0.7		
4262	1-1/2" TAPER X 1-1/4" HOSE MALE HOSE SLIP ADAPTER		REF.DRWG.5161		BRZE	31.50 0.8		
4263	1-1/2" VACUUM HOSE CONNECTOR		REF.DRWG.5044		BRZE	27.15 0.5		
4273	1-1/2" FPT X 1-1/2" MPT THREADED EXTENSION ADAPTER	(USE 6737 WRENCH)			BRZE	46.90 1.7		
4274-GS	1-1/2" FPT VACUUM RETURN FITTING LESS PLUG	(USE 4251 PLUG)	REF.DRWG.5204		C/P/B	58.05 0.7		
4274-SP	ABOVE MACHINED FOR 6548 ANTI VORTEX ASSEMBLY	NEW	REF.DRWG.5388		C/P/B			
4275	2" MPS PLUG ADAPTER NO FLANGE	NEW			C/P/B	40.50 0.7		
4276-SP	BELL ESCUTCHEON 2" TUBE FOR SLIP AND BUCK ANCHORS	(4-3/8" O/D)	SPECIAL ORDER		C/P/B	74.40 1.0		
4277	REPL. CHANNEL STRIP BRUSH 48" LONG FOR SUCTION VACS		FOR CUTTING TO REQUIRED LENGTH		PL/ST	87.90 0.8		
4278-BR	18" LONG CURVED WALL BRUSH WITH FINS FEMALE THREAD	(REPL. BRUSH 4295)	NEW		BRZE	158.95 3.5		
4279-AL	5" LONG ALGAE BRUSH 1-1/4" DIABOLTED CONN.		STAINLESS BRISTLES		ALUM	77.90 1.7		
4279-BR	5" LONG ALGAE BRUSH 1-1/4" DIA BOLTED CONN.				BRZE	98.25 3.1		
4280-AL	18" LONG STRAIGHT FLOOR BRUSH 1"8 FEMALE THREAD	(YMCA SPEC)	REPL. BRUSH 4295		ALUM	126.90 2.4		
4280-BR	18" LONG STRAIGHT FLOOR BRUSH 1"8 FEMALE THREAD	(YMCA SPEC)	REPL. BRUSH 4295		BRZE	143.40 3.4		
4281-AL	18" LONG STRAIGHT FLOOR BRUSH 1-1/4" BOLTED CONN.	(REPL. BRUSH 4295)			ALUM	103.00 2.0		
4281-BR	18" LONG STRAIGHT FLOOR BRUSH 1-1/4" BOLTED CONN.	(REPL. BRUSH 4295)			BRZE	133.65 4.2		
4282	18" LONG STRAIGHT FLOOR BRUSH 1"8 FEMALE THREAD				NYLON BRISTLES	BRZE	144.20 3.4	
4283-AL	18" LONG CURVED FLOOR BRUSH 1-1/4" BOLTED CONN.	(REPL. BRUSH 4295)			NYLON BRISTLES	ALUM	126.30 1.9	
4283-BR	18" LONG CURVED FLOOR BRUSH 1-1/4" BOLTED CONN.	(REPL. BRUSH 4295)			BRZE	146.10 3.6		
4284-AL	9" LONG ALGAE BRUSH 1-1/4" BOLTED CONN.	(REPL. BRUSH 15610)	STAINLESS BRISTLES		ALUM	99.65 1.9		
4284-BR	9" LONG ALGAE BRUSH 1-1/4" BOLTED CONN.				BRZE	119.80 3.3		
4285-AL	18" LONG STRAIGHT WALL BRUSH WITH FINS 1"8 FEMALE THREAD	(YMCA SPEC)	REPL. BRUSH 4295		NYLON BRISTLES	ALUM	145.60 1.9	
4285-BR	18" LONG STRAIGHT WALL BRUSH WITH FINS 1"8 FEMALE THREAD	(YMCA SPEC)			BRZE	167.40 3.1		
4286-AL	18" LONG STRAIGHT FLOOR BRUSH 1"8 FEMALE THREAD		REPL. BRUSH 4295		NYLON BRISTLES	ALUM	126.85 1.9	
4286-BR	18" LONG STRAIGHT FLOOR BRUSH 1"8 FEMALE THREAD				BRZE	152.35 3.1		
4287-AL	18" LONG STRAIGHT FLOOR BRUSH WITH FINS 1"8 FEMALE THREAD.		REPL. BRUSH 4295		ALUM.	140.90 2.4		
4287-BR	18" LONG STRAIGHT FLOOR BRUSH WITH FINS 1"8 FEMALE THREAD.				BRZE	156.70 3.4		
4288	22" LONG FLOOR BRUSH 1"8 FEMALE THREAD		LIMITED SUPPLY			P.O.A. 5.5		
4290-AL	18" LONG CURVED FLOOR BRUSH WITH FINS, BOLTED CONN.	(REPL. BRUSH 4295)	NYLON BRISTLES		ALUM	142.95 2.0		
4290-BR	18" LONG CURVED FLOOR BRUSH WITH FINS, BOLTED CONN.				BRZE	161.45 4.2		
4294-AL	18" LONG STRAIGHT FLOOR BRUSH WITH FINS, BOLTED CONN.	(REPL. BRUSH 4295)			ALUM	118.15 2.1		
4294-BR	18" LONG STRAIGHT FLOOR BRUSH WITH FINS, BOLTED CONN.				BRZE	148.15 4.3		
4295-PN	18" LONG REPLACEMENT BRUSH ONLY	(NYLON BRISTLES)			POLY	49.60 0.5		
4297	ESCUTCHEON PLATE 1-1/2" TUBE (1.50")				C/P/B	45.60 0.6		
4298-AL	WEDGE ANCHOR 1-1/2" TUBE (1.50")	(15405 WEDGE ASSY)	DISCONTINUED		ALUM			
4298-BR	WEDGE ANCHOR 1-1/2" TUBE (1.50")	(15405 WEDGE ASSY)			BRZE	50.60 2.3		
4300								
4301	18" LONG COMB. STRAIGHT FLOOR BRUSH 1"8 FEMALE THREAD	(REPL. BRUSH 4295)	NYLON BRISTLES	ALUM	125.15	BRZE	153.95 2.5	
4302	18" LONG COMB. CURVED FLOOR BRUSH 1"8 FEMALE THREAD	(REPL. BRUSH 4295)	NYLON BRISTLES			BRZE	159.10 2.0	
4303-AL	24"DECK SQUEEGE, REVER. RUBBER BLADE 1"8 FEMALE THREAD	(REPL. BLADE 15608)			ALUM	131.90 2.0		
4303-BR	24"DECK SQUEEGE, REVER. RUBBER BLADE 1"8 FEMALE THREAD				BRZE	143.50 3.0		
4304	8-7/16" I/D EXTEN. COLLAR AND (17043) COVER PLATE	SPECIAL ORDER	ORIGINAL LYCOMING POOL		GL/BRZ	307.75 7.9		
4305	1" FPT INLET FITTING	SPECIAL ORDER			C/P/B	P.O.A. 0.9		
4308 X	INLET FITTING 1" FPT X 4313 PLATE 1" FPT	SPECIALS TO ORDER	SPECIFY ASSY.		C/P/B	P.O.A.		
4309 X	INLET FITTING 1-1/4" FPT X 4315 PLATE NON ADJ.	SPECIALS TO ORDER	SPECIFY ASSY.		C/P/B	P.O.A. 1.2		
4310 X	INLET FITTING 1-1/2" FPT X 4327 PLATE 1-1/2" FPT	SPECIALS TO ORDER	SPECIFY ASSY.		C/P/B	P.O.A.		
4316	THREADED EYE (2) PC.ASSY. 1/2"-13 THREAD 1-3/4" LONG	1-1/2" DIA FLANGE	(2) PC. ASSY.		C/P/B	27.45 0.4		
4323 X	INLET FITTING 1" FPT X 4325 FACEPLATE 1" FPT	SPECIALS TO ORDER	SPECIFY ASSY.		C/P/B	P.O.A. 2.0		
4324 X	INLET FITTING 1-1/2" FPT 4327 FACEPLATE 1-1/2" FPT	SPECIALS TO ORDER	SPECIFY ASSY.		C/P/B	P.O.A. 0.2		
4334	1-1/2" FPS X 1" FPT REDUCING BUSHING				BRZE	21.80 0.4		
4335	1-1/2" MPS NO FLANGE ADJ. INLET ADAPTER	(REF.DRWG.5024)			C/P/B	54.00 0.3		
4336	1-1/2" MPS NO FLANGE NON. ADJ. INLET ADAPTER	(REF.DRWG.5024)			C/P/B	40.40 0.2		
4337	1-1/2" MPS NO FLANGE PLUG ADAPTER	(REF.DRWG.5024)			C/P/B	30.00 0.3		
4338	WALL BRACKET 1-1/2" PIPE 2" TUBE 2-1/4" PROJECTION	SPECIAL ORDER	NEW		BRZE	C/P/B	0.4	
4339	WALL BRACKET 2" PIPE 3-3/4" PROJECTION	SPECIAL ORDER	NEW		BRZE	C/P/B	1.0	
4341-2	DECK BOX(2) 3/4" FPT S/O & (1)3/4" FPT B/O					DISCONTINUED	5.4	
4341-3	DECK BOX (3)3/4" FPT S/O & (1) 3/4" B/O NOT U.L. APPROVED OR LISTED					DISCONTINUED	5.4	
4342	DECK BOX 1/2" FPT (2) S/O & (1) B/O ST.ST. COVER	NOT U.L. APPROVED OR LISTED			BRZE	109.70	C/P/B	115.20 2.4
4343	DECK BOX 3/4" FPT (2)S/O X 3/4" B/O ST.ST. COVER (21170)	NOT U.L. APPROVED OR LISTED			BRZE	104.45	C/P/B	115.80 2.2
4343-A	DECK BOX (2)-3/4" FPT S/O X 1" FPT B/O ST.ST. COVER	SPECIAL ORDER			BRZE	108.20	C/P/B	119.55 2.4
4344	1-1/2" MPS X 1-1/4" FPS REDUCING BUSHING				BRZE		19.05 0.4	
4345	1-1/2" MPS X 1-1/2" FPS REDUCING BUSHING				BRZE		38.95 0.4	
4350	1" MPT HYDRO RELIEF VALVE SPANNER WRENCH 6735	(YMCA SPEC)	2-3/8" O/A HGT.	(REF.DRWG.5005)		BRZE	76.70 1.0	
4352	1-1/2" MPT HYDRO RELIEF VALVE SPANNER WRENCH 6736	(YMCA SPEC)	2-5/8" O/A HGT.	(REF.DRWG.5005)		BRZE	81.70 1.3	
4353	2" MPT HYDRO RELIEF VALVE SPANNER WRENCH 6737	(YMCA SPEC)	3" O/A HGT.	(REF.DRWG.5005)		BRZE	100.35 1.8	
4367-FP	REPLACEMENT FACEPLATE ONLY FOR 6629 DECK DRAIN			(REF.DRWG.5003)		C/P/B	90.90	
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED							
	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT - DRAWING NUMBERS AS INDICATED							
PAGE 6	*PERSONALIZED ACCESSORIES MADE TO ORDER IN A VARIETY OF MATERIALS & FINISHES						PAGE 6	

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.
4368-FP	REPLACEMENT FACEPLATE ONLY FOR 6630 SPRAY INLET	(DRWG.5014-5150)				C/P/B	133.50	
4369-BR	1-1/2" FPT X 1" FPS MAIN DRAIN SUMP 6"CHR.STRAINER	REF.DRWG.5001	17520 SCREW DOWN STR.			BRZE	248.05	10.0
4370-BR	2" FPT X 1" FPS MAIN DRAIN SUMP 6"CHR.STRAINER					BRZE	278.50	10.7
4371	DELUXE FLANGE FOR 6" MAIN DRAINS	NON STOCK STD	6620 ASSEMBLY			C/P/B		2.0
4372								
4373								
4374	1-1/2" FPT NON. ADJ. INLET 3-3/4" DIA	21425 FACEPLATE	(REF.DRWG.5447)	P/BRZ		C/P/B		2.1
4375	NON-ADJUSTABLE INLET (AS ABOVE) EXCEPT 2" DIAMETER	21425 FACEPLATE	(REF.DRWG.5447)	P/BRZ		C/P/B		2.0
4377-2	DECK BOX 1/2" FPT (2) S/O & (1) B/O	SPECIAL ORDER	(REF.DRWG.5190)	P/BRZ	185.00	C/P/B	209.00	3.5
4378-3	DECK BOX 1/2" FPT (3) S/O & (1) B/O	SPECIAL ORDER	(REF.DRWG.5190)	BRZE	189.65	C/P/B	223.55	3.5
4378-4	DECK BOX 1/2" FPT (4) S/O & (1) B/O	SPECIAL ORDER	(REF.DRWG.5190)	BRZE	195.35	C/P/B	217.45	
4379-2	DECK BOX 3/4" FPT (2) S/O & (1) B/O	NOT AVAILABLE		BRZE		C/P/B		4.2
4380-3	DECK BOX 3/4" FPT (3) S/O & (1) B/O	NOT AVAILABLE	(REF.DRWG.5190)	BRZE		C/P/B		4.2
4380-4	DECK BOX 3/4" FPT (4) S/O & (1) B/O	NOT AVAILABLE	(REF.DRWG.5190)	BRZE		C/P/B		4.2
4381-PB	11" ECONOMY VAC HEAD, 1-1/2" HOSE BOLTED CONN.	PARTS DRWG.6132	REPL. BRUSH ASSY.15198			P/ALUM	263.45	4.0
4381-PT	11" ECONOMY VAC HEAD, 1-1/2" HOSE FEMALE THREAD					P/ALUM	269.60	5.0
4383	11" TORNO SWEEP VAC HEAD 1-1/2" HOSE CONN.	SPECIFY B OR T.	(PARTS DRWG.6104)			C/P/B	279.85	5.2
4385	"ROTO-VAC" 11" JET VAC. HEAD 1-1/2" HOSE CONN.	PARTS DRWG.6106	SPECIFY B OR T			BL/AL	332.65	5.0
4386	"ROTO-VAC" 11" SUCTION VAC. HEAD 1-1/2" HOSE CONN.	PARTS DRWG.6105	WHEEL ASSY. 15039	SPECIFY B OR T		BL/AL	299.10	2.8
4387-P	"TORNO-JET" 11-3/4" JET VAC.1-1/2" HOSE CONN.	PARTS DRWG.6139	SPECIFY B OR T			P/ALUM		5.2
4388-T	"TORNO-JET" 11-3/4" JET VAC. WHEELS FEMALE THREAD	PARTS DRWG.6140				P/ALUM	201.65	2.8
4389-T	"ECONOMY" 11" VAC. HEAD 1-1/4" HOSE FEMALE THREAD	PARTS DRWG.6129	REPL. BRUSH ASSY.15198			P/ALUM	262.00	3.4
4390-AL	"STANDARD" 14" VAC. HEAD 1-1/2" FPT FEMALE THREAD.	PARTS DRWG.6133	REPL. BRUSH ASSY.15259			P/ALUM	312.65	3.5
4390-BR	"STANDARD" 14" VAC. HEAD 1-1/2" FPT FEMALE THREAD.		SPECIAL ORDER			C/P/B		8.5
4391-T	14" STANDARD VAC HEAD 1-1/2" MPT MALE THREAD	PARTS DRWG.6133	REPL. BRUSH ASSY.15259			P/ALUM		3.6
4392-T	"STANDARD" 14" VAC. HEAD 1-1/2" FPT FEMALE THREAD.	PARTS DRWG.6130	REPL. BRUSH ASSY.15257			P/ALUM	309.45	5.0
4393-T	"STANDARD" 19" VAC. HEAD 1-1/2" FPT FEMALE THREAD.	PARTS DRWG.6134	REPL. BRUSH ASSY.15192			P/ALUM	337.35	5.4
4394-T	14" STANDARD VAC HEAD 1-1/2" MPT MALE THREAD	PARTS DRWG.6134	REPL. BRUSH ASSY.15152			P/ALUM	372.05	5.5
4395-PB	"ECONOMY" 11" VAC. HEAD 1-1/4" HOSE BOLTED CONN.	PARTS DRWG.6132	REPL. BRUSH ASSY.15198			P/ALUM	268.75	3.3
4395-PT	"ECONOMY" 11" VAC. HEAD 1-1/4" HOSE FEMALE CONN.					P/ALUM	279.55	3.5
4396-PB	"ECONOMY" 14" VAC. HEAD 1-1/2" HOSE BOLTED CONN.	PARTS DRWG.6131				P/ALUM	302.95	3.9
4396-PT	"ECONOMY" 14" VAC. HEAD 1-1/2" HOSE FEMALE THREAD	PARTS DRWG.6131				P/ALUM	314.60	3.9
4397-AL	HANDLE CONVERS. ADAPTER 1-1/4" BOLT 1"-8 MALE	LESS BOLTS & W NUTS				ALUM	25.30	0.8
4397-BR	HANDLE CONVERS. ADAPTER 1-1/4" BOLT 1"-8 MALE	LESS BOLTS & W NUTS		BRZ	30.10	C/P/B	35.35	1.2
4398	THREAD CONVERS. ADAPTER 1"-8 FEMALE TO 1"-14 MALE					BRASS	16.90	0.4
4399	THREAD CONVERS. ADAPTER 1"-8 MALE TO 1"-14 FEM. THREAD					BRASS	16.90	0.4
4400-AL			DISCONTINUED					1.0
4400-BR	WEDGE ANCHOR ASSEMBLY 1-1/4"PIPE (1.66")					BR	46.35	2.2
4401-AL			DISCONTINUED					1.0
4401-BR	WEDGE ANCHOR ASSY 1-1/2"PIPE (1.90")		DISCONTINUED			BR		2.2
4402	DIVING STAND EYE PIN 1/2 ROUND 1-1/4" C/L					BRZE	7.80	0.7
4403-AL	HANDLE CONVER. ADAPTER 1-1/4"BOLTED TO 1" 8 FEM. THREAD.	WITH BOLTS & W/NUTS				ALUM	28.00	0.5
4403-BR	AS ABOVE.	15130				BR	33.25	0.9
4404	18" LONG SPLIT FULCRUM FOR 1-1/2"PIPE (1.90")		DISCONTINUED			RUBBER		2.0
4405	7-1/4" HIGH X 22" LONG DECK LEVER STRAP 12" C/L	PRICE ON REQUEST	(REF.DRWG.5501)			LIMITED SUPPLY	GALV/ST.	10.3
4406-T	24" LG.COMB.STRAIGHT FLOOR/WALL BRUSH 1"-8 FEMALE THREAD.	REPL. BRUSH 4068	NYLON BRISTLES			BRZE	235.85	5.0
4407-AL	1-1/2" PIPE (1.90")DIVING STAND FULCRUM BRACKET 4-1/8" C/L	NON STOCK STD.	(REF.DRWG.5311)	(2) REQUIRED		B/ALUM	104.90	2.4
4407-BR	AS ABOVE	LESS FASTENERS	(2) REQUIRED	BRZE	163.00	C/P/B	199.00	7.1
4408	1-1/2" FPT UNDERDRAIN 11-5/8" DIA	SPECIAL ORDER				BRZE	P.O.A.	
4409								
4410	UNDERDRAIN PLATE PLAIN CENTER HOLE 11-5/8" DIA.	SPECIAL ORDER				BRZE	P.O.A.	
4411-SP	PERSONALIZED BUTT PLATE 15" LONG 12" C/L	5241 COMPLETE ASSY	INFO. REQUIRED			C/P/B	P.O.A.	2.2
4411-NP	NEOPRENE PAD FOR ABOVE	SEE NEW 6875				RUBBER	9.25	
4412	2" MPT UNDERDRAIN PLATE	SPECIAL ORDER				BRZE	P.O.A.	
4413-AL	REAR DIVING BOARD SWIVEL LESS FASTENERS	SPECIAL ORDER	(REF.DRWG.5307)			ALUM	100.85	1.7
4413-BR	AS ABOVE					NI/BRZ	191.70	4.8
4413-F	FASTENERS FOR 4413 ASSY. SPECIFY BOLT LENGTH	SPECIAL ORDER	(4) REQUIRED			ST.ST.	P.O.A.	
4414	DIVING STAND EYE PIN FULL ROUND 3-1/4" C/L					BRZE	11.85	0.2
4415	1-2" MPT RELIEF VALVE	NON STOCK STD				BRZE	54.30	0.7
4416	PORTABLE VENTURI PLATE WITH EYE HOOK	SPECIAL ORDER ONLY				BRZE	P.O.A.	
4417	11-5/8"DIAMETER PORTABLE STANDPIPE ASSEMBLY	SPECIAL ORDER ONLY				BRZE	P.O.A.	
4418-AL	HANDLE CONN. 1-1/4" DIA. TUBE WITH BOLTS & W/NUTS	15130 BOLT & W/NUT				ALUM	37.15	0.5
4418-BR	AS ABOVE					BRZE	50.40	1.3
4420-A	DECK BOX 2-3/4" FPT X 3/4" FPT B/O	NEW		P/BRZ		C/P/B		
4420-B	DECK BOX 2-3/4" FPT S/O X 1" FPT B/O	NEW		P/BRZ		C/P/B		
4421-GS	2" FPT X 2" FPT VACUUM/RETURN FITTING LESS PLUG	USE 4227-5718 PLUG	(REF.DRWG.5258)			C/P/B	88.15	2.0
4422	DECK BOX (2) 1" FPT S/O X 1" FPT B/O	NEW				C/P/B		
4423-GS	2" FPT X 2" FPT X 2-1/2" MPT VAC/RET. FITTING LESS PLUG	USE 4227-5718 PLUG	(REF.DRWG.5258)			C/P/B	90.30	1.6
4425	RECTANGULAR FRAME & 2-3/8" X 11-3/8" STRAINER GRATE		(REF.DRWG.5507)			C/P/B		3.4
4426	14" LONG BUTT PLATE ONLY 12" C/L	SEE 4432-4433 ASSEMBLIES		C/P/BZ.	38.85	ST.ST.	45.75	0.9
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED							
	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL							
PAGE 7	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT - DRAWING NUMBERS AS INDICATED							PAGE 7
NJ (201) 339-1351-2-3		STANDARD BRONZE COMPANY			NY (212) 267-6738		FAX (201) 339-3492	

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
4427-AL	BUTT WASHER ONLY SEE 6880 FOR COMPLETE ASSEMBLY	B/ALUM	10.30	WH/AL	13.30	0.2
4427-BR	BUTT WASHER ONLY SEE 6881 FOR COMPLETE ASSEMBLY	BR/CHR	18.15	C/P/B	23.85	0.5
4432	BUTT PLATE ASSY. SINGLE, COMPLETE WITH ACCESSORIES (4426 BUTT PLATE)			ST.ST.	112.65	2.0
4433	BUTT PLATE ASSY. DOUBLE COMPLETE WITH ACCESSORIES 4426 TOP PLATE & 6876 ALUM BOTTOM PLATE			ST.ST.	128.25	2.4
4433-P	NEOPRENE PAD FOR 4432 & 4433 ASSEMBLIES (SEE NEW 6874)			RUBBER	6.55	
4434	2" MPT. HYDROSTATIC RELIEF VALVE SEE 4353			DISCONTINUED		1.0
4435-36	NAMEPLATES INFORMATION REQUIRED MADE TO ORDER. (PI SHEET 71-72)	OX/BRZ		C/P/B		
4437-40	FILTER BAGS FOR JET VACUUM HEADS				P.O.A.	
4445-S	STRAINER PLATE 7-1/2" DIA DROP IN 18047 (REF. DRWG.5094)			C/P/B		1.5
4449-S	9" DIA. STRAINER PLATE DROP IN (REF. DRWG.5094)	GL/BRZ	122.60	C/P/B	142.30	2.5
4450						
4451	3-7/8" RD. RACING LINE CUP ANCHOR & 6696 5/8"-11 T/E			C/P/B	P.O.A.	
4453	DIVING STAND EYE PIN HALF ROUND 2-7/8" C/L			BRZE	13.50	0.3
4454	2-1/2" MPT HYDROSTATIC RELIEF VALVE			BRZE	P.O.A.	
4455	DIVING STAND EYE PIN FULL ROUND 2-1/2" C/L			BRZE	12.45	0.4
4456-AL	2" SPANNER WRENCH (HOSE SWIVELS)			ALUM	27.80	0.4
4456-BR	2" SPANNER WRENCH (HOSE SWIVELS)			BRZE	39.90	1.0
4457	DIVING STAND EYE PIN FULL ROUND 3" C/L			BRZE	12.85	0.2
4459	RECTANGULAR FRAME USED WITH NO 4208 4" EMBEDMENTS 6-3/4"x12-1/4" ID. FITS 1/2 FT. & 4 FT.			GL/BRZ	P.O.A.	1.7
4460	RECTANGULAR FRAME USED WITH NO 4208 4" EMBEDMENTS 6-3/4"x15-5/8" ID. FITS 4-1/2 FT.			GL/BRZ	P.O.A.	2.0
4461	RECTANGULAR FRAME USED WITH NO 4208 4" EMBEDMENTS FITS 3-1/2 & 10 FT.			GL/BRZ	P.O.A.	
4472	CABLE CLAMPS FOR 1/8" VINYL COVERED CABLE NEW			BRZE	11.00	0.1
4473	CABLE CLAMPS FOR 3/16" VINYL COVERED CABLE USED ON RACING LINES & AERIAL CABLE ASSEMBLIES			BRZE	11.00	0.1
4474	CABLE CLAMPS FOR 1/4" VINYL COVERED CABLE NEW			BRZE	11.00	0.1
4477	4-3/4" LONG DOUBLE SNAP HOOK LEVER STYLE			C/P/B	20.70	0.2
4480-P	"BUD-JET" 11" JET VAC. WHEELS 1-1/2" HOSE CONN. PARTS DRWG.6135 SPECIFY B. OR T.	BLUE AL.		P/ALUM		3.0
4481-T	"BUD-JET" 11" JET VAC. WHEELS 1"8 FEM. THREADED CONN. P.O.A. PARTS DRWG.6136	BLUE AL.		P/ALUM		3.0
4482-P	"TORNO-JET" 9-3/4"JET VAC. BRUSHES 1-1/2" HOSE CONN. PARTS DRWG.6141			BL/AL		3.0
4483-T	"TORNO-JET" 9-3/4" JET VAC. BRUSHES FEM. THREADED CONN. PARTS DRWG.6142			BL/AL		3.0
4484-P	"BUD-JET" 9-1/2" JET VAC. BRUSHES 1-1/2" HOSE CONN. PARTS DRWG.6137			BL/AL		3.1
4485-T	"BUD-JET" 9-1/2" JET VAC. BRUSHES FEM. THREADED CONN. PARTS DRWG.6138			BL/AL	P.O.A.	3.0
4486	"TRI-VAC" VAC. HEAD SUCTION ONLY SEE NEW 5066			BL/AL		
4488	"CIRC-VAC" 11" VAC. HEAD SUCTION 1-1/2" HOSE CONN. PARTS DRWG.6110			BL/AL	359.15	5.0
4489	"CIRC-VAC" 11" VAC. HEAD JET ACTION 1-1/2" HOSE CONN. PARTS DRWG.6111			BL/AL	389.85	5.0
4490	"CIRC-VAC" 11" DELUXE SUCTION ONLY 1-1/2" HOSE CONN. PARTS DRWG.6112 WHEEL ASSY.15039			BL/AL	421.25	5.0
4492	"TRI-VAC" 11-1/4" SUCTION ONLY 1-1/2" HOSE CONN. PARTS DRWG.6123 WHEEL ASSY.15039			BL/AL	274.85	4.7
4493	"CIRC-VAC" 11" DIA. DELUXE JET ACTION 1-1/2" HOSE CONN PARTS DRWG.6113			BL/AL	452.75	5.0
4494	"TRI-VAC" 11-1/4" JET ACTION 1-1/2" HOSE CONN. PARTS DRWG.6124 WHEEL ASSY.15039			BL/AL	307.35	4.7
4495-P	"ROCKET" 13" VAC HEAD 1-1/2" HOSE CONN. PARTS DRWG.6127			P/ALUM	326.70	5.0
4496-T	"ROCKET" 13" VAC. HEAD 1-1/2" HOSE FEM. THREAD. CONN. PARTS DRWG.6128			P/ALUM	302.15	5.0
4497	"ROTO-VAC" 15-3/4" JUMBO JET ACTION 1-1/2" HOSE CONN. PARTS DRWG.6107 WHEEL ASSY.15039			BL/AL	435.25	6.7
4498	"ROTO-VAC" 15-3/4" JUMBO SUCTION 1-1/2" OR 2" HOSE. PARTS DRWG.6108 WHEEL ASSY.15039			BL/AL	414.25	8.4
4500	"ROTO-VAC" 11-3/4" DE-LUXE SUCTION 1-1/2" HOSE CONN. PARTS DRWG.6114 BRUSH ASSY.15065			BL/AL	356.05	5.4
4502-PB	"MINI-VAC" 9" VAC HEAD 1-1/4" HOSE CONN. BOLTED CONN. REPL. BUMPER.15070 PARTS DRWG.6119	BL/AL	98.45	P/ALUM	109.35	1.2
4502-PT	"MINI-VAC" 9" VAC. HEAD 1-1/4" HOSE CONN .FEM. THREADED CONN. REPL. BRUSH 15071	BL/AL	112.70	P/ALUM	121.80	1.2
4503-PB	"MINI-JET" 9" VAC. HEAD 1-1/4" HOSE CONN. BOLTED CONN. PARTS DRWG.6120	BL/AL	98.45	P/ALUM		1.1
4503-PT	"MINI-JET"9" VAC. HEAD 1-1/4" HOSE CONN. FEM. THREADED CONN. PARTS DRWG.6113	BL/AL	111.35	P/ALUM		1.1
4504-PB	"MINI-VAC" 9" VAC. HEAD 1-1/2" HOSE CONN. BOLTED CONN. REPL. BUMPER 15070 PARTS DRWG.6119	BL/AL	99.70	P/ALUM	109.35	1.2
4504-PT	"MINI-VAC" 9" VAC. HEAD.1-1/2" HOSE CONN. FEM. THREADED CONN. REPL. BRUSH 15071	BL/AL	111.50	P/ALUM	120.35	1.3
4505-PB	"MINI-JET" 9" VAC HEAD 1-1/2" HOSE CONN. BOLTED CONN. PARTS DRWG.6120	BL/AL		P/ALUM	P.O.A.	1.3
4505-PT	"MINI-JET" 9" VAC. HEAD 1-1/2" HOSE CONN. FEM. THREADED CONN. REPL. BRUSH 15071	BL/AL		P/ALUM	P.O.A.	1.3
4506-T	"MINI-JET" 9" VAC. HEAD 1-1/2" HOSE CONN. FEM. THREADED CONN. PARTS DRWG.6122			P/ALUM		1.3
4507-20	WINTERIZING OR TEST PLUGS (CALL FOR INFORMATION & PRICING)			BRZE	P.O.A.	
4522	SWIVEL HOSE CONNECTOR 2" HOSE FOR 5990 VAC HEAD			BRZE	47.70	0.8
4523	SWIVEL HOSE CONNECTOR 1-1/2" HOSE FOR 5990 VAC HEAD			BRZE	46.40	0.8
4524	FRAME ONLY FOR No. 4208 4" No. RUNNING EMBEDMENT	NEW		GL/BRZ	P.O.A.	
4526	2" MPS X 1-1/2" FPS REDUCING BUSHING (SPANNER TYPE) FOR STEEL POOLS P.O.A.			BRZE	34.45	0.4
4527	2-1/2" MPS X 2" FPS REDUCING BUSHING (SPANNER TYPE) FOR STEEL POOLS P.O.A.			BRZE	67.50	0.5
4528-AL	1-1/4" PIPE (1.66") ROUND DECK FLANGE SEE NEW 5987	ALUM		WH/AL		0.7
4529	2" MPS NON. ADJ. INLET ADAPTER PARTS DRWG.5024	BRZE		C/P/B	47.10	0.5
4530	2" MPS ADJ. INLET ADAPTER PARTS DRWG.5024			C/P/B	61.95	0.6
4531	FRAME ONLY FOR NO.4208 4" NO DIVING EMBEDMENT SIZE 26-1/2" X 8" O/D	NEW		GLZ/BR	P.O.A.	7.7
4532	2-1/2" MPS NON. ADJ. INLET ADAPTER MODERN SP. 335 PARTS DRWG.5024				59.40	0.6
4533	1-1/2" MPS ADJ. INLET ADAPTER MODERN SP. 338 VOLUME ORDERS ONLY				68.55	0.8
4534	SQUARE INLET FITTING 1-1/2" PIPE (1.90")USED WITH 4865 INLET FITTING			BRZE	P.O.A.	0.4
4535	1" MPS EQUALIZER ADAPTER SPECIAL ORDER			BRZE		0.4
4536	1-1/2" MPS EQUALIZER ADAPTER USE 6737 WRENCH			BRZE	40.85	0.5
4537	2" MPS EQUALIZER ADAPTER USE 6737 WRENCH			BRZE	59.40	0.9
4538	EQUALIZER PLATE FITS 1-1/2" OR 2" PIPE NIPPLES FOR STEEL POOLS			BRZE	P.O.A.	0.6
4547-SP	WALL ANCHOR 1/2"-13 THREAD			BRZE		
	*AERIAL CABLE, STANCHION & PENNANT ASSEMBLIES - DRAWINGS REQUIRED TO INSURE PROPER INSTALLATION					
	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT - DRAWING NUMBERS AS INDICATED					
PAGE 8	* PERSONALIZED ACCESSORIES MADE TO ORDER IN A VARIETY OF MATERIALS & FINISHES				PAGE 8	
NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY	NY (212) 267-6738	FAX (201) 339-3492			

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.	
4548	1-1/2" FPT ADJUSTABLE INLET 3-3/4" DIA.	21424 FACEPLATE				GL/BRZ	C/P/B	2.3	
4549	2" FPT ADJUSTABLE INLET 3-3/4" DIA.	21424 FACEPLATE				GL/BRZ	C/P/B	2.4	
4574	5/8"-11 THREADED EYE 1-3/4" LONG		1-3/4" OD.	REF.DRWG.5283			C/P/B	43.40 0.3	
4575	3" X 5" POLY FLOAT FOR 1/2" ROPE						POLY	7.10 0.2	
4576	5" X 9" POLY FLOAT FOR 3/4" ROPE						POLY	13.50 0.5	
4577	WEDGES FOR 4575 FLOATS 3/8" ROPE CONVERSION						PLAST	P.O.A.	
4578	WEDGES FOR 4576 FLOATS 1/2" ROPE CONVERSION						PLAST	P.O.A.	
4583	WEDGES FOR 4576 FLOATS 3/4" ROPE CONVERSION						PLAST	P.O.A.	
4584	5-3/8" I/D EXTENSION COLLAR & 17044 COVER PLATE	NON STOCK STD		GL/BRZ	221.85		C/P/B	270.45 5.8	
4585-SD	7-1/2" I/D EXTENSION COLLAR & 17042 COVER PLATE	POOL MISER	4860-4861 ASSY.	SCREW			GL/BRZ	243.80 6.3	
4587	3/4" FPT NO LEAK FLANGE WATER STOP	SPECIAL ORDER					BRZE	P.O.A.	
4588	1" FPT NO LEAK FLANGE WATER STOP	SPECIAL ORDER					BRZE	P.O.A.	
4589	1-1/4" FPT NO LEAK FLANGE WATER STOP	SPECIAL ORDER					BRZE	P.O.A. 3.2	
4590	DECK ANCHOR PLATE FITS 1-1/2" PIPE - DOCK MOUNTING	WOOD PLATFORM MOUNT	LIMITED SUPPLY					P.O.A.	
4591	WALL EYE 2-1/4" PROJ						DISCONTINUED	0.4	
4592	5/8"-11 THREAD ROPE EYE 1-3/8" LONG		2-3/8"OD.X 1-3/8" ID.	REF.DRWG.5285			C/P/B	50.20 0.8	
4593	5/8"-11 THREADED FLANGED ROPE EYE 1-3/8" LONG	1-3/4" DIA.FLANGE	2-9/16" OD.	REF.DRWG.5285			C/P/B	74.40 1.0	
4594-AL	6" SIZE COPING COVER PLATE STANDARD MODEL	SPECIAL ORDER	REF DRWG.5099	WH/AL			P/ALUM	0.4	
4594-BR	COPING COVER PLATE AS ABOVE	SPECIAL ORDER					C/P/B	1.0	
4595-AL	8" SIZE COPING COVER PLATE STANDARD MODEL	SPECIAL ORDER	REF.DRWG.5099	WH/AL			P/ALUM	0.5	
4595-BR	COPING COVER PLATE AS ABOVE	SPECIAL ORDER					C/P/B	1.2	
4596-AL	10" SIZE COPING COVER PLATE STANDARD MODEL	SPECIAL ORDER	REF.DRWG.5099	WH/AL			P/ALUM	0.4	
4596-BR	COPING COVER PLATE AS ABOVE	SPECIAL ORDER					C/P/B	1.3	
4597	8" SIZE COPING COVER PLATE LARGE PATTERN 6" RADIUS	SPECIAL ORDER	REF.DRWG.5325	WH/AL			P/ALUM	2.0	
4598-AL	8" SIZE COPING COVER PLATE 90°ANGLE STYLE	SPECIAL ORDER	REF.DRWG.5099	WH/AL			P/ALUM	0.4	
4598-BR	COPING COVER PLATE AS ABOVE	SEE NEW 4859	REF.DRWG.5100	WH/AL			P/ALUM	1.3	
4599	6-5/8 SIZE COPING COVER PLATE SMALL PATTERN 6" RADIUS	SPECIAL ORDER	REF.DRWG.5100	WH/AL			P/ALUM	1.0	
4600	1" MPT GRAVEL STOPPER 11-3/4" PROX.	SPECIALS TO ORDER	DRWG.5095-5113			*SEE FOOTNOTE	BRZ/CU	79.60 1.6	
4601	1-1/4" MPT GRAVEL STOPPER 16-1/2" LONG PROX.		DRWG.5095					P.O.A.	
4602	1-1/2" MPT GRAVEL STOPPER 16-1/2" LONG PROX.		DRWG. 5095				BRZ/CU	116.35 2.7	
4603	2" MPT GRAVEL STOPPER 16-1/2" LONG PROX.		DRWG.5095-5113				BRZ/CU	134.05 3.4	
4604-AL	COPING COVER PLATE NARROW MODEL 90' 6" ANGLE SIZE	SPECIAL ORDER	REF.DRWG.5099				P/ALUM	0.2	
4604-BR	COPING COVER PLATE AS ABOVE	SPECIAL ORDER					C/P/B	0.9	
4605	1" FPT GRAVEL STOPPER 11-3/4" LONG PROX.	SPECIALS TO ORDER	DRWGS.5095-5113				BRZ/CU	79.05 1.6	
4607	1-1/2" FPT GRAVEL STOPPER 16-1/2" LONG PROX.						BRZ/CU	113.40 2.7	
4608	2" FPT GRAVEL STOPPER 16-1/2" LONG PROX.		DRWGS.5095 & 5113				BRZ/CU	132.65 3.4	
4609-AL	COPING COVER PLATE NARROW MODEL 90' 8" ANGLE SIZE	SPECIAL ORDER	REF.DRWG.5099	WH/AL			P/ALUM	0.3	
4610-BR	1-1/2" FPT X 2" FPS MAIN DRAIN SUMP 6" DIACHR.STR.	REF.DRWG.5001	17520 STR. SCREW DOWN				BRZE	284.75 11.0	
4611-BR	2" FPT X 2" FPS MAIN DRAIN SUMP 6" DIA CHR. STR.						BRZE	284.75 11.0	
4613-BR	2" FPT X 1-1/2" FPS MAIN DRAIN SUMP 6" DIA CHR. STR.						BRZE	284.75 11.0	
4614-BR	1-1/2" X 1-1/2" FPS MAIN DRAIN SUMP 8" DIA CHR. STR.	REF.DRWG.5002	17534 STR. SCREW DOWN				BRZE	523.60 19.0	
4615-BR	2" FPT X 1-1/2" FPS MAIN DRAIN SUMP 8" DIA CHR. STR.						BRZE	565.60 19.0	
4616-BR	2" FPT X 2" FPS MAIN DRAIN SUMP 8" DIA CHR. STR.						BRZE	569.20 19.0	
4617-BR	2-1/2" FPT X 2" FPS MAIN DRAIN SUMP 8" DIA CHR. STR.	SPECIAL ORDER					BRZE	643.85 19.0	
4618-BR	3" FPT X 2" FPS MAIN DRAIN SUMP 8" DIA CHR. STR.	SPECIAL ORDER	17534 STR. SCREW DOWN				BRZE	750.85 20.0	
4619	DE LUXE FLANGE FOR 8" MAIN DRAINS	SEE 6625 ASSY					C/P/B	3.8	
4620-BR	2" FPT DECK DRAIN 3" X 24"OPEN AREA21.2 SQ. INS.	REPL.STR.15349	REF.DRWG.5004	BRZE	568.40		C/P/B	609.25 11.8	
4623	1-1/2" FPT DECK DRAIN 3-1/2" DIA ST.ST. STRAINER	LIGHT PATTERN	REF.DRWG.5023				BRASS	27.95 0.5	
4624	2" FPT DECK DRAIN 3-1/2" DIA ST.ST. STRAINER	LIGHT PATTERN					BRASS	27.95 0.5	
4628	1/2"-13 THREADED EYE 3" LONG	SPECIAL ORDER	1-1/2" OD.	REF.DRWG.5283			C/P/B	40.40 0.5	
4629									
4630	8" X 18" STRAINER GRATE	SPECIAL ORDER	FOR STEEL POOLS				C/P/B	5.5	
4632	11-3/4" DIA DROP IN STRAINER GRATE SPECIAL ORDER	REF.5421-SP	FOR STEEL POOLS	CPB	388.15		GLZ/BZ	267.05 3.5	
4633	STRAINER GRATE DROP IN WITH LUGS TO FIT 8" PIPE		DISCONTINUED						
4634	STRAINER GRATE DROP IN WITH LUGS TO FIT 10" PIPE		DISCONTINUED						
4635	SPRAY INLET 1/8" ELONGATED SLOT 45°BODY 1" FPT	15,544 FACE PL.				NEW	C/P/B	260.05 4.0	
4636	2" MPS X 1-1/2" FPT VACUUM RETURN FITTING	SPECIAL ORDER.	FOR STEEL POOLS				C/P/B	63.45 0.9	
4636-RC	AS ABOVE WITH GASKET, WASHER & LOCKNUT						C/P/B	77.55	
4637-1	2" MPS ADJUSTABLE INLET	SPECIAL ORDER.	FOR STEEL POOLS	REF.DRWG.5021			C/P/B	85.05 1.0	
4637-2	2" MPS NON. ADJUSTABLE INLET	SPECIAL ORDER.	FOR STEEL POOLS				C/P/B	74.20 0.9	
4638	2" MPS RACING LINE CUP ADAPTER 1/2"-13 THREAD	6686-TE	REF.DRWG.5058				C/P/B	104.40 1.5	
4638-RC	AS ABOVE WITH GASKET WASHER AND LOCK NUT						C/P/B	120.30 1.9	
4639	1-1/2" MPS RACING LINE CUP ADAPTER 1/2"-13 THREAD	4247-TE	REF.DRWG.5052				C/P/B	64.30 0.9	
4640	2" MPS RACING LINE CUP ADAPTER 1/2"-13 THREAD	4247-TE					C/P/B	88.15 1.2	
4641	2-1/2" MPS RACING LINE CUP ADAPTER 1/2"-13 THREAD	4247-TE					C/P/B	108.70 1.3	
4643	COMPRESSION WASHER FOR 1-1/4" PIPE (1.66")		PRICED PER 100				P/ST.	P.O.A. 1.3	
4644	COMPRESSION WASHER FOR 1-1/2" PIPE (1.90")		PRICED PER 100				P/ST.	P.O.A. 1.2	
4645	COMPRESSION WASHER FOR 2" PIPE (2.375")		PRICED PER 100				P/ST.	P.O.A. 3.0	
4646	1-1/4" FPT ADJUSTABLE INLET 4-1/4" DIA	21424 FACEPLATE	REF.DRWG.5453	P/BRZ			C/P/B	1.9	
*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED									
*PARTS LISTS AVAILABLE ON ALL VACUUM CLEANER ASSEMBLIES - DRAWING NUMBERS AS INDICATED									
PAGE 9	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL							PAGE 9	
NJ (201) 339-1351-2-3			STANDARD BRONZE COMPANY			NY (212) 267-6738 FAX (201) 339-3492			

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
4647	1-1/4" FPT NON ADJUSTABLE INLET 4-1/4" DIA	21425 FACEPLATE		P/BRZ	C/P/B	1.5
4648	1-1/2" FPT ADJUSTABLE INLET 4-1/4" DIA	21424 FACEPLATE REF.DRWG.5453		P/BRZ	C/P/B	2.0
4649	1-1/2" FPT NON ADJUSTABLE INLET 4-1/4" DIA	21425 FACEPLATE NEW		P/BRZ	C/P/B	1.7
4650	2" MPT. ADJUSTABLE INLET 4-1/4" DIA	21424 FACEPLATE NEW		P/BRZ	C/P/B	2.1
4651	2" MPT. NON ADJUSTABLE INLET 4-1/4" DIA.	21425 FACEPLATE REF.DRWG.5453		P/BRZ	C/P/B	1.8
4654-AL	COPING COVER PLATE 8" SMALL PATTERN 6" RADIUS	SPECIAL ORDER. REF.DRWG.5100		WH/AL	C/P/B	0.8
4656-GS	1-1/4" FPT ADJ. INLET DIRECTIONAL NYLON AIM FLOW	NO.15615 (3) PC NYLON BALL ASSY.		REF.DRWG.5011	C/P/B	115.20 2.0
4657-GS	1-1/2" FPT ADJ. INLET DIRECTIONAL NYLON AIM FLOW	SPECIFY 5/8"-3/4" OR 1" HOLE SIZE		WY. GRD. SCREW	C/P/B	117.05 2.1
4658-GS	2" FPT ADJ. INLET DIRECTIONAL NYLON AIM FLOW	4656-57-58 COMPLETE WY GRD SCREW		LANDON ORIG.	C/P/B	122.60 2.2
4659	ANGLE STYLE GUTTER DRAIN					
4660	1-1/2"PT ADJ. INLET NYLON AIM FLOW FOR WALL POOLS	SPECIAL ORDER INDICATE POOL WALL		REF.DRWG.5226	C/P/B	3.4
4662						
4664	STRAINER GRATE DROP IN WITH LUGS TO FIT 6" PIPE	SPECIAL ORDER FOR STEEL POOLS			C/P/B	3.4
4668						
4669	1-1/4" FPT X 1-1/2" INSERT FEMALE 45 DEGREE EL			BRZE	73.15	1.2
4673	2" VACUUM HOSE CONNECTOR					
4678	COPING COVER PLATE NARROW MODEL 90" 7" SIZE	SPECIAL ORDER.		WH/AL	B/BRZ	36.15 0.9
4680	5/8"-11 THREADED ROPE EYE 1-1/4" LONG	1-1/4" OD.X 7/8" ID.		REF.DRWG.5283	P/ALUM	37.15 0.5
4681	3/4"-10 THREADED ROPE EYE 1-1/4" LONG	1-1/4" OD.X 7/8" ID.		REF.DRWG.5283	C/P/B	36.75 0.5
4682	1-1/2" FPT NO LEAK FLANGE WATER STOP	YMCA SPEC. REF.DRWG.5022-R		WY GRD. SCREW	BRZE	61.40 2.0
4683	2" FPT NO LEAK FLANGE WATER STOP	YMCA SPEC. REF.DRWG.5022-R			BRZE	87.35 2.6
4684	2-1/2" FPT NO LEAK FLANGE WATER STOP	YMCA SPEC. REF.DRWG.5022-R			BRZE	159.30 4.3
4685	1-1/2" MPS X 1-1/2" SLIP SKIMMER CONNECTOR	SPECIAL ORDER.			BRZE	1.5
4686	1-1/2" FPT X 1-1/2" INSERT SKIMMER CONNECTOR	SPECIAL ORDER.			BRZE	1.4
4688	1-1/2" PFS X MPS X INSERT SKIMMER CONNECTOR	SPECIAL ORDER.			BRZE	1.4
4689	1-1/2" MPS X 1-1/2" INSERT SKIMMER CONNECTOR	SPECIAL ORDER			BRZE	1.2
4692	1-1/2" FPT BOTTOM INLET ADJ. CAP 1/2"-13 THREAD	CAP ASSY.17017		REF.DRWG.5007	C/P/B	213.55 2.8
4693	2" MPT BOTTOM INLET ADJ. CAP 1/2"-13 THREAD			REF.DRWG.5007	C/P/B	218.85 2.8
4694	1-1/2" PFS X 2" MPS INLET FITTING	SPECIAL ORDER FOR STEEL POOLS		REF.DRWG.5081	C/P/B	88.80 1.5
4696-A	2" MPS ADJUSTABLE INLET PVC BACK	SPECIAL ORDER FOR STEEL POOLS		REF.DRWG.5081	C/P/B	99.20 0.5
4696-B	2" MPS NON ADJUSTABLE INLET PVC BACK	SPECIAL ORDER FOR STEEL POOLS			C/P/B	94.50 0.5
4698	1/2"-13 WALL ANCHOR			SEE.NEW.5980	DISCONTINUED	
4701	5" DIA "DISCOID" SACRIFICIAL ANODE 3/8"-16 THREAD	2" HIGH REF.DRWG.5170-71			MAGN.	136.00 1.5
4702	7" DIA "DISCOID" SACRIFICIAL ANODE 3/8"-16 THREAD	2" HIGH			MAGN.	246.55 3.5
4703	"MULTI-FAC" SACRIFICIAL ANODE	2-7/8" DIA.			MAGN.	45.25 0.7
4704						
4705	2" MPS X 1-1/2" MALE HOSE ADAPTER			P.O.A.	BRZE	
4706	2" MPS X 2" MALE HOSE ADAPTER				BRZE	66.50
4707	MALE HOSE SLIP ADAPTER 2" TAPER X 1-1/2" HOSE CONN.	TUEC 0-194 REF.DRWG.5162		REF.NEW.15924	BRZE	135.75 1.3
4708	MALE HOSE SLIP ADAPTER 2" TAPER X 2" HOSE CONN.	TUEC 0-673 REF.DRWG.5162		REF.NEW.15827	BRZE	79.20 1.6
4710	4" COMPLETE BUCK ANCHOR ASSEMBLY 1-1/2" PIPE	NEW FLUSH MODEL			BRZE	2.3
4711	2" MPS SPANNER TYPE ADJUSTING COLLAR FOR ABOVE	NEW			REPLACEMENT PART	0.5
4712	2" MPS SPANNER PLUG FOR ABOVE IF REQUIRED				BRZE	0.9
4716	6" DIA "DISCOID" SACRIFICIAL ANODE 3/8"-16"THREAD	1" HIGH NYC. STANDARD		REF.DRWG.70	MAGN.	156.95 1.7
4717	1-1/4" MPT ADJUST. HYDRO AIR JET THERAPY ASSEMBLY	PATENTED DISCONTINUED			C/P/B	2.5
4718	1-1/4" MPT ADJUST. HYDRO AIR JET THERAPY ASSEMBLY				DISCONTINUED	
4723	5/8"-11 THREADED EYE 1-1/4" LONG	SPECIAL ORDER 1-5/8"OD.X 7/8" ID.			C/P/B	44.20 0.4
4724	POOL MAGNET FITS 1-1/8" DIA. EXTENSION HANDLES				RUBBER	9.90
4725	POOL MAGNET FITS 1-1/4" DIA. EXTENSION HANDLES				RUBBER	9.90
4737-40	POLE HANGERS FOR EXTENSION HANDLES(1)(2)OR (3) HOOKS	SEE 6118-20-24			DISCONTINUED	1.3
4742-GS	SPRAY INLET 1" FPT HOLES ARC 45 ANGLE SPRAY	FACEPLATE 15,576 NEO. GASKET 17,035		REF.DRWG.5074	C/P/B	196.25 2.0
4743-GS	2" FPT FULL ANGLE STYLE GUTTER DRAIN	REPL. STR. 18049 REF.DRWG.5076			C/P/B	149.90 4.3
4744	2" FPT IRREGULAR ANGLE STYLE GUTTER DRAIN	REF. DRWG 5075			DISCONTINUED	
4745	2" MPT PIPE PLUG RECESSED HEAD	SPECIAL ORDER NEW			BRZE	P.O.A.
4747	2-1/2" MPT PIPE PLUG RECESSED HEAD	SPECIAL ORDER NEW			BRZE	
4748	3" MPT PIPE PLUG RECESSED HEAD	SPECIAL ORDER NEW			BRZE	
4749	1-1/2" MPS "POOL SWEEP" ADAPTER	SEE 5705 ASSEMBLY		USE 5191 WRENCH	C/P/B	
4750	4" MPT. PIPE PLUG RECESSED HEAD	SPECIAL ORDER NEW			BRZE	P.O.A.
4754	HYDRO AIR JET ASSEMBLY	SEE 6536 BODY ONLY			DISCONTINUED	
4755	HYDRO AIR JET ASSEMBLY	SEE 4780 BODY ONLY			DISCONTINUED	
4756	HYDRO AIR JET ASSEMBLY	SEE 4780 BODY ONLY			DISCONTINUED	
4757	1-1/2" MPT ADJUST. HYDRO AIR THERAPY JET ASSY.	REF.DRWG.5269-70		PATENTED	C/P/B	203.60 2.5
4758	1-1/2" MPT ADJUST. HYDRO AIR THERAPY JET ASSY	REF.DRWG.5272			C/P/B	180.20 2.7
4762-F	1-1/4" FPT SWIVEL FILL SPOUT ADJ. HGT. X 17-1/2" C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	2.4
4763-M	1-1/4" MPT SWIVEL FILL SPOUT ADJ. HGT. X 17-1/2" C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	2.4
4764-F	1-1/2" FPT SWIVEL FILL SPOUT ADJ. HGT. X 17-1/2" C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	2.8
4765-M	101/2" MPT SWIVEL FILL SPOUT ADJ. HGT. X 17-1/2" C/O	TEMPORARILY OUT OF PRODUCTION			C/P/B	2.8
4768	HYDRO AIR JET ASSEMBLY	(SEE 4792 BODY ONLY)			DISCONTINUED	
4770						
4774	BENT TUBE-FORMED TIP 5-1/2"x17-1/2" C/L 1-1/4" FPT	FILL SPOUT MAXIMUM LGTH. INDICATED			C/P/B	
	* REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED					
	* GRAVEL STOPPERS AVAILABLE IN SPECIAL LENGTHS TO ORDER - INFORMATION ON REQUEST					
PAGE 10	* FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL					PAGE 10

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
4775	BENT TUBE WITH FORMED TIP 5-1/2"X17-1/2"C/L 1-1/4" MPT	FILL SPOUT		*SEE FOOTNOTE	C/P/B	
4776	BENT TUBE WITH FORMED TIP 5-1/2"X17-1/2"C/L 1-1/2" FPT	MAXIMUM LENGTH INDICATED			C/P/B	250.45
4777	BENT TUBE WITH FORMED TIP 5-1/2"X17-1/2"C/L 1-1/2" MPT	FILL SPOUT		*SEE FOOTNOTE	C/P/B	255.75
4780-A	1" FPT X 1/2" SWEAT AIR INTAKE HYDRO AIR JET ONLY	7/16-14 ORIFICE (REF.DRWG.5419)			BRZE	65.10 0.7
4780-B	1" SWEAT X 1/2" SWEAT AIR INTAKE HYDRO AIR JET ONLY	(REF.DRWG.5419)			BRZE	70.05 0.7
4780-C	1" FPT X 3/8" FPT AIR INTAKE HYDRO AIR JET ONLY	7/16-14 ORIFICE (DRWGS.5151 & 5419)			BRZE	63.70 0.7
4780-D	1" SWEAT X 3/8" FPT AIR INTAKE HYDRO AIR JET ONLY	7/16-14 ORIFICE (REF.DRWG.5419)			BRZE	62.90 0.7
4780-E-1	1" SWEAT X 5/8" SWEAT AIR INTAKE HYDRO AIR JET ONLY	7/16-14 ORIFICE SPECIALS TO ORDER			BRZE	59.90 0.7
4781	HYDRO AIR JET ASSEMBLY	SEE 6542 BODY ONLY			DISCONTINUED	
4782	HYDRO AIR JET ASSEMBLY	SEE 6537 BODY ONLY			DISCONTINUED	
4783-GS	2-1/2" MPT FULL ANGLE STYLE GUTTER DRAIN	REPL. STR. 18049 (REF.DRWG.5130)			C/P/B	195.45 4.2
4788-F	1-1/2" FPT VALVE FILL SPOUT 5-1/2"X17-1/2" C/L	SPECIALS TO ORDER			C/P/B	347.80 4.0
4789-M	1-1/2" MPT VALVE FILL SPOUT 5-1/2"X17-1/2" C/L				C/P/B	347.80 4.0
4790-F	2" FPT VALVE FILL SPOUT 5-1/2"X17-1/2" C/L				C/P/B	411.40 6.0
4791-M	2" MPT VALVE FILL SPOUT 5-1/2"X17-1/2" C/L				C/P/B	396.30 6.0
4792	1" FPT X 2/3" SWEAT AIR INTAKE HYDRO AIR JET ASSY.	7/16-14 ORIFICE REF.DRWG.5267			C/P/B	158.85
4792-SP	AS ABOVE: SPECIAL ASSEMBLIES TO ORDER	REF.DRWG.5351 SPECIFY POOL WALL			BRZE	
4795	1" MPS X 3/8" HOLE 45'ANGLE FIXED INLET ADAPTER				C/P/B	46.10 0.3
4797	1-1/2" MPS X 45' ANGLE SLOT FIXED INLET ADAPTER				C/P/B	66.35 0.4
4798	1-1/2" MPS X 5/8" HOLE 45'ANGLE FIXED INLET ADAPTER				C/P/B	64.30 0.4
4799	1-1/2" MPS ANGLE DIVERTER INLET ADAPTER				C/P/B	33.80 0.4
4800	POLY ROPE 1/4" TWISTED, BLUE & WHITE 600 FT. ROLL.				POLY	12.0
4800	AS ABOVE 1200 FT. ROLL SPECIAL LENGTHS TO ORDER	SPECIAL ORDER			POLY	20.0
4801	POLY ROPE 5/16" TWISTED BLUE & WHITE 600 FT. ROLL	SPECIAL ORDER			POLY	P.O.A. 16.0
4801-SP	AS ABOVE 1200 FT. ROLL SPECIAL LENGTHS TO ORDER	SPECIAL ORDER			POLY	27.0
4802	POLY ROPE 3/8" TWISTED BLUE & WHITE 600 FT. ROLL				POLY	278.00 23.0
4802-SP	AS ABOVE 1200 FT. ROLL SPECIAL LENGTHS TO ORDER				POLY	530.40 40.0
4804	POLY ROPE 1/2" TWISTED BLUE & WHITE 600 FT. ROLL				POLY	421.30 27.0
4804-SP	AS ABOVE 1200 FT. ROLL SPECIAL LENGTHS TO ORDER				POLY	823.55 66.0
4805	POLY ROPE 5/8" TWISTED BLUE & WHITE 600 FT. ROLL	SPECIAL ORDER			POLY	56.0
4806	POLY ROPE 3/4" TWISTED BLUE & WHITE 600 FT. ROLL				POLY	909.50 77.0
4807	RACING LINE ANCHOR "U" INSERT FOR SCUM GUTTERS	SPECIAL ORDER UNIV. OF PENN. SPEC.			P.O.A.	1.3
4808	DOUBLE END STYLE STANCHION 1" TUBE (1.00") .083"WALL	SPECIFY HEIGHT REF DRWG 5492-6014			ST.ST.	
4809						
4810	DOUBLE CORNER STYLE STANCHION 1 TUBE (1.00") .083"WALL	SPECIFY HEIGHT REF.DRWGS.4810-6041E			SPECIFY A-B-C	ST.ST. 0.5
4811	2" HEAVY DUTY FLOATING SUCTION HOSE, 25 FT.	YMCA SPECS. USE 4673 CONNECTORS & 4868 CLAMPS			PLAST	549.00 22.0
4812						
4816	2" HEAVY DUTY FLOATING SUCTION HOSE, 50 FT.	YMCA SPECS. USE 4673 CONNECTORS & 4868 CLAMPS			PLAST	1103.30 36.0
4817-AL	8" PROJECTION UTILITY HOOK	SPECIAL ORDER.			P/ALUM	77.10 0.7
4817-BR	8" PROJECTION UTILITY HOOK				C/P/B	114.80 1.9
4818	MERMAID HOOK DISCONTINUED				P/ALUM	
4819-AL	4" PROJECTION UTILITY HOOK	SPECIAL ORDER			WH/AL 30.10	C/P/B 58.55 0.4
4819-BR	4" PROJECTION UTILITY HOOK				C/P/B	82.80 1.0
4820	1" MPS X 1/2" FPT SPECIAL 90' WALL INLET	SPECIAL ORDER (REF.DRWG.5389)			C/P/B	74.40 0.5
4820-A	AS ABOVE: WITH GASKETS, WASHER AND LOCK NUT	SPECIAL ORDER			C/P/B	P.O.A. 0.9
4824	SPRING WALL CLAMPS FOR 1-1/4" & 1-1/2" EXT. HANDLES	LESS SCREWS			PRICED PER PAIR	ST.ST. 23.25 0.1
4825	VOLLEY BALL STANCHION 1" TUBE (1.00") .083" WALL	5 FT ABOVE DECK REF.DRWG.5492-6048			ST.ST.	P.O.A.
4826	12-1/2"X 6-7/8" X 5-3/4"PROJ. HEAVY DUTY HOSE RACK	FOR INSTALLATION AS A WALL MOUNT			ALUM 130.00	WH/AL 146.05 3.2
4828	SMALL UTILITY HOOK				C/P/B	29.35
4829	LIFE PRESERVER HOOK FOR LIFEGUARD CHAIRS 1-1/2" PIPE	(1.90") NEW ITEM REF.DRWG.5462			C/P/B	87.15 0.8
4830-A-B	UMBRELLA BRAX. ASSY. FOR LIFEGUARD CHAIRS 1-1/2" PIPE	1-3/8" DIA. SLIP REF.DRWG.5461			(2) PC. ASSY.	C/P/B 172.65 2.2
4830-SP	UMBRELLA BRACKET ASSEMBLY AS ABOVE	1-1/2" DIA. SLIP SPECIAL ORDER			(2) PC. ASSY.	C/P/B 2.1
4831	BACK UP PLATE FOR 4832 LIFE PRESERVER HOOK	SPECIAL ORDER.			AS REQUIRED	BRZE 0.2
4832	LIFE PRESERVER RING BUOY HOOK WALL MOUNT	REF. PI-3			C/P/B	60.15 0.6
4833-FT	RESCUE HOOK SHEPHERDS CROOK 1"-8 FEMALE THREAD.				S/BR	82.20 1.7
4834-B	RESCUE HOOK SHEPHERDS CROOK 1-1/4" BOLTED CONN.	LESS BOLTS & NUTS			S/BR	92.85 1.8
4835-FT	RESCUE HOOK SHEPHERDS CROOK 1"-8 FEMALE THREAD.				S/ALUM	73.00 1.5
4836-B	RESCUE HOOK SHEPHERDS CROOK 1-1/4" BOLTED CONN.	LESS BOLTS & NUTS YMCA SPEC.			S/ALUM	80.85 1.5
4837-A	1" INSERT 180'SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5009-5149 CAP ASSY.15578-A			PATENTED	C/P/B 124.50 1.5
4837-B	AS ABOVE: 360' SLOT	DWGS.5107-5108 CAP ASSY.15578-B			FLOW DRWG.5108	C/P/B 148.70 1.5
4838-A	1"ANGLE INSERT 180'SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5010-5149 CAP ASSY.15578-A			PATENTED	C/P/B 172.15 1.7
4838-B	AS ABOVE: 360' SLOT	DWGS.5107-5108 CAP ASSY.15578-B			FLOW DRWG.5108	C/P/B 1.7
4839-A	1" FPT 180' SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5009-5149 CAP ASSY.15578-A			PATENTED	DISCONTINUED 1.4
4839-B	1" FPT 360' SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5009-5149 CAP ASSY.15578-B FLOW DRWG.5108			DISCONTINUED	1.4
4840	BACKSTROKE STANCHION 1" TUBE .083" 7 FT. ABOVE DECK	QUICK RELEASE REF.DRWG.5491-6891			(2) REQUIRED	ST.ST. 0.3
4841	VOLLEY BALL STANCHION 1-1/4" PIPE (1.66")	5 FT ABOVE DECK REF.DRWG.5492-6054			ST.ST.	
4842-A	1-1/2" FPT 180'SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5008-5149 CAP ASSY.15579-A			PATENTED	C/P/B 255.10 2.5
4842-B	1-1/2" FPT 360'SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5107-5108 CAP ASSY.15579-B			FLOW RATE 5108	C/P/B 266.40 2.5
4843-A	2" FPT 180'SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5008-5149 CAP ASSY.15579-A			PATENTED	C/P/B 267.40 2.7
4843-B	2" FPT 360'SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5107-5108 CAP ASSY.15579-B			FLOW RATE 5108	C/P/B 279.20 2.7
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS ON SPECIAL SAMPLE REQUIRED					
	*SPECIAL FILL SPOUTS TO ORDER - UNDER 4 UNITS THERE WILL BE A \$ 25.00 NET LINE ITEM SET UP CHARGE					
PAGE 11	*INLET ADAPTERS ARE AVAILABLE WITH SPECIAL MACHINING ON REQUEST					PAGE 11

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
4844	BACKSTROKE STANCHION 1" TUBE .083" 7 FT. ABOVE DECK	QUICK RELEASE	REF.DRWG.5491-6902	(2) REQUIRED	ST.ST.	
4845	BACKSTROKE STANCH.1" TUBE .083" SPEAKER HOOK 7 FT.	QUICK RELEASE	REF.DRWG.5491-6906	(1) R & (1)L.REQ	ST.ST.	
4846	BACKSTROKE STANCH.1" TUBE .083" SPEAKER HOOK 7 FT.	QUICK RELEASE	REF.DRWG.5491-6906	(1) R & (1)L.REQ	ST.ST.	
4847	7/16"-14 THREADED ROPE EYE 5/8" LONG	6684 PATTERN	1-3/4"X 1-3/16"ID.	REF.DRWG.5079	C/P/B	33.75 0.2
4850	AUTOMATIC SKIMMER VINYL LINER POOLS	4584 COVER ASSY.	REF.DRWG.5231		ALUM	18.0
4851	VOLLEY BALL STANCHION 1-1/2" PIPE (1.90") .065"WALL	5 FT ABOVE DECK	REF.DRWG.5492-6057		ST. ST.	
4852-AL	2-7/8" PROJECTION SINGLE UTILITY HOOK	NON STOCK STD.			B/ALUM	14.30 0.1
4852-BR	2-7/8" PROJECTION SINGLE UTILITY HOOK	NON STOCK STD.			C/P/B	25.00 0.3
4853-AL	2-7/8" PROJECTION DOUBLE UTILITY HOOK				B/ALUM	23.95 0.3
4853-BR	2-7/8" PROJECTION DOUBLE UTILITY HOOK				C/P/B	37.15 0.5
4857	ROBE HOOK ONLY FOR 4856-57 ASSEMBLY				P.O.A.	
4859-AL	10" SIZE 90' ANGLE STYLE COPING COVER PLATE	SPECIAL ORDER	REF.DRWG.5099	WH/AL	P/ALUM	0.6
4860-BR	AUTOMATIC SKIMMER FOR GUNITE POOLS(2) 2" FPS CONN.	SPECIAL ORDER ONLY	REF.DRWG.5473	4585 COVER ASSY	BRZE	P.O.A. 76.0
4861-BR	AUTOMATIC SKIMMER FOR WALLED POOLS(2) 2" FPS CONN.	SPECIAL ORDER ONLY		P.O.A.	BRZE	85.0
4862	EXTERNAL ROPE EYE REVERSED EYE LESS FASTENERS				C/P/B	41.65 0.6
4863	3/4"-10 THREADED EYE 1" LONG	2-1/4"OD.X	(SEE 3968 ASSEMBLY)	(REF.DRWG.5285)	C/P/B	41.65 0.5
4865	1-1/2" MPS ADJ.AIMFLOW SPECIFY HOLE 3/8",1/2",5/8"	3/4"OR 1" DIA. HOLE	(REF.DRWG.5093)		C/P/B	74.45 0.6
4866	1-1/4" SIZE (TUEC) 0-514 HOSE CLAMP VACUUM HOSE				ST.ST.	4.70
4867	1-1/2" SIZE (TUEC) 0-60 HOSE CLAMP VACUUM HOSE				ST.ST.	4.70
4868	2" SIZE (TUEC) 0-62 HOSE CLAMP VACUUM HOSE				ST.ST.	4.70
4869	5/8"-11 THREADED EYE 1" LONG	2-1/4"OD.X1-1/4" ID.		REF.DRWG.5079	C/P/B	43.65 0.5
4870	ANTI VORTEX FRAME & 8" DIAMETER PLATE				C/P/B	
4871	1-1/2" HVY. DUTY FLOATING SUCTION HOSE 25 FT. (TUEC)	(YMCA SPECS)	USE 4263 CONNECTORS & 4867 CLAMPS		PLAST	N/A 12.0
4876	1-1/2" HVY. DUTY FLOATING SUCTION HOSE 50 FT. (TUEC)	(YMCA SPECS)	USE 4263 CONNECTORS & 4467 CLAMPS		PLAST	644.00 22.0
4889	1/2"-13 FLAT TYPE THREADED EYE 5/8" LONG		(REF.DRWG.5079)		C/P/B	37.20 0.2
4897	BACKSTROKE STANCHION SPEAKER HOOK 1" TUBE .083"WALL	(7 FT. ABOVE DECK)	(REF.DRWG.5491-6914)		ST. ST.	P.O.A.
4898	5/8"-11 THREADED EYE 1-1/8" LONG		1-1/4" OD.		C/P/B	40.55 0.6
4898-SP	AS ABOVE 9/16"-12 THREAD 1-1/8" LONG				C/P/B	53.80 0.6
4899	1/2"-13 THREADED EYE 1-1/8" LONG				C/P/B	41.65 0.3
4901						
4902-F	3/4" FPT VALVE FILL SPOUT 2"C/L X 15-1/2" C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	2.0
4903-M	3/4" MPT VALVE FILL SPOUT 2-1/4"C/L X 15-1/2" C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	2.0
4904-F	1" FPT VALVE FILL SPOUT 2"C/L X 15-1/2" C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	3.0
4905-M	1" MPT VALVE FILL SPOUT 2-1/4"C/L X 15-1/2"C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	3.0
4906	26-3/4" SQUARE HEAVY DUTY FOOT BATH				RUBBER	323.35 25.0
4910-F	3/4" FPT FORMED TIP FILL SPOUT 5"X17-1/2"C/L	SPECIALS TO ORDER			C/P/B	109.65 2.0
4911-M	3/4" MPT FORMED TIP FILL SPOUT 5"X17-1/2"C/L	SPECIAL ORDER	*SEE FOOTNOTE		C/P/B	109.20 2.0
4912-F	1" FPT FORMED TIP FILL SPOUT 5"X17-1/2"C/L	(SPECIALS TO ORDER)			C/P/B	136.50 2.2
4913-M	1" MPT FORMED TIP FILL SPOUT 5"X17-1/2"C/L				C/P/B	135.75 2.2
4914	BACKSTROKE STANCH. SPEAKER HOOK 1-1/4" PIPE (1.66")	(7 FT. ABOVE DECK)	(REF.DRWG.5491-6938)		ST. ST.	
4915	BACKSTROKE STANCH. SPEAKER HOOK 1-1/2" PIPE (1.90")	(7 FT. ABOVE DECK)	(REF.DRWG.5491-9942)		ST. ST.	2.4
4916-F	1-1/2" FPTFORMED TIP FILL SPOUT 5"X17-1/2"C/L	(SPECIALS TO ORDER)			C/P/B	192.20 3.4
4917-M	1-1/2" MPTFORMED TIP FILL SPOUT 5"X17-1/2"C/L	(SPECIALS TO ORDER)			C/P/B	193.45 3.4
4918-F	2" FPT FORMED TIP FILL SPOUT 5"X17-1/2"C/L	*SEE FOOTNOTE			C/P/B	263.05 5.0
4919-M	2" MPT FORMED TIP FILL SPOUT 5"X17-1/2"C/L				C/P/B	259.45 5.0
4920-B	DOUBLE BAR ASSIST HOOK 1-1/4" DIA. BOLT. HANDLE CONN.	LESS BOLTS & W NUTSREPL (REF.DRWG.5099)			ALUM	80.50 1.5
4921-F	DOUBLE BAR ASSIST HOOK 1"-8 FEMALE HANDLE CONN.	(SPECIAL ORDER)	(REPL.HANDLE.15128)		ALUM	84.05 1.3
4922-SP	FRAME & # 5087 6" WIDE STRAINER GRATE ASSEMBLIES	SPECIAL LENGTHS TO ORDER			GL/BRZ	
4923	6" LONG TEE WRENCH 5/16" SQUARE HOLE	SPECIAL ORDER			BRZE	0.5
4924-F	3/4" FPT WROUGHT END FILL SPOUT 5-1/2"X17-1/2"C/L	SPECIALS TO ORDER			C/P/B	136.70 2.0
4925-M	3/4" MPT WROUGHT END FILL SPOUT 5-1/2"X17-1/2" C/L				C/P/B	132.65 2.0
4926-F	1" FPT WROUGHT END FILL SPOUT 5-1/2"X 17-1/2"C/L				C/P/B	147.55 2.4
4927-M	1" MPT WROUGHT END FILL SPOUT 5-1/2"X 17-1/2" C/L	*SEE FOOTNOTE			C/P/B	147.55 2.4
4930-F	1-1/2" FPT WROUGHT END FILL SPOUT 5-1/2"X 17-1/2"C/L				C/P/B	197.65 3.4
4931-M	1-1/2" MPT WROUGHT END FILL SPOUT 5-1/2"X 17-1/2"C/L				C/P/B	197.65 3.4
4932-F	2" FPT WROUGHT END FILL SPOUT 5-1/2"X 17-1/2" C/L				C/P/B	257.85 6.0
4933-M	2" MPT WROUGHT END FILL SPOUT 5-1/2"X 17-1/2" C/L				C/P/B	248.50 6.0
4934-F	3" FPT WROUGHT END FILL SPOUT	(SPECIAL ORDER)			C/P/B	
4935-M	3" MPT WROUGHT END FILL SPOUT	(SPECIAL ORDER)			C/P/B	
4936	2" MPT PIPE PLUG WITH SQUARE HEAD	SPECIAL ORDER	(SPECIFY TYPE)	ST. ST.	BR	
4937	2-1/2" MPT PIPE PLUG WITH SQUARE HEAD	SPECIAL ORDER	(SPECIFY TYPE)	ST. ST.	BR	
4938	3" MPT PIPE PLUG WITH SQUARE HEAD	SPECIAL ORDER	(SPECIFY TYPE)	ST. ST.	BR	
4939	JET WASH FITTING 1"8 THREAD 90' (SPECIAL ORDER) WY ADJ. BOLT. RET. WASHER & 2 "O" RINGS DWG.5510				C/P/B	109.65 1.4
4940	JET WASH FITTING 1"8 THREAD 45' (SPECIAL ORDER) WY ADJ. BOLT. RET. WASHER & 2 "O" RINGS DWG. 5510				C/P/B	110.70
4941	4" MPT PIPE PLUG WITH SQUARE HEAD	SPECIAL ORDER	(SPECIFY TYPE)	ST. ST.	BR	
4942						
4945						
4949-SP	FILL SPOUT STRAIGHT STYLE 45'ELBOW MALE OR FEMALE	SPECIAL ORDER	(SPECIFY TYPE)	NEW	C/P/B	P.O.A.
4951	1-1/2" MPS ADJUSTABLE EQUALIZER ADAPTER	SEE ALSO 4536	(REF.DRWG.5232)		BRZE	57.30 0.7
4952	2" MPS ADJUSTABLE EQUALIZER ADAPTER	TEMPORARILY OUT OF PRODUCTION SEE 4537			BRZE	1.1
	*REPLACEMENT PARTS ON SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED					
	*SPECIAL FILL SPOUTS TO ORDER - UNDER 4 UNITS THERE WILL BE A \$ 25.00 NET LINE ITEM SET UP CHARGE					
PAGE 12	*INLET ADAPTERS ARE AVAILABLE WITH SPECIAL MACHINING ON REQUEST					PAGE 12

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.	
4953	2-1/2" MPS ADJUSTABLE EQUALIZER ADAPTER (REF.DRWG.5232)			BRZE	P.O.A.		
4954-BR	1-1/2" FPT X 1-1/2" FPS MAIN DRAIN 5-3/8"CHR.STR. REPL.STR.17523 (REF.DRWG.5109)	SYLVAN POOLS		BRZE	247.15	5.4	
4955-BR	1-1/2" INSERT.X 1-1/2" FPS MAIN DRAIN 5-1/8"CHR.STR. REPL.STR.17522 (REF.DRWG.5263)	SYLVAN POOLS		BRZE	279.85	10.0	
4956-BR	1-1/2" FPT X 1-1/2" FPS MAIN DRAIN 5-5/8" CHR. STR. REPL.STR.17522 (REF.DRWG.5266)	SYLVAN POOLS		BRZE	294.15	10.0	
4957	ANTI VORTEX FRAME & 5-5/8" DIA. VENT. PLATE 4958 SPECIAL ORDER (REF.DRWG.5415)		145.40	C/P/B	158.20	2.5	
4959	3/4"-10 THREADED EYE 3/4" LONG DISCONTINUED SEE 5504 1-1/2"OD X 7/8" ID. (REF.DRWG.5079)	REF.DRWG.5079		C/P/B		0.3	
4961	5/8"-11 THREADED EYE 3/4" LONG 5959 PATTERN (REF.DRWG.5079)			C/P/B	29.50	0.3	
4962							
4964	ANTI VORTEX FRAME & 6-5/8" DIA. VENT. PLATE 4376 NOT IN PRODUCTION (REF.DRWG.5416)			C/P/B		2.6	
4973-B	EXTEN HANDLE TAPED 1-1/4" DIA.16 FT. LONG BOLTED YMCA SPEC. (SPECIAL ORDER)	NEW		ALUM	201.80	78.0	
=====							
15,130 BOLTS & WING NUTS 1-1/4"ANODIZED ALUM. EXT. HANDLES WITH 15,156 1"-8 MALE & 15,160 1"8 FEMALE INSERT			PACKED 20 PER CARTON				
NBR.	LGTH.	ONE END	TWO ENDS	COMBINATION BOLT & THREAD ONE END	FT OR "MT"	MALE & FEMALE	
4968	6 FT.	43.55	50.75	56.55	55.10	64.70	
4969	8 FT.	54.25	61.40	68.15	65.35	74.90	
4970	10 FT.	61.95	70.05	76.80	73.50	83.20	
4971	12 FT.	68.90	77.25	83.70	80.60	90.15	
4972	16 FT.	87.85	95.90	102.55	99.70	109.30	
=====							
NUMBER	DESCRIPTION	NUMBER	FINISH	LIST EA	FINISH	LIST EA	WGT.
4974-B	EXTEN HANDLE W/HAND GRIP 1-1/4" DIA.16 FT. BOLTED (FOR RESCUE HOOKS) NEW				ALUM	104.30	82.0
4974-MT	EXTEN HANDLE W/HAND GRIP 1-1/4" DIA.16 FT. THREADED WITH 1"-8 THREADED MALE INSERT				ALUM	120.65	22.0
4975	RESCUE POLE CEMENTED RUBBER TIPS 1-1/4" DIA. X 6 FT. NEW				ALUM	57.05	34.0
4976	RESCUE POLE CEMENTED RUBBER TIPS 1-1/4" DIA. X 8 FT.				ALUM	68.55	40.0
4977	RESCUE POLE CEMENTED RUBBER TIPS 1-1/4" DIA X 10 FT.				ALUM	77.80	46.0
4978	RESCUE POLE CEMENTED RUBBER TIPS 1-1/4" DIA X 12 FT.				ALUM	86.35	54.0
4979	RESCUE POLE CEMENTED RUBBER TIPS 1-1/4" DIA X 16 FT.				ALUM	105.00	80.0
=====							
15,130 BOLTS & WING NUTS *1-1/4" DIA. ANODIZED ALUMINUM TELESCOPIC EXTENSION HANDLES							
LENGTH *SEE FOOTNOTE							
NUMBER	DESCRIPTION	LENGTH	BOLTED	THREADED	BOLT & THREAD		
4980	DELUXE MODEL	6 FT. - 12 FT.	103.40	136.60	180.30		70.0
4981	DELUXE MODEL	8 FT. - 16 FT.	119.00	157.10	207.45		85.0
4982	DELUXE MODEL	12 FT. - 18 FT.	127.80	168.75	222.85		106.0
4983-MT	DE LUXE TAPED TELESCOPIC HANDLE 8"-16"MALE THREAD (ONE END ONLY) (YMCA SPECIAL)					ALUM	218.90
4984	ECONOMY MODEL 6 FT.- 12 FT.					DISCONTINUED	
4985	ECONOMY MODEL 8 FT.- 16 FT.					DISCONTINUED	
4986	ECONOMY MODEL 12 FT. - 18 FT.					DISCONTINUED	
4987	FULCRUM END BRACKET 2" PIPE 2.38" 3-5/8" C/L (LESS FASTENERS)					ALUM	75.60
5000-AL	ADJ. END FULCRUM BRACKET 1-1/2" PIPE (1.90")5" C/L (LESS FASTENERS) REF.DRWG.5310					ALUM	72.85
5000-BR	ADJ. END FULCRUM BRACKET 1-1/2" PIPE (1.90")5" C/L (LESS FASTENERS)					BRZE	98.25
5002						B/CHR	129.25
5004-BT	EXTENSION HANDLE TAPED 1-1/4" DIA. 16 FT. BOLTED (SPECIAL ORDER) YMCA SPECIFICATIONS						
5005-B	EXTEN. HANDLE W/HAND GRIP 1-1/4" DIA. 16 FT. BOLTED (FOR RESCUE HOOKS) NEW					ST.ST.	380.35
5005-MT	AS ABOVE WITH 1"-8 THREADED MALE INSERT (FOR RESCUE HOOKS) NEW					ST.ST.	394.05
5006							
5020-AL	FULCRUM END BRACKET 1-1/2" PIPE (1.90") 3-5/8" C/L (LESS FASTENERS) REF.DRWG.5312					ALUM	
5021-AL	FULCRUM END BRACKET 1-1/2" PIPE (1.90") 2" C/L (NON STOCK STD.)					ALUM	
5022-AL	FULCRUM END BRACKET 2" PIPE (2.38") 5-1/2" C/L (LESS FASTENERS) REF.DRWG.5310					ALUM	110.70
5022-BR	AS ABOVE (NON STOCK STD.)					BRZE	186.90
5023-AL	FULCRUM END BRACKET 2" PIPE (2.38") 3-5/8"C/L (LESS FASTENERS) (2) REQUIRED					ALUM	97.80
5023-BR	AS ABOVE (NON STOCK STD.) (2) REQUIRED					BRZE	155.95
5024	FULCRUM END BRACKET 2" PIPE (2.38") 2"C/L (LESS FASTENERS) REF.DRWG.5312					ALUM	
5026	ROUND FRAME & 19" DIAMETER COVER PLATE (5100) NOT IN PRODUCTION					BRZE	C/P/B
5027-AL	DOUBLE DIVING BOARD FULCRUM 1-1/2" PIPE (1.90") (2) REQUIRED					B/ALUM	103.00
5027-BR	AS ABOVE (2) REQUIRED					BRZE	161.95
5028-A	HINGED LADDER INSERT ASSY ECONOMY 1-1/2 PIPE (1.90") WITH (1)21904 & (1)21905					C/P/B	764.25
5028-B	AS ABOVE WITH(2)21,905 SOCKET INSERT ASSEMBLIES PARTS DRWG 5485-86 & T=31					C/P/B	874.35
5030-BR	SPLIT(2) PC. ELBOW 1-1/2" PIPE (1.90") LESS FASTENERS (2) REQUIRED REF.DRWG.5045					C/P/B	72.55
5031-BR	SPLIT(2) PC. TEE 1-1/2" PIPE (1.90") LESS FASTENERS (2) REQUIRED REF.DRWG.5046					C/P/B	61.55
5033	DUAL PURPOSE SPANNER WRENCH FOR DIVERTER VALVES 5-1/2" LONG SYLVAN POOLS SPECIAL ORDER					B/ALUM	23.80
5034	DUAL PURPOSE SPANNER WRENCH FOR DIVERTER VALVES 4-1/2" LONG SYLVAN POOLS SPECIAL ORDER					B/ALUM	21.20
5035-BR	SPLIT(2) PC. DECK FLANGE 1-1/2" PIPE (1.90") LESS FASTENERS (2) REQUIRED REF.DRWG.5047					C/P/B	78.90
5036-BR	SPLIT(2) PC. DECK FLANGE 2" PIPE (2.375") LESS FASTENERS (2) REQUIRED DRWG. 7217-18					C/P/B	79.20
5038-AL	DOUBLE DIVING BOARD FULCRUM 1-1/2" PIPE (1.90") (2) REQUIRED					B/ALUM	106.35
5038-BRZ	AS ABOVE					BRZE	181.05
5039	ANTI-VORTEX FRAME & 5039-VP 20" DIAMETER PLATE (REF.DRWG.5414)					GL/BRZ	2371.20
5040	HINGED RAILING SOCKET INSERT FOR 1 MET. DIVING STAND (2) REQUIRED NEW					C/P/B	P.O.A.
5041-BR	DIVING STAND WEDGE ANCHOR ASSY. 1-1/2" PIPE (1.90") LESS 18016 X PIN (REF.DRWG.5306-R)					C/P/B	333.15
5043-BR	18" C/L LADDER TREAD 1-1/2"PIPE LESS FASTENERS NON STOCK STD. USE 15140 BOLT & NUT					BRZE	128.25
5044-BR	18" C/L ADJ. LADDER TREAD 1-1/2"PIPE LESS FASTENERS NON STOCK STD. (REF.DRWG.5305)					BRZE	170.90
* EXTENSION HANDLES ARE SUPPLIED WITH 1"-8 BRASS INSERTS, BOLTS & WING NUTS WHERE REQUIRED - HANDLES & RESCUE POLES HAVE SPECIFIC CARTON QUANTITIES. THERE WILL BE AN \$8.00 NET PACKING CHARGE FOR LESS THAN CARTON QUANTITY							
PAGE 13	*SPECIAL FILL SPOUTS TO ORDER-UNDER 4 UNITS THERE WILL BE A \$25.00 NET LINE ITEM SET UP CHARGE					PAGE 13	
NJ (201) 339-1351-2-3		STANDARD BRONZE COMPANY			NY (212) 267-6738 FAX (201) 339-3492		

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
5045	17-3/4" C/L LADDER TREAD 1-1/2" PIPE LESS FASTENERS	P.O.A.		ST.ST.		2.0
5046-BR	24" C/L ADJ. LADDER TREAD 1-1/2" PIPE LESS FASTENERS	BRZE		C/P/B		7.7
5047-SP	SPLIT(2) PC. TEE 2" PIPE ACROSS X 1-1/2" PIPE VERT.	NEW	P.O.A.	C/P/B		
5048-GS	2-7/8" SQ. RACING LINE CUP ANCHOR ST.ST. CROSS BAR	(3-1/4" DEEP)	(REF.DRWG.5070-R)	C/P/B	116.75	1.8
						42.0
5049	NUMBER CORRECTION	(SEE NEW.5444)		C/P/B		1.4
5050						
5056	2" MPS X 1-1/2" FPT X 1-1/2" FPT VACUUM RETURN FITTING	2" OF THREAD		C/P/B		2.2
5056-RC	AS ABOVE WITH GASKETS, WASHER & LOCK NUT			C/P/B		2.4
5057-RG	SEALING GASKET FOR DECK BOX NO.5077-CF COVER PLATE	(1) EACH REQUIRED		RUBBER	P.O.A.	
5058	2" MPT X 1-1/2" FPT EXTENSION ADAPTER			BRZE	P.O.A.	
5059	2" MPT X 2" FPT EXTENSION ADAPTER			BRZE	P.O.A.	
5060-PB	"SUPRE-VAC" 12" VAC HEAD 1-1/2" HOSE BOLTED CONN.	REPL. BRUSH 15075	(PARTS DRWG.6121)	BLUE	124.25	P/ALUM 144.35 2.2
5060-PT	"SUPRE-VAC" 12" VAC HEAD 1-1/2" HOSE FEMALE THREAD.	REPL. BUMPER 15074		BLUE	131.00	P/ALUM 149.45 2.3
5061-PB	"SUPRE-VAC" 12" VAC HEAD 1-1/4" HOSE BOLTED CONN.			BLUE	124.25	P/ALUM 143.35 2.2
5061-PT	"SUPRE-VAC" 12" VAC HEAD 1-1/4" HOSE FEMALE THREAD.	NON STOCK STD	(PARTS DRWG.6121)	BLUE	125.10	P/ALUM 149.45 2.3
5062-SP	2-7/8" SQ. RACING LINE CUP ANCHOR ST.ST. CROSS BAR	2-7/8" DEEP	(REF.DRWG.5477)			C/P/B 1.6
5063-GS	RECESSED LADDER STEP 6-1/8" X 15-3/4" X 5-1/2" DEEP	YMCA SPEC.	(DRWG.5317-18-64)	GL/BRZ		697.30 17.0
5064	SEALING GASKET FOR 5077-C COVER PLATE			RUBBER	P.O.A.	
5066-BPL	"TRI-GARD" 11" VAC. HEAD CYO. BOLTED CONN. 15001-PL	PATENTED	(DRWG.No.101)			RUBBER 124.50 4.5
5066-BAL	"TRI-GARD" 11" VAC. HEAD ALUM. BOLTED CONN. 15001-AL		(PARTS DRWG.6117)			RUBBER 132.65 4.5
5066-TAL	"TRI-GARD" 11" WITH ALUMINUM FEMALE THREAD 15000-AL					RUBBER 131.90 4.5
5068	"KLEEN-SWEEP" 10-1/2" VACUUM HEAD 1 1/2" HOSE CONN.	SPECIFY B OR T.	(PARTS DRWG.6125)	SYLVAN POOLS		BL/AL 243.55 2.0
5069	"KLEEN-SWEEP" 15-3/4" JUMBO VAC. HEAD 1-1/2" CONN.	WHEEL ASSY.15252-3	(PARTS DRWG.6126)	SYLVAN POOLS		BL/AL 394.35 4.0
5075	GROUNDING CLAMP ASSY. FITS 1" AND 1-1/2" PIPE	NON STOCK STD				BRASS 0.2
5077-1	DECK BOX 3/4" FPT (1) S/O & (1) B/O	NON STOCK STD.	(REF.DRWG.5191)	GL/BRZ		C/P/B 4.2
5077-2	DECK BOX 3/4" FPT (2) S/O & (1) B/O	NON STOCK STD.	(REF.DRWG.5191)	GL/BRZ	192.65	C/P/B 210.50 4.2
5077-3	DECK BOX 1" FPT (2) S/O & (1) B/O SPECIAL ORDER	USED 5077-1 PATTERN		BRZE	195.80	C/P/B 222.00 4.1
5077-CP	COVER PLATE FOR 5077-1-2-3 DECK BOXES	USE 5057 GASKET	(1) EACH REQUIRED	GL/BRZ	52.95	C/P/B 57.75
5078	JUNCTION BOX 3/4" FPT (3) B/O	NON STOCK STD.	(REF.DRWG.5207)			BRZE 328.55 5.3
5079	RECESSED LADDER STEP 5063 INSIDE POLISHED	(REF.DRWG.51200)		(SEE 5063)		DISCONTINUED 17.0
5080	SAFETY LANE ASSEMBLIES 3/8" ROPE TO ORDER	INFORMATION REQUIRED				POLY P.O.A.
5081	SAFETY LANE ASSEMBLIES 1/2" ROPE TO ORDER					POLY P.O.A.
5082	SAFETY LANE ASSEMBLIES 3/8" ROPE TO ORDER					POLY P.O.A.
5083	SAFETY LANE ASSEMBLIES 1/2" ROPE TO ORDER					POLY P.O.A.
5084-SP	PRACTICE RACING LANES 1/2" ROPE TO ORDER	YMCA SPEC.	(INFORMATION REQUIRED)			DISCONTINUED
5085	JUNCTION BOX-STARTING PLATFORMS & J.T.S. SYSTEMS	(SPECIAL TO ORDER)	(REF.DRWG.5449)	NEW		GL/BRZ 920.85 6.5
5086	10" X 10" X 1-1/4" DECK LEVEL CORNER STRAINER	(SPECIAL ORDER)	(REF.DRWG.5136)			GL/BRZ 582.75 5.0
5087	6-1/8" X 20-1/2" X 1-1/4" DECK LEVER STRAIGHT STRAINER	SPECIAL ORDER	(REF.DRWG.5135)			GL/BRZ 539.65 7.0
5091-92	SAFETY LANE ASSEMBLIES 5/8" OR 3/4" ROPE TO ORDER		INFO. REQUIRED			P.O.A.
5093	3-1/2" SIZE COPING COVER PLATE	SPECIAL ORDER	REF.DRWG.5326	WH/AL		P/ALUM
5094-AL	ADJ. FULCRUM BRACKET OVER & UNDER 1-1/2" PIPE	SPECIAL ORDER	REF.DRWG.5335	(2) REQUIRED		B/ALUM 71.90 1.2
5094-BR	AS ABOVE	SPECIAL ORDER		(2) REQUIRED		B/BRZ 108.90 3.7
5095	CORNER COVER PLATE 90' OUTSIDE BULL NOSE	SPECIAL ORDER	8" SIZE	WH/AL		P/ALUM 110.10 0.5
5096-SP	DOUBLE WINTERIZING PLUG ASSEMBLIES TO ORDER					RUBBER P.O.A.
5097	COPING COVER PLATE 140' REVERSED ANGLE BULL NOSE 9"			WH/AL		P/ALUM P.O.A. 0.4
5098	COPING COVER PLATE 140' INSIDE ANGLE BULL NOSE 9"			WH/AL		P/ALUM P.O.A. 0.4
5099	COPING COVER PLATE 135' INSIDE ANGLE BULL NOSE 8"			WH/AL		P/ALUM P.O.A. 0.4
5100	19" DIAMETER STRAINER GRATE (FOR 5026 ASSEMBLY)	(REF.DRWG.5164)		GL/BRZ		C/P/B P.O.A.
5116-ALA	"HERCULEAN" 18" VAC. HEAD 1-1/2" HOSE SWIVEL THREADED	OR BOLTED HANDLE	(PARTS DRWG.6101)			P/ALUM 415.25 8.5
5116-ALB	"HERCULEAN" 18" VAC. HEAD 2" HOSE SWIVEL THREADED	OR BOLTED HANDLE	(REPL. BRUSH ASSY.15013)			P/ALUM 415.25 8.5
5116-BRA	"HERCULEAN" 18" VAC. HEAD 1-1/2" HOSE SWIVEL THREADED	OR BOLTED HANDLE	REPL. WHEELS 15015-15016			C/P/B 523.75 11.0
5116-BRB	"HERCULEAN" 18" VAC. HEAD 2" HOSE SWIVEL THREADED	OR BOLTED HANDLE	TOW MODEL CONVER.15290-15295			C/P/B 523.75
5117-AL	"VAC. MASTER" 13" VAC. HEAD 1-1/2" HOSE SWIVEL THREADED	OR BOLTED HANDLE	(PARTS DRWG.6102)			P/ALUM 344.55 5.5
5117-BR	"VAC. MASTER" 13" VAC. HEAD 1-1/2" HOSE SWIVEL THREADED	OR BOLTED HANDLE	(REPL. BRUSH ASSY.15122)			C/P/B 444.40 9.0
5119	"SUPERIOR" 10-3/4" VAC. HEAD 1-1/4" X 1-1/2" HOSE CONN.		(PARTS DRWG.6103)			C/P/B 217.45 4.5
5120	STANCHION ASSY. PLAIN CAP-2 SIDE EYES 1-1/4" PIPE	ORIG. 5859	(REF.DRWG.5173)	AS REQUIRED		ST.ST.
5121	STANCHION ASSY. PLAIN CAP-2 SIDE EYES 1-1/2" PIPE	ORIG. 5872	(REF.DRWG.5493)	AS REQUIRED		ST.ST.
5122-BR	26" C/L LADDER STEP LESS FASTENERS		(REF.DRWG.5218)	BRZE	201.70	C/P/B 238.85 9.0
5123-BR	26" C/L LADDER STEP 15 DEGREE ANGLE LESS FASTENERS		(REF.DRWG.5218)	BRZE	206.25	C/P/B 243.95 9.0
5125	1" FPT DIRECTIONAL FLOW BOTTOM INLET SPECIFY WALL	(SPEC.180'OR 360')	(CAP ASSY.15578)	PATENTED		C/P/B
5126						
5128	GRAB BAR END POST 1-1/4" TUBE - 7/16" -14 THREAD.		(REF.DRWG.5405)			C/P/B
5129	GRAB BAR CENTER POST 1-1/4" TUBE - 7/16" -14 THREAD.		(REF.DRWG.5405)			C/P/B
5161	STANCHION ASSY. PLAIN CAP 2 SIDE EYES 2" TUBE (2.00")		(REF.DRWG.5349)	AS REQUIRED		ST.ST.
5164-SP	1-1/2" X 1-1/2" FPS DRAIN SUMP 8" STRAINER (17521)	(SPECIFY WALL)	(SPECIAL ORDER ONLY)			DISCONTINUED
5166	1/2"-13 THREADED EYE 1-3/4" LONG	NEW	(1-3/4" OD.x 1" ID)			C/P/B 29.60 0.4
5167	1/2"-13 THREADED EYE 1-3/8" LONG	(1" DIA. FLANGE)	(1-3/8" OD.)			C/P/B 40.30 0.4
5190	"ROTO-VAC" 15-5/8" DE-LUXE JUMBO 1-1/2" HOSE CONN.	(REPL. BRUSH 15113)	(PARTS DRWG.6115)	(SPECIFY B OR T)		BL/AL 466.25 6.0
5192	FLANGED LOCK NUT 1-1/4" FPS PIPE	SPECIAL ORDER				BR 7.80 0.2
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED					
	*PARTS LISTS AVAILABLE ON ALL VACUUM CLEANER ASSEMBLIES - DRAWING NUMBERS AS INDICATED					
PAGE 14	**FOUNTAIN - POOL & SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL					PAGE 14

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.	
5193	FLANGED LOCK NUT 1-1/2" FPS PIPE	SPECIAL ORDER	P.O.A.			BR		0.2	
5194	FLANGED LOCK NUT 2" FPS PIPE	SPECIAL ORDER	P.O.A.			PVC		0.3	
5195	1-1/2" MPT X 1/2" FPT INTAKE HYDRO THERAPY BODY	SPECIAL ORDER	PARTS DRWG.6179	LIMITED SUPPLY		BR			
5204-PBC	"VAC-EZE" 9" VAC. HEAD CYC. BOLTED HANDLE 15108-PL	PATENTED	PARTS DRWG.6183			RUBBER	71.50	1.0	
5204-PBA	"VAC-EZE" 9" VAC. HEAD ALUM. BOLT. HANDLE 15108-AL	REPL. BRUSH 15071				RUBBER	78.40	1.2	
5204-PTA	"VAC-EZE" 9" VAC. HEAD ALUM FEM.THREAD.CONN.15107-AL					RUBBER	83.15	1.1	
5207	2-1/2" FPT X 2-1/2" MPT INLET FITTING WALLED POOLS	(SPECIFY WALL)	(USE 5676 TEST PLUG)	(REF.DRWG.5210)		C/P/B	262.75	3.4	
5208	2-1/2" MPT WATER BALANCING FITTING WALLED POOLS	(SPECIFY WALL)	(USE 5676 TEST PLUG)	(REF.DRWG.5246)		C/P/B	236.40	4.4	
5210	2" FPS HEAVY DUTY LOCK NUT WITH GROUND SCREW	SPECIAL ORDER				BRZE		0.6	
5212	1-1/2" FPT S/O DRAIN SUMP 3-9/16" DIA. STR. (17555)	(SPECIFY WALL)	(REF.DRWG.5122)			C/P/B	398.30	7.0	
5213	1-1/2" FPT ANTI-VORTEX SUMP 6-1/2" DIAPLATE (17552)	(SPECIFY WALL)	(REF.DRWG.5244)			GL/BRZ	710.80	7.4	
5216-GS	3" DIA. RACING LINE CUP ANCHOR WITH CROSS BAR	(3-5/8"DEEP)				C/P/B	55.65	1.3	
5217	3/4" ROPE HOOK TAPERED STYLE	(HEAT SEAL TYPE)				C/P/B	38.90	0.4	
5220	GRAB RAIL END POST 4 HOLE MOUNT 1-1/2" PIPE 1.90"	3" C/L	SPECIAL ORDER	(REF.DRWG.5386)		C/P/B	218.55	2.4	
5221	GRAB RAIL CENTER POST 4 HOLE MOUNT 1-1/2" PIPE	3" C/L		(REF.DRWG.5386)		C/P/B	230.30	2.5	
5222	9-1/4" X 9-1/2" "ELIZABETHAN" MASK FONT 2-1/4"PROJ.	3/4" HOLE	NON STOCK STD			OK/BRZ	592.50	10.0	
5224	GRAB RAIL CENTER POST 4 HOLE MOUNT 1-1/4" TUBE	2-1/2" C/L		(REF.DRWG.5386)		C/P/B	119.55		
5225	GRAB RAIL END POST 4 HOLE MOUNT 1-1/4" TUBE (1.25")	2-1/2" C/L		(REF.DRWG.5386)		C/P/B	116.50		
5228	WALL DECK MOUNT GRAB RAIL ASSY. 1-1/2" PIPE (1.90")	(MADE TO ORDER)	(REF.DRWG.5391)			P/BRZ		ST.ST.	
5229	4-7/8" I/D MANOFF DRAIN 4-3/4" DIA STRAINER	(REP.STR.18046)	(REF.DRWG.5029)		154.00	C/P/B	179.55	6.8	
5230-SD	DECK DRAIN 8" DIA STRAINER SCREW DOWN 5-1/2" HIGH	(REP.STR.17535)	(REF.DRWG.5105)		370.50	C/P/B	394.15	11.0	
5231	HAND GRIP SUPPORT TOWEL BAR ASSY. 1" TUBE (1.00")	6182-6183	(REF.DRWG.5391)	*SEE FOOTNOTE		ST.ST.		0.3	
5232	HAND GRIP SUPPORT TOWEL BAR ASSY. 1-1/4" TUBE (1.25")	6184-6185	(REF.DRWG.5391-5505)			ST.ST.			
5233	HAND GRIP SUPPORT TOWEL BAR ASSY. 1-1/2" PIPE (1.90")	6186-6187	(REF.DRWG.5391)			ST.ST.			
5234-GS	3" FPT GUTTER DRAIN 4" X 12"FLUSH STRAINER	(REP.STR.15760)	(REF.DRWG.5472)		469.45	C/P/B	496.10	9.1	
5235	"SCOOP-MASTER" SR.30" WIDE 1-1/4"-1-1/2" DIA. BOLTED	(REP. BAG 15733)	(REPL. SCRAPER 17532)			ALUM	115.20	1.8	
5237-SD	4-5/8" I/D VALVE ACCESS FRAME & COVER PLATE 18038				168.75	C/P/B	196.85	4.7	
5240-GS	3" FPT NO LEAK FLANGE (WATER STOP)		(REF.DRWG.5022)			BRZE	387.65	4.9	
5241	PERSONALIZED BUTT PLATE ASSEMBLY WITH FASTENERS	4411 BUTT PLATE	(SPECIAL TO ORDER)	INFO. REQUIRED		C/P/B			
5242	UPRIGHT JUNCTION BOX(2) WAY 3/4" FPT		(REF.DRWG.5208)			BRZE	146.10	4.2	
5243	UPRIGHT JUNCTION BOX (3) WAY 3/4" FPT		(REF.DRWG.5209)			BRZE	291.50	6.0	
5244-SP	UPRIGHT JUNCTION BOX (3) WAY 1" FPT		(REF.DRWG.5209)			BRZE	335.40	7.3	
5245-SD	11" DIA. REPLACEMENT STRAINER PLATE	FOR 6628-SD ASSY.	(REF.DRWG.5041)			C/P/B	259.45	3.4	
5248-GS	2" FPT GUTTER DRAIN 2-3/4" X 10" STR. PLATE 18050	(DRWG. NO 5118)			204.80	C/P/B	220.15	4.4	
5249-GS	2-1/2" MPT. GUTTER DRAIN 2-3/4" X 10" STR. PLATE 18050	(DRWG. NO 5118)			222.95	C/P/B	239.25	4.4	
5276-AT	POOL MAGNET THREADED HANDLE CONN. 1"-8 FEM. THREAD.	YMCA SPEC.	LESS FASTENERS			ALUM	28.00	0.4	
5276-BT	POOL MAGNET THREADED HANDLE CONNECTOR 1"-8 FEMALE					BR	31.50	0.6	
5277-ALB	POOL MAGNET1-1/4" BOLTED HANDLE CONN.	YMCA SPEC.				ALUM	37.20	0.4	
5277-BRB	POOL MAGNET1-1/4" BOLTED HANDLE CONN.					BR	42.10	0.8	
5279-FT	" SCOOP-MASTER" SR. 30" WIDE 1"-8 FEM. THREADED CONN.	(REPL. BAG 15733)	(REPL. HANDLE 15,299)			ALUM	142.75	2.2	
5300	1-1/2" FPT VENTURI NOZZLE 10" LONG	NON STOCK STD	(DRWGS.5006-5149)			BRZE	114.50	2.2	
5302	3/4" MPT VENTURI NOZZLE 4-1/4" LONG	NON STOCK STD				BRZE	46.40	1.2	
5303	1-1/2" MPT X 1-1/2" INSERT EXTENSION ADAPTER ELBOW	SPECIAL ORDER	(REF.DRWG.5091)			BRZE		8.0	
5304	1-1/2" MPT X 1-1/2" INSERT EXTENSION ADAPTER TEE	SPECIAL ORDER	(REF.DRWG.5092)			BRZE		8.0	
5306	3/4" MPT VENTURI NOZZLE	NON STOCK STD				BRZE	54.90	1.0	
5308-11	FILTER MANIFOLDS	DISCONTINUED				C/IRON		----	
5314	SKIMMER ORIFICE FORMING TOOL	SPECIAL ORDER	(REF.DRWG.5323)			ALUM	P.O.A.	2.5	
5316	8" X 10" RECTANGULAR FACEPLATE FOR 4861 SKIMMER	SPECIAL ORDER				C/P/B			
5323-SP	ADJUSTABLE WEIR FACEPLATE FOR STEEL WALLED POOLS	SPECIAL ORDER	(REF.DRWG.5088)			C/P/B		5.9	
5329	9-1/4" DIA. SKIMMER COVER PLATE	SPECIAL ORDER				C/P/B		4.2	
5335	1-1/2" FPT GATE VALVE OTHER SIZES AVAILABLE		P.O.A.			BRASS			
5336	2" FPT GATE VALVE		P.O.A.			BRASS			
5345-SD	7-5/16" I/D VALVE ACCESS COLLAR & COVER PLATE 18039	SPECIAL ORDER				C/P/B		5.6	
5346	1/2"-13 THREAD QUAD NUT	SPECIAL ORDER				BRZE		0.4	
5349	FRAME & 7-1/4" DIA STRAINER GRATE (19015) 2" HIGH		(REF.DRWG.5395)			C/P/B	316.45	4.5	
5354-1	HANDLE ADAPTER QUICK SET 1-1/8" DIA. BOLTED	WITH BOLTS & NUTS				ALUM	15.05	0.3	
5365-GS	3" FPT GUTTER DRAIN 3-3/4"X 11-3/4"RECESSED STRAINER	REPL. STR. 15552	(REF.DRWG.5471)			GL/BRZ	511.70	8.1	
5373	1" DIA GRAB RAIL CENTER BRACKET 2-3/4"PROJ.	(3) HOLE MOUNT	ORIG. WORLD WAR 1			C/P/B	96.35	0.6	
5374	1" DIA GRAB RAIL CENTER BRACKET 3-3/4"PROJ.	(3) HOLE MOUNT	(ELCO "PT" BOATS)			C/P/B	-----		
5375	1" DIA GRAB RAIL CENTER POST 3/8"-16 THREAD	SPECIAL ORDER	(REF.DRWG.5141)			C/P/B	74.95	0.5	
5376	1" DIA GRAB RAIL END POST 3/8"-16 THREAD	SPECIAL ORDER	(REF.DRWG.5141)			C/P/B	82.10	0.7	
5377	GRAB RAIL END POST 1-1/2" PIPE 7/16"-14 THREAD.	SPECIAL ORDER				C/P/B	78.40	1.1	
5378	GRAB RAIL CENTER POST 1-1/2" PIPE 7/16-14 THREAD	SPECIAL ORDER	(REF.DRWG.5142)			C/P/B	90.35	1.1	
5379-SD	FRAME & 12" SQ. STRAINER 15348(2) HOLE MOUNT	1-1/4" HIGH FRAME (DRWG. 5183-84)			552.20	C/P/B	662.70	11.0	
5382	2-1/8"-11 THREAD HEXAGON NUT		P.O.A.			BR.		0.2	
5385	6" LONG TENSION SPRING					ST.ST.	18.35	0.4	
5386	4" LONG PELICAN HOOK					BR	23.10	0.4	
5387	TURNBUCKLE (2) EYES		(REF.DRWG.5276)			BR	39.90	0.4	
5388	TURNBUCKLE (1) HOOK & (1) EYE		(REF.DRWG.5277)			BR	41.90	0.4	
5393	HANDLE ADAPTER QUICK SET 1-1/8" DIA. 1"-8 MALE CONN.					ALUM	25.15	0.7	
	WALL MOUNTED HAND GRIP SUPPORT BAR ASSEMBLIES AVAILABLE IN VARIOUS COMBINATIONS - INFORMATION ON REQUEST								
	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT ASSEMBLIES - DRAWING NUMBERS AS INDICATED								
PAGE 15	*FONTS ARE AVAILABLE IN A VARIETY OF MATERIALS & FINISHES - INFORMATION ON REQUEST							PAGE 15	
NJ (201) 339-1351-2-3				STANDARD BRONZE COMPANY				NY (212) 267-6738 FAX (201) 339-3492	

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
5397	TURNBUCKLE WITH(2) HOOKS	REF.DRWG.5277		BRZE	44.65	0.4
5417	SMALL OVAL WALL EYE	SPECIAL ORDER		C/P/B		0.1
5418	CURVED OVAL ROPE EYE 1/2" RADIUS	DISCONTINUED	SEE 4177-1" RADIUS	C/P/B		0.2
5419-GS	4" SQUARE RACING SAFETY LINE CUP ANCHOR 5/8"-11 EYE	15162-TE	4-3/4" DEEP	YMCA SPEC.	159.90	2.5
5419-SE	AS ABOVE WITH SECURED EYE	SPECIAL ORDER	DRWG.5337-5255	C/P/B		2.5
5426-GS	4" FPT NO LEAK FLANGE WATER STOP	NEW	REF.DRWG.5022-R	BRZE	467.90	8.3
5428	DIVING STAND ANCHOR 3/8"-16 WITH PLUG 21900	REF.DRWG.5329		C/P/B	31.15	0.5
5429	WING "T" BOLT FOR ABOVE 3/8"-16 THREAD.			C/P/B	40.45	0.3
5430	ANTI VORTEX FRAME & No.5430 VP 7" SQ. VENTURI PLATE	DRWG.5113-14-15	No.4148-F FRAME	GL/BRZ	276.50	4.9
5431	ANTI VORTEX FRAME & No.5431-VP 9" SQ. VENTURI PLATE			GL/BRZ	362.55	5.8
5432	ANTI VORTEX FRAME & No.5432-VP 11" SQ. VENTURI PLATE	DRWG.5113-14-15		GL/BRZ	698.05	14.6
5433	ANTI VORTEX FRAME & No.5433-VP 13" SQ. VENTURI PLATE	DRWG.5113-14-15		GL/BRZ	913.50	19.5
5434	ANTI VORTEX FRAME & No.5434-VP 16" SQ. VENTURI PLATE			GL/BRZ	1286.85	29.0
5435	ANTI VORTEX FRAME & No.5435-VP 19" SQ. VENTURI PLATE	DRWG.5113-14-15		GL/BRZ	2031.80	49.0
5436-AL	HANDLE ADAPTER 1-1/4" BOLTED TO 1"-8 MALE CONN.	WITH BOLTS & W/NUTS		ALUM	30.20	0.7
5436-BR	AS ABOVE WITH BOLTS & WING NUTS	15130		BR	35.20	
5439-SD.	FRAME & 12" SQ. STRAINER GRATE 15348 2 HOLE MOUNT	3/4" HIGH FRAME	REF.DRWG.5119	GL/BRZ	599.95	11.0
5444-BR	SPLIT TOP EARED TEE 2 PC 1-1/2" PIPE (1.90")	LESS FASTENERS	(2) REQUIRED	C/P/B	64.90	1.4
5446	FRONT FULCRUM BRACKET RADIUS TYPE 1-1/2" PIPE (1.90")	LESS FASTENERS	REF.DRWG.5333	B/ALUM	74.95	0.9
5447	REAR FULCRUM BRACKET RADIUS TYPE 1-1/2" PIPE (1.90")	LESS FASTENERS	REF.DRWG.5334	B/ALUM	73.65	0.8
5449	ESCUTCHEON PLATE OVERSIZED 1-1/2" PIPE (1.90")	FOR 4028 ANCHOR	REF.DRWG.5129-5144	C/P/B	59.15	0.5
5450	5" ROUND ESCUTCHEON PLATE 1-1/2" PIPE (1.90")	REF.DRWG.5145	REPLACES 4193	ST.ST.	17.95	0.3
5451	ESCUTCHEON PLATE 1-1/2" PIPE (1.90")	7/8" INSIDE DEPTH	REF.DRWG.5129	C/P/B	60.75	0.9
5452	STARTING BLOCK BASE 1-1/2" PIPE (1.90")	SPECIAL ORDER	AS REQUIRED	C/P/B		6.5
5453	SPLIT TEE(2) PC 1-1/2" PIPE (1.90")	LESS FASTENERS	(2) REQUIRED	C/P/B	72.55	1.4
5454-GS	4" SQ. RACING SAFETY LINE CUP ANCHOR ST.ST. CROSS BAR	4-3/4" DEEP	YMCA SPEC.	DRWG.5337-5255	C/P/B	149.70
5458	WINTERIZING PLUGS WITH EXTENDED NECKS	PRICES ON REQUEST	COMPLETE SIZE RANGE	RUBBER	P.O.A.	
5459	ANTI-VORTEX FRAME & 13" SQ. VENTURI PLATE 5433-VP	1-1/4" HIGH FRAME	REF.DRWG.5131	GL/BRZ	923.60	21.0
5460	ESCUTCHEON PLATE 1-1/2" PIPE (1.90")	7/8" INSIDE DEPTH	MODERN SWIM POOL	C/P/B	71.10	0.9
5488-A-B	BACKSTROKE/VOLLEY BALL STANCHION 2" TUBE (2.00")	P.O.A.	REF. DRWG. 55491	SPECIFY A OR B		
5489-A-B	BACKSTROKE/VOLLEY BALL STANCHION 1-1/4" PIPE (1.66")	REF. DRWG. 5491		SPECIFY A OR B		
5491	RECTANGULAR WALL ROPE EYE	SPECIAL ORDER		C/P/B		1.5
5492-A-B	BACKSTROKE STANCHION 1" TUBE SPEAKER HOOK 7 FT.	QUICK RELEASE	USE 3344 BELL ESC.	SPECIFY A OR B	538.05	
5494-A-B	BACKSTROKE STANCHION 1-1/2" PIPE SPEAKER HOOK 7 FT.			SPECIFY A OR B		
5502	FEMALE LADDER BUMPER 1-1/2" PIPE (1.90")			RUBBER	5.65	0.3
5503	MALE LADDER BUMPER 1-1/2" PIPE (1.90")			RUBBER	5.65	0.3
5504	3/4"-10 THREADED ROPE EYE 7/8" LONG			C/P/B	27.75	
5505	3/8"-16 FEMALE THREAD ROPE EYE			C/P/B	47.30	
5506	5/8"-11 THREADED ROPE EYE 7/8" LONG	SPECIAL ORDER	1-3/4" OD.X 1" ID.	C/P/B	31.80	0.4
15130	BOBOLTS & W/NUTS 1-1/4" DIA. ST. ST. EXT. HANDLES 15156	1"8 MALE & 15160 FEMALE INSERTS		PACKED THREADED	20 PER CARTON	
		COMBINATION				
		COMBINATION	FT OR	"MFT"		WGT.
NBR	LGTH	ONE END	TWO ENDS	BOLT & THREAD ONE END	*MT*	MALE & FEMALE
5484	6FT	112.30	115.45	152.45	201.25	121.95
5485	8FT	140.65	148.85	196.55	259.45	147.50
5485-SP	10FT	171.95	180.00	237.60	313.75	175.95
5486	12FT	202.95	211.30	279.05	368.40	199.80
5487	16FT	328.25	336.55	444.35	586.65	318.15
5511	10-3/8" X 13-5/8" "DOLPHIN" FONT 2-1/2" PROJ.	3/4" HOLE		NON STOCK STD.	VERDI	OX/BRZ 408.90
5518	1-1/8" DIA CAP FOR EXTENSION HANDLES			PRICED PER DOZEN		RUBBER 38.90
5519	1-1/4" DIA CAP FOR EXTENSION HANDLES			PRICED PER DOZEN		RUBBER 38.90
5523	HANDLE ADAPTER QUICK SET 1-1/8" DIA. 1"-8 FEM. THREAD.					ALUM 24.45
5525-A B	QUICK RELEASE AERIAL BACKSTROKE STAN 1" TUBE (1.00")	7 FT ABOVE DECK	REF.DRWG.5491	SPECIFY A OR B	ST.ST.	525.75
5527-A B	AS ABOVE 1-1/2" PIPE (1.90")	7 FT ABOVE DECK	REF.DRWG.5491	SPECIFY A OR B	ST.ST.	469.40
5530	1-1/8" DIA CAP FOR EXTENSION HANDLES		REF.DRWG.5491	PRICED PER DZ.	PLAST	32.85
5531	1-1/4" DIA CAP FOR EXTENSION HANDLES			PRICED PER DOZEN	PLAST	32.85
5535	1-1/2" PIPE CLOSE NIPPLES REPLACEMENT PART	REPL. FOR 4391-4394		BRASS	ST.ST.	
5536	2" PIPE CLOSE NIPPLES			BRASS	ST.ST.	P.O.A.
5537-SP	MID-POINT AERIAL ROPE ASSEM. FOR 50 METER POOLS	DRWG'S 5481-83	USS LONG COURSE SPECS.		P.O.A.	
5540	BOTTOM REINFORCING PLATE FOR 777 WOOD DECK SOCKET	NON STOCK STD.		ALUM	10.05	BRZE 14.70
5549	2" MPT. X 1-1/2" MPS PUMP ADAPTER		P.O.A.		BRZE	0.9
5550	1-1/2" MPT. X 1-1/2" MPS PUMP ADAPTER		USED WY 15951 ASSY.	TUEC	BRZE	64.60
5551	2" MPT. X 2" MPS PUMP ADAPTER			TUEC	BRZE	66.85
5556	3" X 5" FLOAT "TWIST-LOCK" 1/2" ROPE	DISCONTINUED				1.0
5557	5" X 9" FLOAT "TWIST-LOCK" 3/4" ROPE	DISCONTINUED				1.0
5562	FLL SPOUT SUPPORT POST 1-1/2" OR 2" PIPE	SPECIAL ORDER	REF. DRWG. 5248	INDIANA STD.	C/P/B	205.50
5563	1-1/2" FPT X 1-1/2" FPS ANTI-VORTEX SUMP 5-5/8" DIA	4958 VENTURI PLATE	REF. DRWG. 5265		C/P/B	328.25
5564	1-1/2" MALE X 1-1/2" FPS ANTI-VORTEX SUMP 5-5/8" DIA		REF. DRWG. 5264		C/P/B	314.85
5571	WINTERIZING PLUGS WITH OVERSIZED WASHERS	COMPLETE SIZE RANGE	P.O.A.		RUBBER	P.O.A.
5598	3/8"-16 WALL ANCHOR FOR 4857-5736 & 6182 SERIES ASSY.				BRZE	
	*WALL MOUNTED HAND GRIP SUPPORT BAR ASSEMBLIES AVAILABLE IN VARIOUS COMBINATIONS - INFORMATION ON REQUEST					
	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT ASSEMBLIES - DRAWING NUMBERS AS INDICATED					
PAGE 16	*BROKEN CARTON PACKING CHARGE IF LESS THAN 20 HANDLES-\$8.00 LOT NET					
						PAGE 16
NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY			NY (212) 267-6738	FAX (201) 339-3492	

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
5599	3/8"-11 THREAD STUD (PARTIALLY THREADED)	REPLACEMENT PART FOR TOWEL BAR POST BRACKETS		ST.ST.		0.6
5619	3/8"-16 THREAD. BACKSTROKE WALL HOOK 10-1/4" LONG	YMCA SPEC.	SPECIAL ORDER	AS REQUIRED		
5630	BACKSTROKE STANCHION 1" TUBE (1.00")X.083"WALL	7 FT ABOVE DECK	YMCA SPEC	REF.DRWG.5491	ST.ST.	457.15 0.6
5643	7/16-14 THREADED EYE 1-3/4" LONG	1-1/2" DIAFLANGE	4316-TE	(2) PC ASSY.	C/P/B	27.60 0.4
5645	1" MPS HEAVY DUTY WALL ANCHOR STRAIGHT STYLE	SPECIAL ORDER	REF. DRWG. 5138	BRZ	156.55	169.95 3.5
5646	1" MPS HEAVY DUTY WALL ANCHOR ANGLE STYLE	SPECIAL ORDER	REF.DRWG.5139	BRZ	165.70	C/P/B 179.40 3.7
5647-GS	DECK LEVEL RACING LANE WALL SOCKET KEY HOLE MOUNT	SPECIAL ORDER	REF.DRWG.5141-42	BRZ	156.55	ST.ST. 169.85 8.2
5648-GS	VERTICAL GRAB BAR FOR ABOVE	SPECIAL ORDER	REF.DRWG.5141-42	BRZ	165.70	ST.ST. 179.40 8.4
5650	ROBE/TOWEL HOOK ONLY REPLACEMENT PART 5736 ASSY.	YMCA SPEC	REF.DRWG.5080			C/P/B 89.40 0.8
5654	BLEACHER SOCKET WALL INSERT	YMCA SPEC	REF.DRWG. 5390			C/P/B 128.80 3.0
5655	STANCHION ASSEMBLY TOP EYE 1" TUBE (1.00)X .083"WALL	7 FT ABOVE DECK	YMCA SPEC.	REF.DRWG.5459	ST.ST.	10.0
5656	ANCHOR ASSEMBLY STARTING BLOCK LESS PLUG 17007	YMCA SPEC	REF.DRWG.5352	P/BRZ	346.40	C/P/B 372.30 5.0
5657	DECK SOCKET ASSEMBLY RACING LANES 4247 THREADED EYE	YMCA SPEC	REF.DRWG.5352	P/BRZ	189.20	C/P/B 204.70 3.5
5658	ROBE TOWEL HOOK (3) HOLE SURFACE MOUNT	YMCA SPEC	REF.DRWG.5459			C/P/B 79.10 0.8
5659	WALL BRACKET FOR 3/4" PIPE OR 1" TUBE (1.00")	SPECIFY	REF.DRWG.5359	P/BRZ		ALUM 54.75 0.7
5667	BLEACHER BRACKET GALV. OR ST.ST. BY OTHERS YMCA SPEC INF ON REQUEST			GAL/ST	191.95	ST.ST. 204.70 10.0
5669	BLEACHER/SOCKET SURFACE(4) HOLE WALL MOUNT	YMCA SPEC	REF.DRWG.5390	NEW		C/P/B 78.05 1.3
5672-BP	BACK UP PLATE FOR ABOVE (4) HOLE MOUNT		REF.DRWG.5042	BRZE	35.65	C/P/B 40.55 0.9
5676	HEAVY DUTY TEST PLUG FOR 2-1/2" MPT GUTTER DRAINS	SPECIAL ORDER	NEW			RUBBER 78.80 1.1
5699-A B	BACKSTROKE STANCH. SPEAKER HOOK 1" TUBE (1.00") .083"	7 FT. ABOVE DECK	REF.DRWG.5505			SPECIFY A OR B ST.ST. 10.0
5705	"POOL-SWEEP" HOSE INSERT ASSEMBLY 1-1/2" FPT	4274-SP.X 4749	NEW	SPECIAL ORDER		C/P/B 1.1
5706	5-3/4" SQUARE DECK DRAIN PLATE CONCAVE CENTER	SPECIAL ORDER	DISCONTINUED			C/P/B 1.2
5707	7-7/8" SQUARE DECK DRAIN PLATE CONCAVE CENTER	SPECIAL ORDER	DISCONTINUED			C/P/B 2.1
5708	BACKSTROKE STANCHION ASSEMBLY 1" TUBE X 083" WALL	7 FT. ABOVE DECK	REF DRWG.5491			ST.ST. 361.10
5709	1-1/4" MPS SPANNER PLUG ADAPTER	USE 5790 WRENCH		P/BRZ		C/P/B
5710	STANCHION ASSEMBLY PLAIN CAP WITH SIDE EYE 2" TUBE	SPECIAL ORDER	REF.DRWG.5492	AS REQUIRED		BRASS
5713-A	4" SQUARE POOL MARKER (CENTER LINE OF POOL)	SPECIAL ORDER		P/BR		C/P/B 1.4
5713-B	4" SQUARE POOL MARKER (BULK HEAD FOR LIFTING)	SPECIAL ORDER		P/BR		C/P/B 1.4
5713-C	4" SQUARE POOL MARKER (WATER POLO)	SPECIAL ORDER		P/BR		C/P/B 1.4
5713-E-F	4" SQUARE POOL MARKER (25 YARD SOUTH OR NORTH)			P/BR		C/P/B 1.4
5713-G	4" SQUARE POOL MARKER (25 YARD CENTER)	P.O.A.				P/BR 1.4
5714-AL	FULCRUM END PLUG EXPANDABLE 2" PIPE (2.38")	P.O.A.				ALUM 1.4
5715-AL	FULCRUM END PLUG EXPANDABLE 1-1/2" PIPE (1.90")	SPECIAL ORDER				ALUM 18.60
5716-AL	FULCRUM END PLUG EXPANDABLE 1-1/4" PIPE (1.66")	SPECIAL ORDER				ALUM 18.60 0.5
5717	1-1/2" MPS SPANNER PLUG ADAPTER	USE 5792 WRENCH				C/P/B 48.80 0.4
5717-SP	1-1/2" MPS SPANNER PLUG ADAPTER WITH "O" RING SEAL		REF.DRWG.5448			NEW C/P/B 54.45 0.5
5718	2" MPS SPANNER PLUG ADAPTER 664					NEW C/P/B 63.05
5718-SP	2" MPS SPANNER PLUG ADAPTER WITH "O" RING SEAL 664	USE 5792 WRENCH				NEW C/P/B 70.20 0.6
5719	2-1/2" MPS SPANNER PLUG ADAPTER 665	USE 5791 WRENCH	REF.DRWG.5448			C/P/B 84.55
5720-BR	WEDGE ANCHOR ASSY 1-1/2" PIPE 1.90" 4-1/8" HIGH	ORIG 4220-N	15404 WEDGE ASSY	DRWG.5302		BR 57.10 2.2
5721-AL	WEDGE ANCHOR ASSY.1-1/2" PIPE (1.90")4" HIGH	DIE CAST ASSY. 15404 WEDGE ASSY				ALUM 30.45
5725	CENTER POST 1-1/4" PIPE (1.66")					ALUM 0.9
5731 A-B	AERIAL CABLE BACKSTROKE STANCHION 1-1/4" PIPE (1.66")	7 FT. ABOVE DECK	REF.DRWG.5493			SPECIFY A OR B ST.ST.
5734	AERIAL CABLE ASSEMBLIES FOR IRREGULAR SHAPED POOLS.	DRWG. REQUIRED	REF.DRWG.5459			SPECIFY A-B-C-D ST.ST. P.O.A.
5734-CSP	AS ABOVE WITH (1) CABLE CLAMP &(2) RED PENNANTS	YMCA SPEC.	REF.DRWG.5360			SPECIAL ORDER ST.ST. P.O.A.
5736	ROBE TOWEL HOOK COMPLETE WITH WALL ANCHOR	YMCA SPEC.	REF.DRWG.5080	REP.5650		C/P/B 137.70 1.5
5737	1-1/2" MPS ADJ. FLANGED INLET ADAPTER					C/P/B 80.70
5738	2" MPS ADJ. FLANGED INLET ADAPTER	NOT AVAILABLE		SEE 4530 ASSEMBLY		C/P/B 2.0
5739	2-1/2" MPS ADJ. FLANGED INLET ADAPTER	NOT AVAILABLE				C/P/B 2.0
5740-A	SPLASH CURTAIN CENTER STANCH. 1" TUBE (1.00")24" HIGH	YMCA SPEC.	REF.DRWG.5492-7261	REF.DRWG.5492		ST.ST. 279.70
5740-B	SPLASH CURTAIN CENTER STANCH. 1" TUBE (1.00")36" HIGH		USE 4344 BELL ESC.	DRWG.5492-7261		ST.ST. 297.20
5743	AERIAL CABLE STANCHION 1" TUBE (1.00") .083"WALL	7 FT. ABOVE DECK				ST.ST. 372.05
5744	CROWD CONTROL DOUBLE CENTER STANCHION 1" TUBE (1.00")	SPECIAL TO ORDER	REF.DRWG.5492-7262			AS REQUIRED ST.ST.
5745-A B	VOLLEY BALL STANCHION 1" TUBE (1.00") .083 WALL	5 FT. ABOVE DECK	DRWG.5348-5492-7263			SPECIFY A OR B ST.ST.
5746-A	FALSE START RECALL STAN. 1" TUBE (1.00") 3'5"	YMCA SPEC.	REF.DRWG.5345-58			ST.ST. 341.95
5746-B	FALSE START RECALL STAN. 1" TUBE (1.00")3'11"	(1)RH &(1) LH REQ.	USE 4344 BELL ESC.	REF.DRWG.5345		ST.ST. 378.55
5747-A	SPLASH CURTAIN END STANCH. 1" TUBE (1.00") 24"	YMCA SPEC.	REF.DRWG.5492-7263			SEE FOOTNOTE ST.ST. 342.65
5747-B	SPLASH CURTAIN END STANCH. 1" TUBE (1.00") 36"	(1)RH &(1) LH REQ.	USE 4344 BELL ESC.	REF.DRWG.5492		ST.ST. 366.20
5748-A-B	VOLLEY BALL STANCHION 1" TUBE (1.00") .083"WALL	5 FT ABOVE DECK	REF.DRWG.5350			SEE FOOTNOTE ST.ST.
5749	STANCHION ASSY PLAIN CAP(2) SIDE EYES 1" TUBE (1.00")		REF.DRWG.5349			SPECIFY A OR B ST.ST.
5750	STANCHION ASSY. PLAIN CAP (1) SIDE EYE 1"TUBE (1.00")		REF.DRWG.5349	AS REQUIRED		ST.ST.
5751	1/4" DIA. SOLID BRAIDED NYLON ROPE 1000 FT. ROLL					NYLON P.O.A.
5752-A B	AERIAL CABLE BACKSTROKE STANCHION 1-1/2" PIPE (1.90")	7 FT. ABOVE DECK	REF.DRWG.5505			SPECIFY A OR B ST.ST. 19.0
5753	3/8" DIA. SOLID BRAIDED NYLON ROPE 1000 FT. ROLL		REF.DRWG.5505			ST.ST. P.O.A. 9.0
5754	GRAB BAR CENTER POST 1-1/4" TUBE - 7/16"-14 THREAD.					
5755	3/8" DIA. SOLID BRAIDED NYLON ROPE 1000 FT. ROLL					NYLON P.O.A. 39.0
5756	7-1/2" O/A POWDER SCOOP					B/ALUM P.O.A. 0.3
5757	9-1/2" O/A POWDER SCOOP					B/ALUM P.O.A. 1.1
5758	9-1/4" O/A POWDER SCOOP					B/ALUM P.O.A. 1.8
5763	CABLE CLAMP EYE FOR AERIAL CABLE ASSEMBLIES					ST.ST. 93.50
*EXTENSION HANDLES ARE SUPPLIED WITH 1"-8 BRASS INSERTS, BOLTS & WING NUTS WHERE REQUIRED - HANDLES & RESCUE POLES						
HAVE SPECIFIC CARTON QUANTITIES, THERE WILL BE A \$ 7.50 NET PACKING AND HANDLING CHARGE, FOR LESS THAN CARTON LOT						
*STANCHION ASSEMBLIES: INDICATE-DECK TO WATER LEVEL, HGT. ABOVE DECK & DEPTH OF SOCKET						
PAGE 17	*FOUNTAIN - POOL & SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL					PAGE 17
NJ (201) 339-1351-2-3			STANDARD BRONZE COMPANY		NY (212) 267-6738 FAX (201) 339-3492	

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
5764						
5767-A-D	"COMPETITOR" RACING LANE ASSEMBLIES 60-75 FT. & 25 & 50 METER LENGTHS			MO PLAS	P.O.A.	54.0
5769-A	"COMPETITOR" STOR-LANE REEL			ALUM	P.O.A.	125.0
5769-B	"COMPETITOR" STOR-LANE REEL COVER FOR ABOVE			VINYL	P.O.A.	14.0
5770						
5771	3/16" DIA VINYL COVERED CABLE FOR AERIAL CABLE/RACING LANE ASSEMBLIES	USE 4473-5763 & 15367 HDWE.		ST.ST.	1.25 FT.
5772	HVY. DUTY DIVING STAND ANCHOR 1-1/2" PIPE (1.90") NO.15546 TOP FLANGE	REF.DRWG.5356		S/CHR	377.05	9.0
5773	200 FT. COIL CONSERVALLOY RIBBON ANODE MIN. ORDER 100	FEET UNDER 200 FEET		MAGN.	P.O.A.	49.0
5774-BR	4" FPT X 2" FPS MAIN DRAIN SUMP 12" SQ.STR.GRATE	5379 FR./STRAINER	REF.DRWG.5183-84	C/P/B	4146.05	54.0
5776-BR	4" FPT X 2" FPS ANTI VORTEX SUMP 12" SQ. VENTURI PLATE	5433 VENT PLATE	REF.DRWG.5131	BRZE	4445.35	66.0
5777	ANTI VORTEX FRAME AND 9" DIA. VENTURI PLATE	5787 VENT PLATE	REF.DRWG.5412	GL/BRZ	356.50	C/P/B 409.00 5.7
5778	9-3/8" SQUARE DECK DRAIN PLATE CONCAVE CENTER					DISCONTINUED 4.4
5779	11-3/8" SQUARE DECK DRAIN PLATE CONCAVE CENTER					DISCONTINUED 2.2
5780	3" DIA RACING LINE CUP ANCHOR WITH CROSS BAR					
5781	ANTI-VORTEX FRAME & 9" DIAMETER VENTURI PLATE	2" HGT. ADJUSTMENT	REF.DRWG.5411	GL/BRZ	384.00	C/P/B 455.50 10.0
5784-A-D	"COMPETITOR" RACING LANES WITH DISCONNECT ADAPTERS.	FOR 75 FT. & 25 METER LANES		BRZE		B/CHR P.O.A. 4.4
5786	ANTI-VORTEX FRAME & 5788 11-3/4" DIA. VENTURI PLATE	NEW	REF.DRWG.5413	BRZE	522.15	C/P/B 591.10 11.6
5787	9" DIAMETER VENTURI PLATE			GL/BRZ		C/P/B 241.65 4.0
5788	11-3/4" DIA. ANTI VORTEX PLATE (5786 ASSY.)	REF.DRWG.5413	LESS SCREWS	GL/BRZ	314.85	C/P/B 353.60 7.3
5789	ROUND FRAME & 8" DIA. STRAINER GRATE SCREW DOWN	REF.DRWG.5252	8-5/8" I/D, 2" HIGH	BRZE		C/P/B 327.90 7.0
5790	SPANNER WRENCH FOR 3909-4036-4037-4038 PLUGS		3/4" CENTERS			BR 16.95 0.1
5791	SPANNER WRENCH FITS 5719,6764-65 & 17524 PLUGS		1-9/16" CENTERS			BR 16.95 0.2
5792	SPANNER WRENCH FOR 5717-5718-5795-17524 PLUGS	REF.DRWG.5216				BR 16.95 0.2
5793	"COMPETITOR" MULTIPLE DOUBLE TRIPLE LANE BRACKETS					PRICED PER PAIR ST.ST. P.O.A. 4.0
5794-R	6" TGH COMPR. BUCK ANCHOR 1-1/2" PIPE LESS PLUG	USE 5795 PLUG	REF.DRWG.5216			BRZE 167.45 3.5
5795	2" MPS SPANNER PLUG 1-1/2" PIPE BUCK SLIP ANCHORS	USE 5792 WRENCH	USE 4187 BELL ESC.	BRZE	48.85	C/P/B 56.10 0.4
5795-A	2" MPS SPANNER PLUG 1-1/2" PIPE BUCK ANCHOR			GL/BRZ		C/P/B P.O.A. 0.6
5796	4" HIGH COMPR. BUCK ANCHOR 1-1/2" PIPE LESS PLUG	USE 5795 PLUG	REF.DRWG.5354	BRZE	128.45	C/P/B 158.70 2.4
5797	SPANNER PLUG 1-1/4" PIPE BUCK/SLIP ANCHOR. 2"-14 THREAD.	USE 5791 WRENCH	USE 4021 BELL ESC.	BRZE	53.45	C/P/B 62.30 0.5
5798	4" HIGH COMPR. BUCK ANCHOR 1-1/4" PIPE LESS PLUG	USE 5797 PLUG	REF.DRWG.5353	BRZE	143.80	C/P/B 161.35 2.3
5799	"COMPETITOR" DIVIDERS FOR MULTIPLE LANE BRACKETS	AS REQUIRED				PLAST P.O.A.
5800						
5832	WATER LEVEL CONTROL ASSEMBLY 1" PIPE CONN.	NEW.				
5833-SD	VALVE ACCESS FRAME & 10" SQUARE PLATE 19040-B	(4) HOLE MOUNT	REF.DRWG.5452	GL/BRZ		448.95 10.5
5839	4" DIA ROUND DECK ANCHOR 1" TUBE (1.00)		P.O.A.	WH/LAL		
5840	BELL ESCUTCHEON FOR 2" PIPE (2.375")	4-3/8" O/D				C/P/B 89.90 1.0
5841	ANTI VORTEX PLATE & 5-1/8" DIA. STR. GRATE ASSY.	SPECIAL ORDER	REF.DRWG.5094	GL/BRZ		C/P/B
5842	ANTI VORTEX PLATE & 5-3/8" DIA. STR. GRATE ASSY.	SPECIAL ORDER	REF.DRWG.5094	GL/BRZ		C/P/B
5843	ANTI VORTEX PLATE & 6" DIA. STR. GRATE ASSY.	SPECIAL ORDER	DROP IN	GL/BRZ		C/P/B
5844	ANTI VORTEX PLATE & 7-1/2" DIA. STR. GRATE ASSY.	SPECIAL ORDER	REF.DRWG.5094	GL/BRZ		C/P/B
5845	ANTI VORTEX PLATE & 8" DIA. STR. GRATE ASSY.	SPECIAL ORDER	DROP IN	GL/BRZ	336.75	C/P/B 539.80
5846	ANTI VORTEX PLATE & 9" DIA. STR. GRATE ASSY.	SPECIAL ORDER	REF.DRWG.5094	GL/BRZ		C/P/B
5847	ANTI VORTEX PLATE & 8-1/4" DIA. STR. GRATE ASSY.	FITS JOSAM	DROP IN	GL/BRZ		C/P/B
5848	3/4" MPT. VENTURI NOZZLE 4-1/4" LONG					
5850	1" MPS AIM FLOW ADAPTER 3/4" DIA CENTER HOLE	FITS JOSAM	DROP IN			C/P/B 47.10 0.3
5850-SP	AS ABOVE SPECIALS TO ORDER	SPECIFY HOLE				C/P/B 0.3
5851	1-1/4" MPS AIM FLOW ADAPTER ROUND HOLE	NOT AVAILABLE				
5852-A	1-1/2" MPS AIM FLOW ADAPTER 1" DIA CENTER HOLE STANDARD					C/P/B 62.45 0.5
5852-B	AS ABOVE					
5855	SKIMMER COVER PLATE 9-3/4" DIA. FOR 7624-SD.SKIMMER.	FOR PAC-FAB SKIMMERS			208.00	GL/BRZ 4.7
5856	9" HIGH COMPR. BUCK ANCHOR 1-1/2" PIPE LESS PLUG	NOT AVAILABLE		REF.DRWG.5341		BRZE 4.8
5857	2" FPT RECIRCULATING WALL INLET 4-3/4" SQ. 9" LONG	REP. PLATE 15557-FP	DRWG.5133-R	YMCA SPEC.		C/P/B 678.10 12.0
5858	3" FPT RECIRCULATING WALL INLET 6" SQUARE 9" LONG	REPL. PLATE 15603	REF.DRWG.5133-R	YMCA SPEC.		C/P/B 866.35 18.5
5859 A-B	POST GRAB STANCHION 2" TUBE (2.00") 30" OR 36" HIGH	SPECIAL ORDER	REF.DRWG.5492			SPECIFY A OR B P/BRASS
5860	STANCHION ASSEMBLY TOP EYE 1-1/4" PIPE (1.66")	SPECIFY HGT.	REF.DRWG.5493	AS REQUIRED		ST.ST.
5861	AERIAL CABLE STANCHION 1-1/4" PIPE (1.66")	7 FT ABOVE DECK	SPECIFY A OR B	REF.DRWG.5493		ST.ST.
5862	AERIAL CABLE STANCHION 1-1/4" PIPE (1.66")	7 FT ABOVE DECK	SPECIFY A OR B	REF.DRWG.5493		ST.ST.
5863	BACKSTROKE STANCHION 1-1/4" PIPE (1.66")	7 FT ABOVE DECK	REF.DRWG.5491			ST.ST.
5864-A	SPLASH CURTAIN CENTER STANCH.1-1/4" PIPE (1.66") .065"	WALL 24" HIGH	REF.DRWG.5492	AS REQUIRED		ST.ST.
5864-B	SPLASH CURTAIN CENTER STANCH.1-1/4" PIPE (1.66") .065"	WALL 36" HIGH	REF.DRWG.5492	AS REQUIRED		ST.ST.
5865	STANCHION ASSEMBLY PLAIN CAP SIDE EYE 1-1/4" PIPE (1.66") OLD 5926	REF.DRWG.5492		AS REQUIRED		ST.ST.
5867	CROWD CONTROL DOUBLE CENTER STANCH.1-1/4" PIPE (1.66") SPEC.ORDER	REF.DRWG.5492		AS REQUIRED		ST.ST.
5868-A B	CROWD CONTROL DOUBLE END STANCH.1-1/4" PIPE (1.66")	24" HIGH SPEC. ORDER	DRWG.5174-5492			SPECIFY A OR B ST.ST.
5869-A	SPLASH CURTAIN END STANCH.1-1/4" PIPE (1.66") .065"	WALL 24" HIGH	(1) RH & (1) LH REQ.	DRWG.5206		ST.ST.
5869-B	SPLASH CURTAIN END STANCH.1-1/4" PIPE (1.66") .065"	WALL 36" HIGH				ST.ST.
5870-A	FALSE START RECALL STANCHION 1-1/4" PIPE (1.66") .065"	WALL 3'5" DRG.5206	(1) RH & (1) LH. REQ	REF.DRWG.5054		ST.ST.
5870-B	FALSE START RECALL STAN. 1-1/4" PIPE (1.66") .065"	WALL 3'11"	REF.DRWG.5493			ST.ST.
5872	6" LONG TENSION SPRING					
5874	ANTI-VORTEX SUMP 9" DIAPLATE 1-1/2" FPT X 1-1/2" FPS	REF.DRWG.5132		GL/BRZ	737.30	C/P/B 803.80 27.0
5875	ANTI-VORTEX SUMP 9" DIA. PLATE 2" FPT X 1-1/2" FPS	ALL WITH 5781 ANTI-VORTEX ASSY.		GL/BRZ	787.30	C/P/B 853.90 27.0
	*REF. DRWG 5359FOR REQ. INFO. TO INSURE CORRECT BACKSTROKE, FALSE START, SPLASH CURTAIN AND STANCHION ASSEMBLIES					
	*AERIAL CABLE, STANCHIONS & PENNANT ASSEMBLIES - DRAWINGS REQUIRED TO INSURE PROPER INSTALLATION					
	*STANCHION ASSEMBLIES: INDICATE DECK TO WATER LEVEL, HGT. ABOVE DECK & DEPTH OF SOCKET.					
PAGE 18	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT ASSEMBLIES - DRAWING NUMBERS AS INDICATED					PAGE 18
NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY			NY (212) 267-6738	FAX (201) 339-3492	

NAME	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.	
5876	2" FPT X 2" FPS ANTI-VORTEX SUMP 9"DIA PLATE	FRAME & PLATE ASSY.		GL/BRZ	781.45	C/P/B	849.40	27.0	
5877	1-1/2" FPT X 2" MPS ANTI-VORTEX SUMP 9"DIA PLATE	1-1/4" COLLAR ADJUSTMENT		GL/BRZ	848.05	C/P/B	917.50	27.0	
5878	3" FPT X 2" FPS ANTI-VORTEX SUMP 9" DIA PLATE	REF DRWG 5132		GL/BRZ	911.05	C/P/B	979.45	29.0	
5881	STANCHION ASSEMBLY TOP EYE 2" TUBE 2.00"	REF.DRWG.5493		REF.DRWG.5222		BRASS			
5882	STANCHION ASSY. PLAIN CAP SIDE EYE 1-1/2" PIPE 1.90			REF.DRWG.5492		ST.ST.	112.50		
5889-A-B	POST GRAB STANCH. 1-1/4" PIPE .065" 30" OR 36" HIGH	DRWGS.5163-5492	SPECIFY A OR B	AS REQUIRED		ST.ST.			
5890-A-B	POST GRAB STANCH. 1-1/2" PIPE .065" 30" OR 36" HIGH	DRWGS.5061-5216		AS REQUIRED		ST.ST.			
5892	CROWD CONTROL DOUBLE CENTER STANCH. 1-1/2" PIPE	SPECIAL ORDER	REF.DRWG.5492	AS REQUIRED		ST.ST.			
5893	STANCHION ASSEMBLY TOP EYE 1-1/2" PIPE .065"	7 FT. ABOVE DECK	REF.DRWG.5493	AS REQUIRED		ST.ST.			
5894-A	SPLASH CURTAIN CENTER STANCHION 1-1/2" PIPE .065"	24" ABOVE DECK	REF.DRWG.5492	AS REQUIRED		ST.ST.			
5894-B	SPLASH CURTAIN CENTER STANCHION 1-1/2" PIPE .065"	36" ABOVE DECK	REF.DRWG.5492	AS REQUIRED		ST.ST.			
5895	AERIAL CABLE STANCHION 1-1/2" PIPE .065"	7 FT. ABOVE DECK	REF.DRWG.5493	SPECIFY A OR B		ST.ST.			
5896-A B	SINGLE LINE END STANCHION 1-1/2" PIPE.065	5 FT. ABOVE DECK	DRWG.5174-5492	SPECIFY A OR B		ST.ST.			
5897-A	SPLASH CURTAIN END STANCH.1-1/2" PIPE.065" WALL 24" H.	REF.DRWG.5206	(1) RH &(1) LH REQUIRED			ST.ST.			
5897-B	SPLASH CURTAIN END STANCH.1-1/2"PIPE.065" Wall 36" H.			*SEE FOOTNOTE		ST.ST.		0.1	
5908	19" DIA LIFE PRESERVER RING BUOY USCG APPROVED	WHITE ONLY					138.15	2.5	
5909	20" DIA. LIE PRESERVER RING BUOY USCG APPROVED	INTERNATIONAL ORANGE					157.55	4.5	
5910	18" LIFE RING BUOY OUT OF PRODUCTION								
5911	24" DIALIFE PRESERVER RING BUOY USCG APPROVED	INTERNATIONAL ORANGE					174.25	5.0	
5912	30" DIA LIFE PRESERVER RING BUOY USCG APPROVED	INTERNATIONAL ORANGE					242.85	6.0	
5913									
5914	STANCHION ASSEMBLY TOP EYE 1-1/4" PIPE (1.66")	REMOVABLE EYE	SPECIFY THREADED EYE	REF.DRWG.5493		ST.ST.			
5915	THROW ROPE ASSY. FOR LIFE RING BUOY 30 FT.					POLY	38.15		
5916	THROW ROPE ASSY. FOR LIFE RING BUOY 60 FT.					POLY	52.45		
5930	13" LONG HEAVY DUTY SPRING FOR RACING LANES					ST.ST.	62.85	1.1	
5937	5/16"-18 WEDGE ANCHOR EXTENSION FOR 5979 ANCHOR	WY BOLT & WASHER	SPECIAL ORDER			BR	40.40	0.9	
5939	"COMPETITOR" TAKE UP REEL FOR RACING LANES	USE 6432 WRENCH				ST. ST.	P.O.A.	1.2	
5945	STANCHION ASSEMBLY TOP EYE 2" TUBE (2.00")	REMOVABLE EYE	SPECIFY THREADED EYE	REF.DRWG.5493		P/BR			
5946-A B	CROWD CONTROL DOUBLE CENTER STANCHION 2" TUBE (2.00")	SPECIFY HEIGHT	REF.DRWG.5492	AS REQUIRED		P/BR			
5947-A B	SINGLE LINE END STANCHION 2" TUBE (2.00")	SPECIFY HEIGHT	REF.DRWG.5492	SPECIFY A OR B		P/BR			
5948	"STORELANE" BENCH RACING LANES NO BOTTOM PANELS	P.O.A.						111.0	
5949	"STORELANE" BENCH RACING LANES WITH BOTTOM PANELS	P.O.A.						131.0	
5951	ESCUTCHEON PLATE 1-1/2" PIPE (1.90") 5" DIAMETER	NEW	P.O.A.		P/BRZ	77.80	C/P/B	89.40	
5951-SP	ESCUTCHEON PLATE 2" TUBE (2.00) 5" DIAMETER		SPECIAL ORDER				C/P/B		
5952	STANCHION ASSY. PLAIN CAP W/THREAD. EYE 1" TUBE (1.00")	REMOVABLE EYE	SPECIFY THREADED EYE	REF.DRWG.5493		BRASS			
5954	BACKSTROKE STANCH. SPEAKER HOOK 1-1/4" PIPE (1.66")	7 FT. ABOVE DECK	(1) RH &(1) LH REQ.	REF.DRWG.5491		ST.ST.			
5955-BR	ANTI-VORTEX SUMP 6-5/8" DIA. 1-1/2" FPT X 1" FPS	SPECIFY WALL	REF.DRWG.5243			GL/BRZ	502.90		
5956-BR	ANTI-VORTEX SUMP 6-5/8" DIA.METER 2" MPT.X 1" FPS	SPECIFY WALL	REF.DRWG.5243			GL/BRZ	506.35	10.3	
5959-B	EXTEN. HANDLE 1-1/4" DIA.16 FT. BOLTED CONN.	FOR RESCUE HOOKS				ST. ST.	382.60	80.0	
5959-MT	EXTEN HANDLE 1-1/4" DIA16 FT. 1"-8 MALE THREAD	FOR RESCUE HOOKS	REF.DRWG.5024			ST. ST.	397.00	85.0	
5960-B	RESCUE HOOK SHEPHERDS CROOK 1-1/4" BOLTED CONN.	LESS BOLTS & NUTS	PENN STATE STDS.			BRASS	101.35		
5965-A	RUBBER LINED 1-1/2" DISCHARGE HOSE 25 FT. MIN.	TUEC ORIG.					195.15	1.9	
5965-B	RUBBER LINED 1-1/2" DISCHARGE HOSE 50 FT.	REF.DRWG.5282					342.10	8.0	
5966-A	RUBBER LINED 2" DISCHARGE HOSE 25 FT. MIN.	TUEC ORIG.					244.85	15.0	
5966-B	RUBBER LINED 2" DISCHARGE HOSE 50 FT.						460.35		
5967									
5969-FT	RESCUE HOOK SHEPHERDS CROOK 1"-8 FEMALE THREAD		PENN STATE STD.			BRASS	92.10	1.9	
5970	10" X 15" "ITALIAN CLASSIC" FONT 1-1/2" PROJ.	11/16" HOLE	NON STOCK STD.		VERDI	OX/BRZ	597.30	11.0	
5978	HVY. DUTY FRAME & 12" X 24" STRAINER GRATE 1" HIGH	(1) 7152-SP STR.	REF.DRWG.5440		C/P/BZ 146	GL/BRZ	2610.95	23.0	
5979	DIVING STAND WEDGE ANCHOR 1-1/2" PIPE 5937-EXTENTION	15404 WEDGE ASSY.	REF.DRWG.5219			BR	105.55	2.8	
5980	1/2"-13 THREAD WALL ANCHOR	NON STOCK STD.				BRZE	24.10	0.5	
5981-SP	7/16"-14 THREAD WALL ANCHOR					BRZE	24.10	0.5	
5982-SP	3/8"-16 THREAD WALL/DECK ANCHOR					BRZE	24.10	0.5	
5983-DAL	RD. DECK ANCHOR 1-1/2" TUBE (1.50") 3/8" SQ. HOLE	OLD 758	REF.DRWG.5371		ALUM	21.80	WH/AL	25.85	
5983-BR	RD. DECK ANCHOR 1-1/2" TUBE (1.50") 1/2" RD. HOLE	OLD 758	REF.DRWG.5048		BRZE	40.30	C/P/B	49.85	
5984-DAL	RD DECK ANCHOR 1-5/8" TUBE (1.625") 3/8" SQ. HOLE		REF.DRWG.5371		ALUM		WH/ALUM	0.2	
5984-BR	RD DECK ANCHOR 1-5/8" TUBE (1.625") 1/2" RD. HOLE	SPECIAL ORDER	DRWG.5048				C/P/B	1.4	
5985	1-1/2" MPT PIPE PLUG WITH SQUARE HEAD	SPECIAL ORDER	SPECIFY TYPE				BRZE		
5986	2" MPT X 1-1/2" FPT REDUCING BUSHING						BRZE	38.30	
5987-DAL	RD. DECK ANCHOR 1-1/4" PIPE (1.66") 3/8" SQ. HOLE	SPECIAL ORDER	REF.DRWG.5371		ALUM		WH/ALUM		
5987-BR	RD. DECK ANCHOR 1-1/4" PIPE (1.66") 3/8" SQ. HOLE	SPECIAL ORDER			B/BRZ		C/P/B		
5988									
5990-A	"ATLANTIAN" 20" VAC. 1-1/2" HOSE 1-1/4" BOLTED CONN.	HAND - TOW MODEL	DRWG. NO. T-16				BRZE	1279.45	
5990-B	"ATLANTIAN" 20" VAC. 2" HOSE 1-1/4" BOLTED CONN.	HAND - TOW MODEL	PARTS DRWG.6185				BRZE	1279.45	
5990-C	"ATLANTIAN" 20" VAC. 1-1/2" HOSE 1-1/2" BOLTED CONN.	HAND - TOW MODEL	REPL. BRUSH 15750				BRZE	1279.45	
5990-D	"ATLANTIAN" 20" VAC. 2" HOSE 1-1/2" BOLTED CONN.	HAND - TOW MODEL	REPL. WHEEL ASSY.15015-15335				BRZE	1279.45	
5990-E	"ATLANTIAN" 20" VAC.1-1/2" HOSE 1"-8 FEMALE THREAD	HAND - TOW MODEL	REPL. WHEEL ASSY.15015-15335				BRZE	1279.45	
5990-F	"ATLANTIAN" 20" VAC. 2" HOSE 1"-8 FEMALE THREAD	HAND - TOW MODEL	TOW CONVERSION 2 15832 & 15834				BRZE	1279.45	
5998	DIVING STAND SHOE SPECIAL ORDER	NEW	REF.DRWG.5204		ALUM				
*REF. DRWG 5359FOR REQ. INFO. TO INSURE CORRECT BACKSTROKE, FALSE START, SPLASH CURTAIN AND STANCHION ASSEMBLIES									
STANCHION ASSEMBLIES: FOR COMPLETE CURRENT LISTINGS REFER TO DRAWING NO'S 5491-2-3									
PAGE 19	*INLET ADAPTERS AVAILABLE WITH SPECIAL MACHINING - INFORMATION ON REQUEST								PAGE 19
NJ (201) 339-1351-2-3			STANDARD BRONZE COMPANY			NY (212) 267-6738 FAX (201) 339-3492			

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.
6160								
6161-BB	EXTENSION HANDLE 1-1/2" DIA X 8 FT. BOLTED(2) ENDS	TUEC 0-811	USE 15954 CONN.			ALUM	103.60	32.0
6162-BB	EXTENSION HANDLE 1-1/2" DIA X 12 FT. BOLTED(2) ENDS	TUEC 0-811	USE 15954 CONN.			ALUM	141.00	46.0
6163	TUEC BRASS HANDLE 1-1/2" DIA. 12 FT. WY. CLAMP & W/NUT	TUEC	STARTER HANDLE	(1) REQUIRED		BRASS	344.10	14.0
6164-FT	18" LONG HVY. DUTY VANED WALL/FLOOR BRUSH 1"-8 FEM. THREAD.					BRZE	351.10	4.0
6165-FT	18" LONG HVY. DUTY VANED WALL/FLOOR BRUSH BOLTED CONN.	TUEC 0-65-A	TUEC ORIG.			BRZE	351.10	4.0
6166	36" LONG COMB. STRAIGHT FLOOR/WALL BRUSH 1-8" FEM. THRD.	REPL BRUSH 4069	NYLON BRISTLES	REF.DRWG.5493		BRZE	275.10	7.7
6169	1-1/2" FPT HAIR & LINT STRAINER	TUEC 0-71	24" ABOVE DECK	REF.DRWG.5492		BRZE	493.65	11.5
6170	2" FPT HAIR & LINT STRAINER	TUEC 0-72				BRZE	493.65	11.3
6171	1-1/2" FPT HAIR & LINT STRAINER	TUEC 0-71	36" ABOVE DECK			ALUM	323.90	4.5
6172	2" FPT HAIR & LINT STRAINER	TUEC 0-72	5 FT. ABOVE DECK	DRWG.5174-5492		ALUM	323.90	4.2
6174	PUMP DISCHARGE ELBOW 45' 1-1/2" MPT. X 1-1/2" HOSE	TUEC ORIG.	REF.DRWG.5206	(1) RH & (1) LH		BRZE	71.60	2.3
6176-3	FRAME JOINED IN TANDEM & 10" STRAINERS 10" X 30"	(3) 4160 ASSEMBLIES				GL/BRZ		28.2
6177-3	FRAME JOINED IN TANDEM & 12" STRAINERS 12" X 36"	(3) 4161 ASSEMBLIES				GL/BRZ		33.6
6179-2	FRAME JOINED IN TANDEM & 15" STRAINERS 15" X 30"	(2) 4162 ASSEMBLIES				GL/BRZ		41.5
6180-3	FRAME JOINED IN TANDEM & 8" STRAINERS 8" X 24"	(3) 4159 ASSEMBLIES		REF.DRWG.5414		GL/BRZ		
6181-2	FRAME JOINED IN TANDEM & 18" STRAINERS 18" X 36"	(2) 4163 ASSEMBLIES		REF.DRWG.5401		GL/BRZ		38.0
6182	GRAB BAR END POST WITH WALL ANCHOR 1" TUBE (1.00")	5231 ASSEMBLY	REF.DRWG.5383-5505	2-1/4" C/L		C/P/B	145.50	2.2
6183	GRAB BAR CENTER POST WY WALL ANCHOR 1" TUBE (1.00")			2-1/4" C/L		C/P/B	150.00	
6184	GRAB BAR END POST WY. WALL ANCHOR 1-1/4" TUBE (1.25")	5232 ASSEMBLY	REF.DRWG.5384-5505	2-1/2" C/L		C/P/B	214.90	
6185	GRAB BAR CENTER POST WALL ANCHOR 1-1/4" TUBE (1.25")			2-1/2" C/L		C/P/B	221.30	
6186	GRAB BAR END POST-WALL ANCHOR 1-1/2" PIPE (1.90")	5233 ASSEMBLY	REF.DRWG.5385-5505	3" C/L		C/P/B	267.30	
6187	GRAB BAR CENTER POST WALL ANCHOR 1-1/2" PIPE (1.90")		REF.DRWG.5391	3" C/L		C/P/B	279.20	
6373	GRAB BAR END POST 1" TUBE (1.00") 3/8" -16 THREAD.	STANCHION ASSY	REF.DRWG.5383	2-1/4" C/L		C/P/B		
6374	GRAB BAR CENTER POST 1" TUBE (1.00") 3/8" -16 THREAD.	STANCHION ASSY	REF.DRWG.5383	2-1/4" C/L		C/P/B		
6375	GRAB BAR END POST 1-1/4" TUBE (1.25") 3/8-16 THREAD	CROWD CNTRL DBL CTR STANCH 2" TUBE 2.00"		2-1/2" C/L		C/P/B		
6376	GRAB BAR CENTER POST 1-1/4" TUBE (1.25") 3/8-16 THREAD		REF.DRWG.5384	2-1/2" C/L		C/P/B		
6377	GRAB BAR END POST 1-1/4" TUBE (1.25") 3/8"-16 THREAD.	*SEE FOOTNOTE	REF.DRWG.5385	3" C/L		C/P/B		
6478	GRAB BAR CENTER POST 1-1/2" PIPE (1.90") 3/8"-16 THREAD.		REF.DRWG.5385	3" C/L		C/P/B		
6432	RATCHET WRENCH FOR "COMPETITOR" 5939 TAKE UP REEL		NEW			ST.ST.	P.O.A.	2.2
6433	SPRING CABLE LOCK FOR "COMPETITOR" RACING LANES							
6534	ANTI VORTEX RETURN INLET USED WY 6548 RETURN ASSY.	SPAS & HOT TUBS	REF.DRWG.5388			C/P/B		0.4
6535	1-1/2" MPT X 3/4" FPT X 1-1/2" MPT HYDRO AIR JET	5/8" DIA. ORIFICE	REF.DRWG.5388-5417			BRZE		1.8
6536-A	1" FPT X 3/8" FPT X 1" MPT HYDRO AIR JET		REF.DRWG.5417-5420			BRZE	88.10	0.8
6536-B	1" SWEAT X 3/8" SWEAT X 1" MPT HYDRO AIR JET					BRZE	84.50	0.8
6537-A	1-1/2" FPT X 3/4" FPT AIR INTAKE HYDRO AIR JET	5/8" DIA. ORIFICE				BRZE	112.85	1.9
6537-B	1-1/2" FPT X 3/4" SWEAT AIR INTAKE HYDRO AIR JET	5/8" DIA. ORIFICE				BRZE	115.30	1.9
6539-AC	1-1/2" SWEAT X 3/4" SWEAT X 1-1/2" FPT HYDRO AIR JET	5/8" DIA. ORIFICE	REF.DRWG.5407			BRZE	124.20	2.3
6539-ADO	AS ABOVE WITH 6543 THREADED REPLACEABLE ORIFICE	7/16" DIAORIFICE	DRWG.5387-5397			BRZE	167.95	2.3
6540-AC	1-1/2" SWEAT X 3/4" SWEAT X 1-1/2" MPT HYDRO AIR JET	5/8" DIA. ORIFICE	DRWG.5387-5409	REF.DRWG.5282		BRZE	120.95	1.9
6540-ADO	AS ABOVE WITH 6543 THREADED REPLACEABLE ORIFICE	7/16" DIA. ORIFICE		TUEC ORIG.		BRZE	167.95	1.9
6541-AC	DISCONTINUED	5/8" DIA. ORIFICE	DRWG.5387-5410			BRZE	124.20	1.9
6541-BDO	1 1/2" FPT X 3/4" FPT X 1-1/2" MPT HYDRO AIR JET W/6543 ORI	7/16" DIA. ORIFICE	REF.DRWG.5417			BRZE	167.95	1.9
6542-BC	DISCONTINUED	5/8" DIA. ORIFICE	DRWG.5387-5408			BRZE	124.20	2.3
6542-BDO	1-1/2" FPT X 3/4" FPT X 1-1/2" MPT HYDRO AIR JET W/6543 ORIFICE	7/16" DIA. ORIFICE	DRWGS.4397-5403-R	NON STOK STD VERDI		BRZE	167.95	2.3
6543	7/16" DIA REPLACEMENT ORIFICE FOR 6539-6542 ASSEMBLIES					BRASS	7.25	
6548	ANTI-VORTEX RETURN ASSY. 4274-SP.X 6534 1-1/2" FPT	SPAS & HOT TUBS	REF.DRWG.5388	REF.DRWG.5219		C/P/B	96.75	1.2
6556	12" X 20" HVY. DUTY STRAINER GRATE 1" HIGH	NEW	REF.DRWG.5444	C/P/B 1659.75		GL/BRZ	1466.40	
6556-SP	AS ABOVE TO SUIT 6557 ASSY. 7/8" HIGH	NEW	REF.DRWG.5439	C/P/B 1659.75		GL/BRZ	1466.40	16.0
6557	FRAME & 12" X 20" HVY. DUTY STRAINER GRATE 1" HIGH	(1) 6556-SP.STR.	REF.DRWG.5439	6558-FRAME			N/A	20.0
6586	1/2"-13 THREADED ROPE EYE 5/8" LONG	OP-11	1-5/8" OD. X 3" ID.			C/P/B	21.35	0.2
6601	1" FPT ADJ. WALL INLET FITTING 2-3/4" DIA	17502-BR.2-1/2"	6600 SERIES			C/P/B	54.40	0.7
6602	1" FPT NON-ADJ. WALL INLET FITTING 2-3/4" DIA	17503-BR.2-1/2"	6600 SERIES	REF.DRWG.5015		C/P/B	47.15	0.7
6603	1-1/2" FPT ADJ. WALL INLET FITTING 2-3/4" DIA	17502-BR.2-1/2"				C/P/B	58.40	0.7
6604	1-1/2" FPT NON-ADJ. WALL INLET FITTING 2-3/4" DIA	17503-BR.2-1/2"	SPECIAL ORDER	SPECIFY TYPE		C/P/B	53.00	0.8
6605	1-1/2" FPT ADJ. WALL INLET FITTING 3-5/16" DIA	17506-S.S.3-1/16"	34869			C/P/B	64.60	1.0
6606	1-1/2" FPT NON-ADJ. WALL INLET FITTING 3-5/16" DIA	17507-S.S.3-1/16"	6600 SERIES			C/P/B	58.40	1.0
6607	1-1/2" FPT ADJ. WALL INLET FITTING 3-5/8" DIA	17510-S.S.3-7/16"		DWG.5016		C/P/B	74.40	1.4
6608	1-1/2" FPT NON-ADJ. WALL INLET FITTING 3-5/8" DIA	17511-S.S.3-7/16"	ADJ. AND NON-ADJ.	DWG.5015		C/P/B	67.30	1.4
6609	1-1/2" MPT ADJ. WALL INLET FITTING 3-5/8" DIA	17510-S.S.3-7/16"	INLETS ARE COMPLETE			C/P/B	81.35	1.4
6610	1-1/2" MPT NON-ADJ. WALL INLET FITTING 3-5/8" DIA	17511-S.S.3-7/16"	WITH GROUND SCREWS			C/P/B	78.30	1.4
6611	2" FPT ADJ. WALL INLET FITTING 3-5/8" DIA	17510-S.S.3-7/16"				C/P/B	86.15	1.4
6612	2" FPT NON-ADJ. WALL INLET FITTING 3-5/8" DIA	17511-S.S.3-7/16"		DWG.5015		C/P/B	76.70	1.4
6613	2" MPT ADJ. WALL INLET FITTING 3-5/8" DIA	17510-S.S.3-7/16"		DWG.5016		C/P/B	90.55	1.4
6614	2" MPT NON-ADJ. WALL INLET FITTING 3-5/8" DIA	17511-S.S.3-7/16"				C/P/B	81.35	1.4
6615	1-1/2" FPT ADJ. WALL INLET FITTING 2-7/8" SQUARE	17502-BR.2-1/2"	REF.DRWG.5026			C/P/B	78.30	1.0
6616	1-1/2" FPT NON-ADJ. WALL INLET FITTING 2-7/8" SQUARE	17503-BR.2-1/2"	NEW			C/P/B	67.90	1.4
6617	1-1/2" FPT ADJ. WALL INLET FITTING 3-7/8" SQUARE	17506-S.S.3-1/16"	REF.DRWG.5025			C/P/B	94.20	1.4
6618	1-1/2" FPT NON-ADJ. WALL INLET FITTING 3-7/8" SQUARE	17507-S.S.3-1/16"	YMCA SPEC.			C/P/B	86.30	1.4
	*EXTENSION HANDLES ARE SUPPLIED WITH 1"-8 BRASS INSERTS, BOLTS & ERTS, BOLTS & NUTS WHEREVER REQUIRED			HANDLES & RESCUE POLES				
	HAVE SPECIFIC CARTON QUANTITIES, THERE WILL BE A \$ 7.50 NET PACKING AND HANDLING CHARGE FOR LESS THAN CARTON LOT							
PAGE 21	*AERIAL CABLE, STANCHIONS & PENNANT ASSEMBLIES & DRAWINGS REQUIRED TO INSURE PROPER INSTALLATION						PAGE21	
	NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY		NY (212) 267-6738	FAX (201) 339-3492			

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
6619	ROUND FRAME & 4-3/4" DIA. STRAINER GRATE DROP IN	REPL.STR. 15410 (REF.DRWG.5039)		C/P/B	100.80	1.2
6620	ROUND FRAME & 6" DIA. STRAINER GRATE	REPL.STR. 17520	GL/BRZ 106.90	C/P/B	124.30	
6621-SD	ROUND FRAME & 7-1/2" DIA. STRAINER GRATE SCREW DOWN	REPL.STR.18047-SD. (REF.DRWG.5032)		C/P/B	220.20	2.4
6622	ROUND FRAME & 7-1/2" DIA. STRAINER GRATE DROP IN ONLY	REPL.STR.18047-DROP IN. NOT AVAILABLE		C/P/B		2.9
6623-SD	ROUND FRAME & 6" DIA. STRAINER GRATE SCREW DOWN	REPL.STR. 17520		C/P/B		2.9
6624-SD	ROUND FRAME & 7-1/2" DIA. STRAINER GRATE SCREW DOWN	REPL.STR.18047-SD		C/P/B	243.55	4.2
6625-SD	ROUND FRAME & 8" DIA. STRAINER GRATE SCREW DOWN	REPL.STR.17534-SD (REF.DRWG.5040)		C/P/B	335.90	5.7
6626-SD	ROUND FRAME & 8" DIA. STRAINER GRATE SCREW DOWN	REPL.STR.17534-SD	GL/BRZ 216.90	C/P/B	259.40	3.5
6627-SD	ROUND FRAME & 9" DIA. STRAINER GRATE SCREW DOWN	REPL.STR.4449-SD	GL/BRZ 232.95	C/P/B	266.40	5.0
6628 SD	ROUND FRAME & 11" DIA. STRAINER GRATE SCREW DOWN	REPL.STR.5245-SD (REF.DRWG.5041)	GL/BRZ 391.45	C/P/B	459.10	6.7
6629	1-1/2" FPT DECK DRAIN (RECESSED STRAINER) 4367	(PARTS DRWG.6135) (REF.DRWG.5003)		C/P/B	188.35	3.3
6630	1-1/2" FPT DECK SPRAY INLET (RECESSED PLATE) 4368	(DRGS.5014-5150)		C/P/B	256.85	3.6
6631-SD	FRAME & 2-1/2" X 3-5/8" RECESSED STRAINER GRATE	(REF.DRWG.5097)		C/P/B	68.75	0.8
6632-SD	FRAME & 2-1/2" X 5-9/16" RECESSED STRAINER GRATE	REPL.STR.7304 (REF.DRWG.5098)		C/P/B	80.45	1.0
6633	1" FPT SPRAY INLET DRILLED HOLES 45' BODY	DRWGS.5013-5150 (4235 FACEPLATE)		C/P/B	275.85	4.0
6634	1" FPT SPRAY INLET SLOTTED HOLES 45' BODY	DRWGS.5013-5150 (4236 FACEPLATE)		C/P/B	277.95	4.0
6635	1/4" ROPE HOOK SMALL PATTERN	(REF.DRWG.5257)		C/P/B	18.55	0.3
6636	5/16" ROPE HOOK SMALL PATTERN			C/P/B	18.55	0.3
6637	3/8" ROPE HOOK SMALL PATTERN			C/P/B	18.55	0.3
6638	1/2"ROPE HOOK SMALL PATTERN			C/P/B	18.55	0.3
6666	FLOAT POSITIONERS FOR 3/8" ROPE	(REF. DRWG 5257)		NYLON	4.05	
6667	FLOAT POSITIONERS FOR 1/2" ROPE			NYLON	4.65	
6668	FLOAT POSITIONERS FOR 5/8" ROPE	(SEE 6122-2 ASSEMBLY)		NYLON	4.65	
6669	FLOAT POSITIONERS FOR 3/4" ROPE			NYLON	4.95	
6670	FLOAT POSITIONERS FOR 7/8" ROPE	(SEE 6123-2 ASSEMBLY)		NYLON	5.45	
6671	FLOAT POSITIONERS FOR 1" ROPE			NYLON	5.80	
6676	DIVING STAND SWIVEL SOCKET 1-1/2" PIPE	LESS FASTENERS (2) REQUIRED		C/P/B	115.20	3.0
6679	FILTER GAUGE PANEL ONLY GAGES BY OTHERS	DRAWING REQUIRED PROD. INFO SHEET 68	SPECIFY COLOR	ALUM		
6681	1/2"-13 THREAD. FLANGED ROPE EYE 1-1/4" LONG	1-1/8" DIAFLANGE 1-5/8" OD.X		C/P/B	29.00	0.3
6682	1/2"-13 THREAD. FLANGED ROPE EYE 2" LONG	1-1/8" DIAFLANGE 1-5/8" OD.X		C/P/B	32.80	0.4
6683	FLANGED ROPE EYE WITH WOOD SCREW INSERT	1-1/8" DIA. FLANGE	OLD YMCA SPBC.	C/P/B	25.45	0.4
6684	1/2"-13 THREADED ROPE EYE 3/4" LONG	REF.DRWG.5282 4167-4181-4187-4212 ASSY.	P/BRZ	C/P/B	22.15	0.2
6685	FILTER GAUGE PANEL ASSEMBLY COMPLETE WY. GAUGES	(DISCONTINUED) SEE 6687 GAUGE PANEL ONLY				
6686	1/2"-13 THREADED ROPE EYE 1-1/2"DIA 1/2" LONG	REF.DRWG.5282 (4216-4638 ASSY)	4216-TE	C/P/B	25.30	
6687	FILTER GAUGE PANEL ONLY STOCK PATTERN	GAGES BY OTHERS (USE 3-1/2"GAGE)		BL/AL	134.70	1.3
6688	3/4"-10 THREADED ROPE EYE 1-1/4" LONG	OLD 4169-TE 2-3/8" OD.	REF.DRWG.5285	C/P/B	43.40	0.8
6689	1/2"-13 THREAD FLANGED ROPE EYE 2-1/4" LONG	1-1/8" DIAFLANGE 1-5/8" OD.		C/P/B	36.85	0.4
6690	1/2"-13 THREAD FLANGED ROPE EYE 2-1/2" LONG	1-1/8" DIAFLANGE 1-5/8" OD.		C/P/B	40.40	0.4
6696	5/8"-11 THREADED ROPE EYE 7/8" LONG	NEW		C/P/B	54.35	0.3
6700	TUEC "TITAN" 18" VACUUM HEAD 0-700-A	(1)HOSE TERM. REQ (PARTS DRWG.6177)		BRZE	1249.70	19.0
6703-BE	"NO DIVING" PLAQUE BEVELED EDGE 2-3/8" X 6-1/8"	SURFACE MOUNT		OX/BRZ	50.85	0.8
6704	"NO DIVING" PLAQUE SQUARE EDGE 2-3/8" X 6-1/8"	INSERT TYPE		OX/BRZ	48.65	0.8
6714	THREADED ROPE EYE ASSY. WY (1) GASKET WASHER & NUT	1-1/8" DIAFLANGE NO.4247-TE		C/P/B	26.00	19.0
6730	FLANGED THREADED ROPE EYE 7/16"-14 FEMALE THREAD	1-1/2" DIAFLANGE (1-1/2" OD)		C/P/B	49.40	0.8
6731	FLANGED THREADED ROPE EYE 1/2"-13 FEMALE THREAD	1-1/2" DIAFLANGE (1-1/2" OD)		C/P/B	48.35	0.5
6732	FLAT OVAL ROPE EYE ASSY(2)4179 WY.(4) S/M SCREWS	SPECIAL ORDER	PRICED PER PKGE.	C/P/B	80.70	1.5
6733	FLAT OVAL ROPE EYE ASSY.(2)4189 WY.(4)S/M SCREWS	SPECIAL ORDER (2)4189-FE	PRICED PER PKGE.	C/P/B	43.75	0.7
6735	SPANNER WRENCH FOR 1" HYDRO RELIEF VALVE	FOR 4350 (REF.DRG.NO.5096)		BRZE	60.10	1.5
6736	SPANNER WRENCH FOR 1-1/2" HYDRO-RELIEF VALVE	FOR 4352 (REF.DRG.NO.5096)		BRZE	63.75	1.6
6736-SP	SPECIAL WRENCH FOR ABOVE 3 FT. LONG X 15 FT. HANDLE	6 FT.			P.O.A.	
6737	SPANNER WRENCH FOR 2" HYDRO-RELIEF VALVE	FOR 4353 (FOR 4273-4536)		BRZE	65.75	1.7
6737-SP	SPECIAL WRENCH FOR ABOVE 3 FT. LONG X 15 FT. HANDLE			ST.ST.	P.O.A.	3.5
6742	SAFETY LANE ASSY 3/8" ROPE WITH ROPE CLAMPS ONLY	SPECIAL ORDER (INFORMATION REQ)				
6743	SAFETY LANE ASSY AS ABOVE WY CLAMPS & 4199 HOOKS	SPECIAL ORDER (INFORMATION REQ)				
6744	SAFETY LANE ASSY AS ABOVE WY. CLAMPS & 4132 HOOKS	SPECIAL ORDER (INFORMATION REQ)				0.8
6744-SP	OTHER COMBINATIONS AVAILABLE	SPECIAL ORDER NEW		WH/AL		
6748-SP	BOND BEAM ANCHOR 1/2"-13 THREAD. COMBO ST.ST & BRONZE	SPECIAL TO ORDER (REF.DRWG.7102)	NEW	BRZE		
6749	STARTING PLATFORM SOCKET ASSEMBLY(2) PC. UNIT	WY.17546 T BOLT (REF.DRWG.5394)		C/P/B	146.10	
6750	STARTING PLATFORM SOCKET ASSEMBLY (3) PC. UNIT	WY.17546 T BOLT (REF.DRWG.5121)		C/P/B	165.75	
6751	BOND BEAM ANCHOR 8" RACING LANES 3/4"-10 THREAD.	SPECIAL ORDER (REF.DRWG.5393)	PRICED PER PAIR	BRZE	80.20	2.4
6752	BOND BEAM ANCHOR. 7-1/2" RACING LANES 3/4"-10 THREAD.	SPECIAL ORDER (REF.DRWG.5393)	PRICED PER PAIR	BRZE	90.15	2.3
6753	WATER VOLLEY BALL NET ASSEMBLY INFO REQUIRED	MADE TO ORDER		PLAST	P.O.A.	
6754-2	CURVED OVAL ROPE EYE ASSY. 3/4" RADIUS	WITH S/M SCREWS (2) 4176-C/E	PRICED PER PAIR	C/P/B	39.30	0.7
6755-2	CURVED OVAL ROPE EYE ASSY. 1" RADIUS	WITH S/M SCREWS (2) 4177-C/E	PRICED PER PAIR	C/P/B	39.30	0.7
6756-2	CURVED OVAL ROPE EYE ASSY. 1/4" RADIUS	WITH S/M SCREWS (2) 4182-C/E	PRICED PER PAIR	C/P/B	39.30	0.8
6763	1/2"-13 THREADED ROPE EYE 1" LONG	SPECIAL ORDER 2-1/4"OD 1-1/4" ID	4863-4869 PATT.	C/P/B	39.95	0.4
6764-GS	1-1/2" FPT HVY. DUTY BOTTOM INLET WITH 17524 CAP	USE 5791 WRENCH REF DRWGS.5134-5495		C/P/B	278.50	4.4
6765-GS	2" FPT HVY. DUTY BOTTOM INLET WITH 17524 CAP	USE 5791 WRENCH (REF.DRWG.5134)	FLOW DRWG.5496	C/P/B	272.80	4.3
6777	OVAL ROPE EYE ASSY.4189 WITH ST.ST HARDWARE	4189-FE SCREWS, WASHER-NUTS	PRICED PER PKGE	C/P/B		0.8
6790	OVAL ROPE EYE ASSY.4189 GASKETS ST.ST S/M SCREWS	(2) 4189-FE	PRICED PER PKGE	C/P/B	51.95	0.7
	*WALL MOUNTED HAND GRIP SUPPORT BAR ASSEMBLIES AVAILABLE IN VARIOUS COMBINATIONS - INFORMATION ON REQUEST					
	*FILTER GAUGE PANELS & NAMEPLATES MADE TO ORDER - IN A VARIETY OF MATERIALS AND FINISHES					
PAGE 22	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL					PAGE 22
NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY	NY (212) 267-6738	FAX (201) 339-3492			

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
6801	TUEC "AQUA-VAC" 15-1/2" VAC. HEAD 1-1/2" HOSE CONN.	TUEC 0-800	PARTS DRWG.6178	BRZE	1123.75	22.0
6808-SD	EXT. COLLAR 8-3/4" I/D.& 6810 COVERREF.DRWG.5392	FITS SWIMQUIP U-3	STA RITE 8650 & HAYWARD 1070	GL/BRZ	395.70	8.5
6810-SD	COVER PLATE FOR ABOVE 9-3/4" DIA.(3) HOLE MOUNT	FITS 6808-SD.& 7438-SD,ASSY.		GL/BRZ	216.30	3.6
6874	NEOPRENE PAD FOR 4432-4433 BUTT PLATE ASSEMBLIES			RUBBER	6.25	
6875	NEOPRENE PAD FOR PERSONALIZED 4411 BUTT PLATE ASSY.			RUBBER	6.25	
					9.50	
6876	BOTTOM PLATE FOR 4433 BUTT PLATE ASSY.			ALUM	13.50	0.3
6877	3" DIA NEOPRENE PAD FOR 4427 & DECK FLANGE			RUBBER	3.85	
6878	BOTTOM PLATE FOR 789 RECTANGULAR DECK FLANGE			B/ALUM	33.10	
6880-AL	3" DIA. BUTT WASHER ASSY. 4427-AL	PLATED STEEL HDWE		B/ALUM		
6881-BR	3" DIA BUTT WASHER ASSY. 4427-BR	ST.ST. HDWE		C/P/B		P.O.A.
6886	8" LONG FULCRUM BAR FOR 1-1/2"PIPE (1.90")	SPECIAL ORDER		ST.ST.	186.95	
6887	21" LONG FULCRUM COVER FOR 1-1/2"PIPE (1.90")	NO LONGER AVAILABLE		RUBBER		
6888	28" LONG FULCRUM BAR FOR 2" PIPE (2.375")	SPECIAL ORDER		GAL/IRON		
6889	21" LONG FULCRUM COVER FOR 2" PIPE (2.375")	NO LONGER AVAILABLE		RUBBER		
6891	BACKSTROKE STANCHION 1-1/4" PIPE (1.66")	7"FT.ABOVE DECK	(REF. DRWG. 5491)	ST.ST.		
6895	20" LONG SPLIT FULCRUM FOR 101/2"PIPE (1.90")	SPECIAL ORDER		RUBBER	43.20	2.7
6896	22" LONG SPLIT FULCRUM FOR 1-1/2"PIPE (1.90")	SPECIAL ORDER	(REF.DRWG.5414)	RUBBER	43.20	3.4
6897	24" LONG SPLIT FULCRUM FOR 1-1/2"PIPE (1.90")	SPECIAL ORDER		RUBBER	43.20	3.7
6900	TUEC "COLOSSUS" 30" VACUUM HEAD TOW MODEL (0900) PARTS	DRWG. 6179	(1) HOSE TERM &(2) TOW ROPES REQ)	BRZE	4147.10	65.0
6902	BACKSTROKE STANCHION 1-1/2" PIPE (1.90") .065" WALL	7 FT ABOVE DECK	(YMCA SPEC)	(REF. DRWG. 5491)	ST. ST.	448.80
6903-A	FALSE START RECALL STAN. 1-1/2"PIPE (1.90") .065" WALL	3FT 5"ABOVE DECK	(DRWGS.5206-5493)	RH & LH REQ.		438.60
6903-B	FALSE START RECALL STAN. 1-1/2"PIPE (1.90") .065" WALL	3FT 11"ABOVE DECK	(REF DRWG 5484)	RH & LH REQ.		451.85
6904	TUEC "COLOSSUS" 30" VAC. HEAD HAND OR TOW MODEL	1 HOSE TERM REQ	(PARTS DRWG. 6179)	SPECIAL ORDER	BRZE	4299.75
6906	BACKSTROKE STANCHION 1-1/2"PIPE (1.90) .065"WALL	REF. DRWG. 5491		RH & LH REQ.		ST. ST.
6908	1" FPT SPRAY INLET			C/P/B	78.85	0.6
6909	QUICK REL. BACKSTROKE STAN.1-1/2" PIPE (1.90")7 FEET	REF.DRWG.5491		RH & LH REQ.		ST. ST.
6910	1-1/4" FPT SPRAY INLET	SPECIAL ORDER		C/P/B	75.45	0.8
6911	1-1/2" FPT SPRAY INLET			C/P/B	84.50	0.9
6912	2" FPT SPRAY INLET			C/P/B	120.95	2.0
6914	BACKSTROKE STANCHION 1-1/2" PIPE (1.90") .065"WALL	7 FT. ABOVE DECK	(REF. DRWG. 5491)	ST. ST.		
6917	HVY. DUTY FILL SPOUT 1-1/2" PIPE & 6918 SUPPORT POST	SPECIAL ORDER	REF.DRWGS.5430-51	ST. ST.		P.O.A.
6918	SUPPORT POST ASSEMBLY FOR 1-1/2",2" OR 3"PIPE SIZE	SPECIFY SIZE	(REF.DRWGS.5430-51)	C/P/B		P.O.A.
6920	STANCHION ASSY. PLAIN CAP WY. THREADED EYE 1-1/2" PIPE	REMOVABLE EYE	(SPECIFY THREAD EYE)	(REF.DRWG.5493)	ST. ST.	
6921	QUICK REL. BACKSTROKE STAN.1-1/2"PIPE (1.90") .065"WALL	7 FT. ABOVE DECK	(DRWGS.5205-5492)	ST. ST.		
6938	QUICK REL. BACKSTROKE STAN.1-1/2"PIPE (1.90") .065"WALL	7 FT. ABOVE DECK		(REF.DRWG.5491)	ST. ST.	
6942	QUICK REL. BACKSTROKE STAN.1-1/2"PIPE (1.90") .065"WALL	7 FT. ABOVE DECK	(REF. DRWG. 5491)	(2) REQUIRED	ST. ST.	
6963-1	VOLLEY BALL STANCHION 1-1/2" PIPE (1.90") .065"WALL	5 FT. ABOVE DECK	(REF. DRWG. 5350)	(2) REQUIRED	ST. ST.	379.15
6963-2	BACKSTROKE STANCHION 1-1/2" PIPE (1.90") .065"WALL	7 FT. ABOVE DECK	(REF. DRWG. 5491)	(2) REQUIRED	ST. ST.	427.45
7000	TUEC. "TRITON" 24" VAC. HEAD TOW OR HAND MODEL	PARTS DRG.6180	(1) HOSE TERM &(2) TOW ROPES REQ	BRZE	2294.20	47.0
7011	WEIGHTED BRICK TRAINING AID	YMCA SPEC.	AMER.RED CROSS	RUBBER		P.O.A.
7027	BACKSTROKE WALL HOOK 10-1/4" PROJ. WITH WALL ANCHOR	YMCA SPEC.	SPECIAL ORDER	ST. ST.		P.O.A.
7060	3-3/8" DIA. VENT FITTING PLATE CONVEX	SPECIAL ORDER		BRZE		C/P/B
7061	5" DIA. VENT FITTING PLATE CONVEX	SPECIAL ORDER		BRZE		C/P/B
7062	5-5/8" DIA. VENT FITTING PLATE CONVEX	SPECIAL ORDER		BRZE		C/P/B
7063	9-3/4" DIA. VENT FITTING PLATE CONVEX	SPECIAL ORDER		BRZE		C/P/B
7070	7-3/4" DIA. VENT FITTING PLATE CONCAVE	DISCONTINUED		BRZE		C/P/B
7071	8" DIA VENT FITTING PLATE CONCAVE	DISCONTINUED		BRZE		C/P/B
7072	8-1/4" DIA. VENT FITTING PLATE CONCAVE	DISCONTINUED		BRZE		C/P/B
7073	11" DIA VENT FITTING PLATE CONCAVE	DISCONTINUED		BRZE		C/P/B
7100	TUEC "OLYMPIC" 18" VAC HEAD HAND OR TOW MODEL	(1) HOSE TERM. REQ.	(PARTS DRWG.6181)	YMCA SPEC.	BRZE	1928.65
7110	DIVING BOARD WIDE X 16 FT. LONG	SPECIAL ORDER		ALUM		175.0
7115	HAND GRIP FOR 1-1/4" TUBE	SPECIAL ORDER		RUBBER		
7147	9" X 18" MULTI-STRAINER GRATES ONLY 1" HIGH	(2) 7159 STRS.		GL/BRZ	1294.40	12.0
7148	12" X 18" HVY. DUTY STRAINER GRATE 1" HIGH	(REF.DRWG.5443)		GL/BRZ	1478.75	13.5
7148-SP	AS ABOVE TO SUIT 7162 ASSY.12" X 18" 1" HIGH	(REF.DRWG.5438)		GL/BRZ		12.0
7149	HVY. DUTY FRAME & 9" X 9" STRAINER GRATE 1" HIGH	7159-SP STRS.	7137 FRAME	GL/BRZ	825.55	C/P/B
7151	HVY. DUTY FRAME & 12" X 12" STRAINER GRATE 1" HIGH	DRWG.5434 7160-SP STRS.	DRWG.5434 #7153 FR.	GL/BRZ	1139.85	C/P/B
7152	12" X 24" HVY DUTY STRAINER GRATE 1" HIGH		(REF.DRWG.5440-5165)	GL/BRZ	1536.85	17.0
7152-SP	AS ABOVE TO SUIT 5978 ASSY. 12" X 24" 7/8" HIGH		(REF.DRWG.5440)	GL/BRZ		15.8
7153	24" X 24" MULTI-STRAINER GRATES ONLY 1" HIGH	(2) 7152 STRS.	(REF.DRWG.5166)	GL/BRZ	3738.00	48.0
7154	18" X 18" HVY. DUTY STRAINER GRATE 1" HIGH		(REF.DRWG.5157)	C/P/BZ	1588.15	GL/BRZ
7155	18" X 36" MULTI-STRAINER GRATE ONLY 1" HIGH	(2) 7154 STRS.	(REF.DRWG.5441)	C/P/BZ	2908.65	GL/BRZ
7156-HS	17-7/8" HVY. DUTY STRAINER GRATE 7/8" HIGH	7159-SP.STR.	(REF.DRWG.5158)	C/P/BZ	1751.75	GL/BRZ
7157	HVY DUTY FRAME & 18" X 18" STRAIN. GRATE 1" HIGH	7154-SP.STRAINER	(REF.DRWG.5441)	C/P/BZ	2957.75	GL/BRZ
7158	MULTI ASSY FRAME & 9" X 18" STRAIN. GRATE 1" HIGH	7159-SP.STR.		GL/BRZ		
7159	9" X 9" HVY DUTY STRAINER GRATE 1" HIGH			CHR.	488.50	GL/BRZ
7159-SP	9" X 9" AS ABOVE TO SUIT 7149 ASSY. 7/8" HIGH			GL/BRZ		5.6
7160	12" X 12" HVY. DUTY STRAINER GRATE 1" HIGH			C/P/B	897.80	GL/BRZ
7160-SP	12" X 12" HVY. DUTY STRAINER GRATE 1" HIGH	MACHINED FOR SPECIAL APPLICATIONS		P.O.A.		GL/BRZ
	*REF. DRWG. 5359FOR REQ. INFO. TO INSURE CORRECT BACKSTROKE, FALSE START, SPLASH CURTAIN AND STANCHION ASSEMBLIES					
	*FILTER GAUGE PANELS & NAMEPLATES MADE TO ORDER - IN A VARIETY OF MATERIALS AND FINISHES					
PAGE 23	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT ASSEMBLIES - DRAWING NUMBERS AS INDICATED					PAGE 23

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
7161	MULTI-STRAINER GRATES ONLY 18" X 24" 1" HIGH (2)7148 STR.			GL/BRZ	3241.00	26.0
7162	HVY DUTY FRAME & 12" X 18" STRAIN. GRATE 1" HIGH 7148-SP.STRAINER (REF.DRWG.5438)	C/P/B	2699.10	GL/BRZ	2411.40	32.0
7163	MULTI STRAINER GRATES ONLY 20" X 24" 1" HIGH (2) 6556 STRS. (SECURED ASSEMBLY)		TO ORDER	GL/BRZ		
7164	MULTI ASSY. FRAME & 24"X 24" STRAIN GRATE 1" HIGH (2) 7152 SP. STRS (REF.DRWG.5442)	(1) 7140-FRAME		GL/BRZ	5180.20	44.0
7165	MULTI ASSY. FRAME & 18"X 24" STRAIN GRATE 1" HIGH (2)7148 SP. STRS. (REF.DRWG.5443)	(1) 7165 FRAME		GL/BRZ	4368.35	34.0
7166	MULTI ASSY. FRAME & 24"X 36" STRAIN GRATE 1" HIGH (4) 7148-SP.STRS. REF.DRWG.5445	(1) 7144 FRAME		GL/BRZ		
7167	MULTI ASSY. FRAME & 24"X 36" STRAIN GRATE 1" HIGH (3) 7152-SP.STRS. REF.DRWG.5446	(1) 7146 FRAME		GL/BRZ	6292.50	60.0
7168	MULTI ASSY. FRAME & 20"X 24" STRAIN GRATE 1" HIGH (2) 6556-SP.GRATES REF.DRWG.5455	(1) 6558-FRAME		GL/BRZ		37.0
7169	MULTI ASSY. FRAME & 12"X 36" STRAIN GRATE 1" HIGH (2) 7148-SP.STRS. (REF.DRWG.5443)	(1) 7175 FRAME		GL/BRZ	4287.65	48.0
7179-HS	9" SQUARE STRAINER TO SUIT HAYWARD SP-1031-B	GL/BRZ		C/P/B	P.O.A.	
7180-HS	11-3/4" SQUARE STRAINER TO SUIT HAYWARD'S SP-1032-B	GL/BRZ	962.45	C/P/B	1135.55	10.6
7188	"COMPETITOR" WALL MODEL BATTERY PACE CLOCK 31" HIGH			POLY	P.O.A.	20.0
7189	"COMPETITOR" PORTABLE MODEL WITH STAND 31" HIGH				P.O.A.	25.0
7190	"COMPETITOR" WALL MODEL ELECTRIC PACE CLOCK 31" HIGH			POLY	P.O.A.	20.0
7193	"COMPETITOR" PORTABLE ELECTRIC MODEL WITH STAND 31"			POLY	P.O.A.	25.0
7195	"ROLL-AWAY" STANDARD 7188-7189-7190-7193 ASSEMBLIES				P.O.A.	9.0
7196-RW	"COMPETITOR" PORT. BATTERY OPERATED PACE CLOCK 15" SPECIFY RED OR WHITE				P.O.A.	10.0
7197						
7224	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 3/4" PIPE SPECIAL ORDER (SPECIFY C/L DIM.)	BRASS		ST.ST.		
7225	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 1" PIPE ITEMS (SEE 7224 FOLDER)	BRASS		ST.ST.		
7226	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 1-1/2" PIPE SPECIAL ORDER (REF.DRWG.5452)	BRASS		ST.ST.		
7227	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 2" PIPE SPECIAL ORDER	BRASS		ST.ST.		
7228	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 2-1/2" PIPE	BRASS		ST.ST.		
7229	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 3" PIPE HARDWARE ACCESS. OPTIONAL	BRASS		ST.ST.		
7230	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 4" PIPE (SEE 7224 FOLDER)	BRASS		ST.ST.		
7254	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 3/4" PIPE SPECIAL ORDER (SPECIFY C/L DIM.)	BRASS		ST.ST.		
7255	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 1" PIPE ITEMS	BRASS		ST.ST.		
7256	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 1-1/2" PIPE	BRASS		ST.ST.		
7257	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 2" PIPE (REF.DRWG.5452)	BRASS		ST.ST.		
7258	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 2-1/2" PIPE	BRASS		ST.ST.		
7259	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 3" PIPE SPECIFY C/L DIM.	BRASS		ST.ST.		
7260	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 4" PIPE	BRASS		ST.ST.		
7261	AERIAL CABLE STANCHION 1" TUBE (1.00") .083" WALL 7 FT. ABOVE DECK (REF.DRWGS.5483-5492)			ST.ST.		
7262	AERIAL CABLE STANCHION 1-1/4" PIPE (1.66") 7 FT. ABOVE DECK (REF.DRWGS.5483-5492)			ST.ST.		
7263	AERIAL CABLE STANCHION 1-1/2" PIPE (1.90") .065" WALL 7 FT. ABOVE DECK (REF.DRWGS.5483-5492)			ST.ST.		
7264	STANCHION ASSY. PLAIN CAP & THREADED EYE 2" TUBE (2.00") (REMOVABLE EYE) SPECIFY THREADED EYE (REF DRWG.5493)			BRASS		
7265	MULTI ASSY. FRAME & STRAINER GRATES 36" SQUARE (2) 7154 STRAINERS NEW			GL/BRZ		
7266-SP	COVER PLATE TO SUIT A.P. EXTEN COLLAR 9-3/16" DIA. (5317-SP PATTERN) (A.P.REF.850005)	SPECIAL ORDER		GL/BRZ		
7300	TUEC "TOW MASTER" 24" VAC. HEAD HAND OR TOW MODEL (1) HOSE TERM. REQ. (PARTS DRWG.6182)	YMCA SPEC.		BRZE	2894.45	51.0
7301						
7303	RECESSED STRAINER 2-1/2" X 3-9/16" FOR 4050 ASSY. (REF.DRWG.5042)			C/P/B	38.45	0.4
7304	RECESSED STRAINER-2-1/2"X 5-9/16" FOR 4051 ASSY. (REF.DRWG.5043)			C/P/B	51.70	0.4
7305	FLUSH STRAINER 2-3/4" X 4" FOR 4052 ASSEMBLY NEW (REF.DRWG.5116)			C/P/B	37.70	
7306	FLUSH STRAINER 2-3/4" X 6" FOR 4053 ASSEMBLY (REF.DRWG.5116)			C/P/B	47.80	0.5
7307						
7430	ACCESS FRAME & 6" SQ. COVER PLATE (4) HOLE MOUNT 5/8" HIGH SPECIAL ORDER ITEM			P/BRZ		4.0
7431	ACCESS FRAME & 8" SQ. COVER PLATE (4) HOLE MOUNT			P/BRZ		4.9
7432	ACCESS FRAME & 10" SQ. COVER PLATE (4) HOLE MOUNT USING 5317-PATTERN			P/BRZ		13.7
7433	ACCESS FRAME & 12" SQ. COVER PLATE(2) HOLE MOUNT			P/BRZ		18.0
7434	ACCESS FRAME & 15" SQ. COVER PLATE (4) HOLE MOUNT			P/BRZ		27.6
7435	ACCESS FRAME & 18" SQ. COVER PLATE (4) HOLE MOUNT 5/8" HIGH			C/P/B		47.4
7436	ACCESS FRAME & 12" SQ. COVER PLATE (4) HOLE MOUNT 1-1/4" HIGH (SPECIAL ORDER ITEM)			C/P/B		18.0
7438-SD	EXTENS. COLLAR 7446 & 6810-SD.COVER PLATE 9-5/8" DIA REF.DRWG.5405 FOR BAKER HYDRO 50B-1051 & AM/PR #20			GL/BRZ	432.20	9.5
7439-SD	COVER PLATE 10-1/8" DIA.(3) HOLE MOUNT	GL/BRZ		C/P/B		
7440-SP	COVER PLATES SPECIAL DIAMETERS TO ORDER	GL/BRZ		C/P/B		
7550-57	PIPE NIPPLES, THREADED BOTH ENDS 3/4" TO 4" PIPE SPECIAL ORDER (SPECIFY LENGTH)	BRASS		ST.ST.		
7624-SD	EXTEN. COLLAR 7624-C & 5855-SD.COVER PLATE 9-5/8" DIA. FOR ALL RD. PAC-FAB SKIMMERS DRWG.5660			GL/BRZ	536.60	11.0
7631	CASCADE JET 3/4" FPT 5-5/16" HIGH (REF.DRWG.6402)		*SEE FOOTNOTE	BRZE	171.05	2.2
7632	CASCADE JET 1-1/2" FPT 9" HIGH NEW (REF.DRWG.6402)			BRZE	407.15	6.8
7633	2" FPT CASCADE JET AND 7634 3" FPT CASCADE JET NO LONGER AVAILABLE (REF.DRWG.6402)			BRZE		
7635 SD	EXTEN. COLLAR 7635 & 19040-SD COVER PLATE 10" SQUARE REF.DRWG.7475 FITS HAYWARD 1082			C/P/B	671.70	17.0
7648	5" DOME ONLY FOR STANDPIPE OVERFLOWS			BRZE	243.45	
7649	5-1/2" DOME ONLY FOR STANDPIPE OVERFLOWS			BRZE	251.45	
7650	STANDPIPE OVERFLOW 18" HIGH WITH WATER STOP 1-1/2" FPT ECONOMY MODEL (REF.DRWG.6401)	WY 7648 5" DOME		GL/BRZ		
7651	STANDPIPE OVERFLOW 18" HIGH.WITH WATER STOP 2" FPT WITH 7648 5" DOME			GL/BRZ		P.O.A.
7652	STANDPIPE OVERFLOW 18" HIGH WITH WATER STOP 2-1/2" FPT WY 7649 5-1/2"DOME			GL/BRZ		P.O.A.
7653	STANDPIPE OVERFLOW 18" HIGH WITH WATER STOP 3-1/2" FPT WY 7649 5-1/2"DOME			GL/BRZ		P.O.A.
7654	STANDPIPE OVERFLOW 18" HIGH WITH WATER STOP 4" FPT			GL/BRZ		P.O.A.
7665	ANTI VORTEX PLATE WITH WATER STOP EXPERIMENTAL			GL/BRZ		P.O.A.
7670	STANDPIPE OVERFLOW 18" HIGH WITH WATER STOP 1-1/2" FPT DELUXE MODEL (REF.DRWG.6401)		*SEE FOOTNOTE	GL/BRZ	483.00	9.5
	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT ASSEMBLIES - DRAWING NUMBERS AS INDICATED					
	*STANCHION ASSEMBLIES: INDICATE-DECK TO WATER LEVEL, HGT. ABOVE DECK & DEPTH OF SOCKET					
PAGE 24	*SPRAY INLETS AVAILABLE WITH SPECIAL MACHINING - INFORMATION ON REQUEST					PAGE 24
NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY	NY (212) 267-6738	FAX (201) 339-3492			

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
7671	STANDPIPE OVERFLOW 18" H WITH WATER STOP 2" FPT	SPECIALS TO ORDER (WITH 7648 5"DOME)		GL/BRZ	528.65	11.5
7672	STANDPIPE OVERFLOW 18" H WITH WATER STOP 2 1/2" FPT	(WY. 7649 5-1/2"DOME)		GL/BRZ	696.00	17.0
7673	STANDPIPE OVERFLOW 18" H. WITH WATER STOP 3" FPT	SPECIALS TO ORDER (WY.7649 5-1/2"DOME)		GL/BRZ	1154.95	21.5
7674	STANDPIPE OVERFLOW 18" H. WITH WATER STOP 4" FPT			GL/BRZ	1486.65	
7680	FOUNTAIN DRAIN WITH PLUG 1-1/2" FPT	(REF.DRWG.6401)		*SEE FOOTNOTE	BR	88.95 2.5
7681	FOUNTAIN DRAIN WITH PLUG 2" FPT			BR	117.85	3.1
7682	FOUNTAIN DRAIN WITH PLUG 2-1/2" FPT			BR	179.40	4.9
7683	FOUNTAIN DRAIN WITH PLUG 3" FPT			BR	404.10	5.6
7684	FOUNTAIN DRAIN WITH PLUG 4" FPT			BR	498.75	9.2
7700-6	FOUNTAIN RING BODY CASTING (6) ARM OUTLETS	(EXPERIMENTAL) DRWGS.5454-5-6				
7700-8	FOUNTAIN RING BODY CASTING (8) ARM OUTLETS	(EXPERIMENTAL)				
8005	UNDERWATER SPEAKER NICHE WITH C/P/BZ PROTECTOR GRILL	FOR UNDERWATER SPEAKERS USE 5242	JUNCT. BOX	BRZE	866.55	18.0
8005-N	UNDERWATER SPEAKER NICHE COMPLETE WY GRND. LUGS	REPLACEMENT PART		BRZE		
8006	PROTECTIVE SPEAKER GRILL 10-1/2" DIA. FOR ABOVE	REPLACEMENT PART WY (6) MOUNT SCREWS 10/24 X 3/4" FH		C/P/B	337.95	4.2
8014	SPEAKER ONLY FOR ABOVE WITH 50 FEET OF CABLE	7-3/16" DIA X 2.610" DEEP-REPLACE. PART		A.B.S.	1051.40	6.6
8014-SP	SPEAKER ONLY ON SPECIAL ORDER WITH 100 FEET OF CABLE	REPLACEMENT PART		A.B.S.	1115.20	
15000-A	THREADED HANDLE SWIVEL 1"-8 FEMALE CONN.	(SPECIAL ORDER)		B/ALUM	20.30	0.2
15000-B	THREADED HANDLE SWIVEL 1"-8 FEMALE CONN.	LESS.15130 BOLTS & NUTS	B/BRZE 24.45	B/CHR	29.60	0.5
15001-P	BOLTED HANDLE SWIVEL 1-1/4" DIA. TUBE	LESS.15130 BOLTS & NUTS		CYCOL	12.25	0.8
15001-A	BOLTED HANDLE SWIVEL 1-1/4" DIA. TUBE			ALUM	21.20	0.2
15001-B	BOLTED HANDLE SWIVEL 1-1/4" DIA. TUBE	LESS 15130 BOLTS & NUTS	B/BRZE 30.45	B/CHR.	35.65	0.8
15003	HOSE SWIVEL FOR 1-1/2" HOSE REPLACEMENT FOR (5116)		B/BRZE 43.95	CHR	49.20	1.0
15004	HOSE SWIVEL FOR 2" HOSE REPLACEMENT FOR 5116		B/BRZE 43.95	CHR	49.20	1.0
15012	BRUSH WITH FINGERS (5116)VAC HEAD			NYLON	72.85	
15013	COMPLETE BRUSH ASSEM. 15-1/4" LONG 5116 VAC. HEAD			NYLON	79.90	
15014	WHEEL AXLE (5116) OTHERS			ST.ST.	2.30	
15015	ECCENTRIC WHEEL BUSHING FOR 4383-5116-5117-5119-5990		(4) REQUIRED	NYLON	5.75	
15016	REPLACEMENT WHEEL 1-1/2" DIA.4383-5116-5117-5119	15015 ECCENTR. REQ.	(4) REQUIRED	RUBBER	7.80	0.1
15017	WIPER BLADE FOR 5116 VAC. HEAD		(2) REQUIRED	VINYL	7.80	0.5
15038	COMPLETE WHEEL ASSEMBLY FOR SAUCER VAC. HEADS	(NYLON WHEELS)	(3) REQUIRED	BRASS	22.40	
15039	COMPLETE WHEEL ASSEMBLY FOR SAUCER VAC. HEADS	(RUBBER WHEELS) (STOCK ASSEMBLY)	(3) REQUIRED	BRASS	22.40	
15070	RUBBER BUMPER FOR 9" VAC. HEADS 4502 THROUGH 4506			RUBBER	14.55	0.1
15071	WRAP AROUND BRUSH 9" VAC. HEADS 4502 TO 4506 & 5204			NYLON	18.45	
15074	RUBBER BUMPER FOR 12" VAC. HEADS FOR 5060 & 5061			RUBBER	14.50	
15075	WRAP AROUND BRUSH 12" VAC. HEADS FOR 5060 & 5061			NYLON	19.15	
15076						
15080	HOSE SWIVEL 1-1/2" HOSE 4495 & 5117 VAC. HEADS			C/P/BR.	48.60	0.5
15090	FRONT BRUSH -NOTCHED- FOR 5066 VAC. HEAD			NYLON	12.85	0.2
15091	SIDE BRUSHES -SOLID- FOR 5066 VAC. HEAD			NYLON	12.85	0.2
15107-B	THREADED HANDLE ADAPTER 1"-8 FEMALE THREAD PAD. STYLE			B/CHR	27.75	0.5
15108-A	BOLTED HANDLE ADAPTER 1-1/4" DIA. HANDLES PAD. STYLE		ALUM 15.25	WH/AL	17.55	0.2
15108-B	BOLTED HANDLE ADAPTER 1-1/4" DIA. HANDLES PAD. STYLE		BRZE	B/CHR		0.6
15108-P	BOLTED HANDLE ADAPTER 1-1/4" DIA. HANDLES PAD. STYLE			CYCOL	9.65	
15113	COMPLETE BRUSH ASSEMBLY 13-1/2" LONG 5190 VAC. HEAD			NYLON	67.95	1.5
15114						
15116	SCRAPER BLADE FOR 5117 VAC HEAD			PLAST	7.05	
15122	COMPLETE BRUSH ASSEMBLY 9" LONG FOR 5117 VAC. HEAD		(1) REQUIRED	PL/ST	61.05	
15125	CARRIAGE BOLT 1/2"13 THD.3-1/2" LONG, SPLIT WASHER & HEX. NUT	PARTS FOR 15546 ASSY.	(2) REQUIRED	ST.ST.	21.20	
15127	BOLTED HANDLE ADAPTER DRAGLEAFERS & ASSIST HOOKS	(LESS FASTENERS)		B/ALUM	27.80	
15128	THREADED HANDLE ADAPTER-DRAGLEAFERS & ASSIST HOOKS			B/ALUM	28.00	
15130	BOLT & WING NUT FOR 1-1/4" DIA. EXTENSION HANDLES			ST.ST.	6.25	
15142	LADDER BOLT & NUT3/8-16 THRD.2-1/2" LONG	15286 3-1/4" LONG		ST.ST.	7.40	0.1
15153	CARRIAGE BOLT, WASHER & NUT 3/8-16 THREAD. 3" LONG	(FOR 5035 ASSY)		ST.ST.	7.65	0.6
15156	MALE INSERT FOR 1-1/4" DIA. EXTEN .HANDLE 1"8 DIA. THREAD.	MINIMUM ORDER 20 PIECES		BRASS	21.20	
15158	CARRIAGE BOLT, WASHER & NUT 3/8-16 THRD. 3-1/2" LONG	(FOR 5036 ASSY)	(AS REQUIRED)	ST.ST.	8.00	0.6
15160	FEMALE INSERT FOR 1-1/4" DIA EXTEN. HANDLE 1"8 THREAD	MINIMUM ORDER 20 PIECES		BRASS	26.95	
15162	FLAT TYPE THREADED ROPE EYE 5/8"-11 THRD.1" LONG	(5419 ASSEMBLY) 3" WIDE		C/P/B	44.55	0.5
15164	CARRIAGE BOLT WASHER & NUT 7/16-14 THREAD 2-1/2" LONG			ST.ST.	P.O.A.	
15165	REPLACEMENT BAG FOR 19" DRAGLEAFERS			NYLON	20.25	
15166	REPLACEMENT BAG FOR 24" DRAGLEAFERS			NYLON	21.20	
15167	PLASTIC PROTECTOR FOR 19" DRAGLEAFERS			PLAST		
15168	PLASTIC PROTECTOR FOR 24" DRAGLEAFERS			PLAST	P.O.A.	
15170	CARRIAGE BOLT, WASHER & NUT 7/16"-14 THRD.3" LONG	NO LONGER AVAILABLE		ST.ST.	20.25	
15171						
15183	REPLACEMENT WHEELS 2" DIA. FOR SUCTION VAC. HEADS		(AS REQUIRED)	NYLON	7.80	0.1
15184	REPLACEMENT WHEELS 2" DIA. FOR SUCTION VAC. HEADS		(AS REQUIRED)	RUBBER	9.10	0.2
15192	COMPLETE BRUSH ASSEMBLY 14-5/8" LONG 4393-4394			NYLON	67.50	0.6
15237-38	REPLACEMENT WHEELS 2" DIA. 4387-4388-4480-4481	(2) REQUIRED SPECIFY		NYLON OR RUBBER	9.10	
15252	COMPLETE WHEEL ASSEMBLY WY 3/4" LONG BOLT 5068-5069	RUBBER WHEELS (SYLVAN POOLS)		PRICE PER (3) PC	BRASS	41.60
15253	COMPLETE WHEEL ASSEMBLY WY 1" LONG BOLT 5068-5069	RUBBER WHEELS (SYLVAN POOLS)		PRICE PER (3) PC	BRASS	41.60 0.3
15286	LADDER BOLT & NUT 3/8"-16 THREAD 3-1/4" LONG			ST.ST.	8.20	0.1
*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED						
*FOUNTAIN ACCESSORIES ARE AVAILABLE IN A BLACK OXIDE FINISH - ON SPECIAL ORDERS AS INDICATED						
*STANCHION ASSEMBLIES: INDICATE-DECK TO WATER LEVEL. HGT. ABOVE DECK & DEPTH OF SOCKET						
PAGE 25						PAGE 25
NJ (201) 339-1351-2-3			STANDARD BRONZE COMPANY		NY (212) 267-6738 FAX (201) 339-3492	

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
15290	DOUBLE BRIDLE ASSY (FOR 5116 TOW MODEL CONVERSION)	(OLD 15006)	NEW	(1) REQUIRED	POLY	32.55 1.3
15295	BRIDLE ADAPTER ASSY (FOR 5116 TOW MODEL CONVERSION)	(OLD 15006)		PRICED PER PAIR	BRASS	20.15
15296						
15297	WRAP AROUND BRUSH 12" SIZE (FOR 6040 VAC. HEAD)				NYLON	20.15
15298	REPLACEMENT SCRAPER BLADE(FOR21220-21221 SKIMMERS)				VINYL	0.2
15299	THREAD HANDLE ADAPTER 1"-8 FEMALE CONN. LEAF SKIMMERS	LESS FASTENERS			B/ALUM	31.90 0.4
15300						
15305	BOLTED HANDLE SWIVEL REPLACEMENT " ROLO-VAC.5076	P.O.A.		B/ALUM	BRZE	0.5
15306	RETAINER PAD ROLLERS (FOR 5076 VACUUM HEAD)	P.O.A.	(4) REQUIRED	ALUM	BRASS	0.1
15307-A	REPLACEMENT ROLLERS (FOR 5076 VACUUM HEAD)			(2) REQUIRED	NYLON	36.50 0.3
15307-SP	REPLACEMENT ROLLERS FOR OTHER MANUFACTURERS	SAMPLE REQUIRED		(2) REQUIRED	NYLON	27.75 0.3
15308	WHEEL AXLE ASSY WY WASHER & NUT (FOR 5990 VAC. HEAD)	OBSELETE	SEE 15014	(4) REQUIRED	ST.ST.	
15310						
15325-A	BOLTED HANDLE SWIVEL FOR 1-1/2" HANDLES	LESS BOLTS & NUTS			B/ALUM	28.00 0.4
15325-B	BOLTED HANDLE SWIVEL FOR 1-1/2" HANDLES			BRZE	B/CHR	43.75 0.9
15327	FASTENERS CARRIAGE BOLTS, WASHERS & NUTS ASSEMBLY	(FOR 6676 SOCKET)			ST.ST.	19.15 0.6
15335	REPLACEMENT WHEEL 2" DIA. (FOR 5990 VAC. HEAD)		(4) REQUIRED (WITH 4 NO.15015 ECCENTRICS)		NYLON	9.25 0.1
15337						
15346	MALE INSERT FOR 1-1/2" DIA. EXTEN HANDLE 1"8 DIA THREAD		MINIMUM ORDER 20 PIECES		BRASS	36.15
15347	FEMALE INSERT FOR 1-1/2" DIA EXTEN. HANDLE 1"8 THREAD		MINIMUM ORDER 20 PIECES		BRASS	39.80
15348	SQUARE STRAINER 12" SQUARE(2) HOLE MOUNT FOR 5379-5439 ASSY	5439 ASSY. FITS	FROST 1/4" THICK	GL/BRZ	308.40	C/P/B 368.60 6.3
15349	RECTANGULAR STRAINER 3" X 24" (FOR 4620 ASSY.)	(REF.DRWG.5004)		GL/BRZ		252.60 2.6
15351						
15358	ST.ST. BOLT & ALUM WING NUT (FOR 1-1/2" DIA. EXTENSION HANDLES)		(2) REQUIRED		ST/AL	7.10 0.5
15400-WA	COMPLETE WEDGE ASSEMBLY SEE 15404 WA	(5/16"-18 THREAD)			BR	16.90 0.4
15404-WA	COMPLETE WEDGE ASSEMBLY (FOR 5720-5721 ANCHORS)	5/16"-18 THREAD	WITH BOLT & WASHER		BR	16.90 0.4
15405-WA	COMPLETE WEDGE ASSEMBLY (FOR 4298 ANCHORS)	W/BOLT & WASHER			BR	22.35 0.5
15406-WA	COMPLETE WEDGE ASSEMBLY (FOR 4400-4401 ANCHORS)	5/16"-18 THREAD	WITH BOLT & WASHER		BR	18.60 0.4
15410	REPLACEMENT STRAINER 4-3/4" DIA. (4255-6619) DROP IN					0.4
15411	REPLACEMENT OUTER RING (FOR 4255-4256 DRAINS)	(REF.DRWG.507)			C/P/B	63.75 0.5
15412-WA	COMPLETE WEDGE ASSEMBLY (FOR 5041 ANCHOR)				BRZE	22.85
15414-WA	COMPLETE WEDGE ASSEMBLY (FOR 3901-4031-4220 ANCHORS)	7/16"-14 THREAD.	(WEDGE ONLY21057-R)		BRZE	26.25
15415						
15416	COMPLETE WEDGE ASSEMBLY (FOR 3977 ANCHOR)				BRZE	17.45
15542	SPECIAL BOLT 7/16-14 THREAD (USED WY.4027 COVER PLATE)		REQ. FOR 4030 STOP COLLAR ASSEMBLY		ST.ST.	26.25
15546	CLAMP FLANGE ONLY (FOR 5772 DIVING STAND SOCKET)		REPLACEMENT HDWE # 15125		SA/CHR	136.75
15547						
15550	CLOSURE PLUG (FOR 4034 ANCHOR)		*SEE FOOTNOTE		ST.ST.	10.90
15551	REPLACEMENT STRAINER 2-3/8" X 9-5/8"	4149-50 ASSEMBLY		GL/BRZ	85.05	C/P/B 96.70 0.6
15552	REPLACEMENT STRAINER 3-3/4" X 11-3/4"	(5365 ASSEMBLY)	(REF. DRWG. 5471)	GL/BRZ	148.60	C/P/B 166.55 2.2
15557-FP	DIFFUSER FACEPLATE 4-3/4" SQUARE (FOR 5857 INLET)		(REF. DRWG. 5133-R)		WH/BRZ	178.95
15557-RG	GASKET ONLY (FOR 6630 SPRAY INLET)				RUBBER	9.65
15558	CONTROL VALVE STEM (FOR 5857 INLET)				BRZE	77.10
15575	FACEPLATE (FOR RECIRCULATING WALL INLET NO. 4237)	REPLACEMENT PART			C/P/B	P.O.A. 0.9
15576	FACEPLATE ONLY FOR 4742 SPRAY INLET		(REF.DRWG.5074)		C/P/B	107.65
15578-A	COMPLETE CAP ASSY. (FOR 4837-4838-4839-5125 INLETS)	WITH 180' SLOT	(REF. DRWG. 5009)		C/P/B	66.20
15578-B	AS ABOVE WITH 360' SLOTS				C/P/B	
15579-A	COMPLETE CAP ASSY. (FOR 4842 & 4843 INLETS)	WITH 180' SLOT	(REF. DRWG. 5008)		C/P/B	141.90
15579-B	AS ABOVE WITH 360' SLOTS				C/P/B	146.00
15603	DIFFUSER PLATE 6" SQUARE (FOR 5858 INLET)	(REF.DRWG.5133-R)			C/P/B	205.10 0.3
15604	CONTROL VALVE STEM (FOR 5858 INLET)				BRZE	
15606						
15607	REPLACEMENT SQUEEGEE BLADE 12" LONG 3981-3986				RUBBER	31.25 0.6
15608	REPLACEMENT SQUEEGEE BLADE 24" LONG 3983-4303				RUBBER	48.25 1.2
15609	REPLACEMENT ALGAE BRUSH ST/STEEL 5" LONG				POLY	35.65 0.2
15610	REPLACEMENT ALGAE BRUSH ST/STEEL 9" LONG				POLY	46.90 0.4
15611					RUBBER	1.2
15613	REPLACEMENT WHEEL 2" DIA. (FOR 5990 VAC. HEAD)	15015 ECCEN. REQ.		(4) REQUIRED	RUBBER	0.1
15615	REPLACEMENT 3 PC. NYLON BALL ASSY. 4656-57-58-60	5/8"-3/4"-1" HOLE	REF.DRWG.DRWG.5011 & 5226		NYLON	65.45
15731	SCRAPER BLADE (FOR 21220 &2121 LEAF SKIMMERS)				VINYL	13.75 0.1
15732	SCRAPER BLADE (FOR5235,5279,17536-17583 LEAF SKIMMERS)				VINYL	13.85 0.2
15733	REPLACEMENT BAG (FOR 5235 & 5279 LEAF SKIMMERS)				NYLON	20.60 0.5
15735	REPLACEMENT CAP (FOR 1417-3569 & 3668 DECK SOCKETS)				C/P/B	54.15 0.6
15736	REPLACEMENT CAP (FOR 3568 DECK SOCKET)	SPECIAL ORDER			C/P/B	56.50
15739	REPLACEMENT CAP (FOR 3585 DECK SOCKET)				C/P/B	
15740						
15741	REPLACEMENT STRAINER 9" X 9" 1/4" THICK	SPECIAL ORDER			GL BRZ	
15750	REPLACEMENT BRUSH 19" (FOR 5990 VAC. HEAD)		(NYLON BRISTLES)	EXPENDABLE	P.V.C.	88.45 0.6
15752	EXPENDABLE BRUSH ONLY 29-1/4" LONG. (FOR 15769 ASSY)	(NEW 6900-6904)	(NYLON BRISTLES)		P.V.C.	109.20 0.4
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED					
	*FITTINGS AVAILABLE IN CAST YELLOW BRASS, MANGANESE BRONZE GOLDEN & VALVE BRZ. RED IN A VARIETY OF FINISHES					
PAGE 26	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL					PAGE 26

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.
15754	19-3/4" LONG EXPENDABLE BRUSH ONLY FOR 15770 ASSY.	NEW 7000	NYLON BRISTLES			P.V.C.	90.35	0.3
15757	HOSE ADAPTER FLANGE FOR 5990 VAC. HEAD					BRZE	23.60	0.2
15758								
15760	4" X 12" REPLACEMENT STRAINER GRATE FOR 5234 DRAIN			P/BRZE	150.30	C/P/B	165.75	2.4
15769	29-1/4" LONG COMPLETE BRUSH ASSY. FOR 6900-6904 VAC. HDS.	NEW FOR 6900	EXPENDABLE BRUSH 15752			BRZE	288.90	3.5
15770	21-1/4" LONG COMPLETE BRUSH ASSY. FOR 7000 VAC HD.	NEW EXPENDABLE BRUSH				BRZE	237.60	2.6
15780	1/2"-13 THREADED ROPE EYE 2" LONG	4228-TE				C/P/B	22.85	0.3
15782	7/16"-14 THREADED ROPE EYE 2" LONG	4228-TE	(SPECIAL ORDER)			C/P/B		0.3
15783	SWIVEL SOCKET ASSEMBLY FOR 5028 LADDER SOCKETS		(DRWGS.5485-5486)	AS REQUIRED		C/P/B		1.4
15786	COMPRESSION PLUG FOR 5028 LADDER SOCKETS		(DRWGS.5485-5486)	AS REQUIRED		RUBBER		0.2
15787								
15789	ANCHOR INSERT ONLY 1-1/2" PIPE WITH TAPPED HOLE	5025-5028	(DRWGS.5430-5486)	AS REQUIRED		C/P/B		1.5
15790	ANCHOR INSERT ONLY 1-1/2" PIPE PLAIN	5025-5028	(DRWGS.5430-5485)	AS REQUIRED		C/P/B		1.4
15796-C	RETAINING PIN WY. CHAIN 5025-5028 LADDER SOCKETS	P.O.A.	REF.DRWG.5430-A-5486			ST.ST.		0.3
15821	BRUSH REBRISTLED OUR FACTORY 14-5/8" 6801 VAC. HEAD	TUEC 0-618-A	TUEC ORIG.			BRZE	145.50	
15822	BRUSH REBRISTLED OUR FACTORY 21-1/4" 7000 VAC. HEAD	TUEC 0-643-A	(SEE NEW 15770 ASSY)	TUEC ORIG.		BRZE	199.50	2.8
15823	BRUSH REBRISTLED OUR FACTORY 18-1/4" 6700 VAC. HEAD	TUEC 0-703-A		TUEC ORIG.		BRZE	191.70	1.3
15824	BRUSH REBRISTLED OUR FACTORY 29-1/4" 6900-04 VACS	TUEC 0-904-A	(SEE NEW 15769 ASSY)	TUEC ORIG.		BRZE	269.40	4.8
15825	BRUSH REBRISTLED AT OUR FACTORY 17" 7100 VAC. HEAD	TUEC 0-1103-A	SEE NEW 16004-C ASSY	TUEC ORIG.		BRZE	162.75	2.0
15826	MALE HOSE TERMINAL 1-3/4" TAPER X 1-1/2" HOSE CONN	TUEC 0-193	(REF.DRWG.5161)			BRZE	72.35	1.0
15827	MALE HOSE TERMINAL 2" TAPER X 2" HOSE CONN.4708	TUEC 0-673	(REF.DRWG.5161)			BRZE	79.20	1.6
15828	FEMALE HOSE TERM.1-3/4" TAPER X 1-1/2" HOSE INSERT	TUEC 0-157	(SPECIAL ORDER)			BRZE	100.35	0.8
15829	FEMALE HOSE CONN 2" TAPER X 1-1/2" HOSE INSERT	TUEC 0-676	(SPECIAL ORDER)			BRZE	124.50	2.0
15832-A	125 FT. TOW ROPE ASSEMBLY WITH SNAP SWIVEL HOOK		REQUIRED ON ALL TOW MODEL VAC. HEADS	(2) REQUIRED		POLY	109.95	3.8
15832-B	150 FT. TOW ROPE ASSEMBLY WITH SNAP SWIVEL HOOK			(2) REQUIRED		POLY	120.65	5.4
15832-C	200 FT. TOW ROPE ASSEMBLY WITH SNAP SWIVEL HOOK		SPECIAL LENGTHS TO ORDER	(2) REQUIRED		POLY	145.50	6.1
15832-D	250 FT. TOW ROPE ASSEMBLY WITH SNAP SWIVEL HOOK		SPECIAL ORDER	(2) REQUIRED		POLY		7.6
15834	DETACHABLE BRIDLES WITH SNAP SWIVEL HOOKS		FOR TUEC TOW MODEL VAC. HEADS	(2) REQUIRED		POLY	39.90	0.7
15841	18-1/4" LONG REPLACEMENT BRUSH FOR 6700 VAC HEAD	TUEC 0-703-A	TUEC ORIG.			BRZE	247.15	1.3
15844	1-5/8" DIA.REPLACEMENT WHEELS 6700-6801-7100-7300 VAC HDS.	TUEC 0-706 R-W		AS REQUIRED		RUBBER	9.25	0.3
15845	1-5/8" DIA.REPLACEMENT WHEELS 6700-6801-7100-7300 VAC HDS.	TUEC 0-706 N-W		AS REQUIRED		NYLON	9.25	
15853	2" DIA REPLACEMENT WHEELS FOR 6900-6904 VAC HDS.	TUEC 0-903-R	STOCK			RUBBER	9.25	
15854								
15856	29-1/4" LONG REPLACEMENT BRUSH FOR 6900-6904 VAC HDS.	TUEC 0-904-A	(SEE NEW 15769)			BRZE	494.45	4.8
15859	BRUSH CLIPS FOR 6900,7100 & 7300 VAC. HEADS		NEW	AS REQUIRED		ST.ST.	9.80	
15863	REPLACEMENT WHEEL AXLE 6900			(4) REQUIRED		ST.ST.	6.60	
15868	21-1/4" LONG REPLACEMENT BRUSH FOR 7000 VAC HD.	TUEC 0-643-A	(SEE NEW 15770)			BRZE	338.05	2.8
15869								
15871	1-3/4" DIA.REPLACEMENT WHEELS FOR 7000 VAC HD.	TUEC 0-671	TUEC ORIG.	(6) REQUIRED		NYLON	9.70	
15877	17" LONG REPLACEMENT BRUSH FOR 7100 VAC HD.	TUEC 0-1103-A	(SEE NEW 16004-C)			BRZE	276.05	2.0
15883	MALE HOSE TERMINAL 1-3/4" TAPER X 2" HOSE CONN.	TUEC 0-674	(REF.DRWG.5161)			SPECIAL ORDER		
15887	18" DOUBLE ROW REPLACEMENT BRUSH 6164-65 BRUSHES	TUEC 0-685				BRZE	268.40	2.0
15900	STRAINER BASKET 6169-6172 HAIR & LINT STRAINERS					CYCOL	P.O.A.	
15902	2" TAPER X 2" FPS WALL INLET	TUEC 0-672	TUEC ORIG.	(SEE NEW 6091)		BRZE	79.20	2.1
15903	TAPERED PLUG 2" TAPER FOR 15902 & 15973 INLET	TUEC 0-675	TUEC ORIG.			BRZE	71.90	1.1
15904	REPLACEMENT DEFLECTOR PLATE (FOR 7100 VAC. HEAD)			(2) REQUIRED		ST.ST.	85.90	0.9
15906	1-3/4" TAPER X 2" MPS WALL INLET	TUEC 0-622	TUEC ORIG.	(SEE NEW 6091)		BRZE	87.45	1.2
15907	1-3/4" TAPERED PLUG FOR ABOVE	TUEC 0-621	TUEC ORIG.			BRZE	51.70	0.8
15908	1-5/8" DIA REPLACEMENT WHEELS FOR 6700 VAC HD.			(2) REQUIRED		NYLON	9.25	
15909	COMPLETE REAR WHEEL CASTER ASSY. FOR 6700 VAC. HEAD	TUEC 0-704-AN	NYLON WHEELS	(1) REQUIRED				
15916	14-5/8"REPLACEMENT BRUSH FOR 6000 & 6801 VAC HDS.	TUEC 0-618-A	TUEC ORIG.			BRZE	254.45	1.5
15917	COMPLETE REAR WHEEL CASTER ASSY. FOR 6700 VAC. HEAD	TUEC 0-704-AR	RUBBER WHEELS	(1) REQUIRED		BRZE	90.35	
15924	MALE HOSE TERMINAL 2" TAPER X 1-1/2" HOSE CONN.	TUEC 0-194	(REF. DRWG 5162)	SPECIAL ORDER		BRZE	135.70	1.3
15926	REPLACEMENT BAG FOR21220 &21221 LEAF SKIMMERS					NYLON	23.50	
15929	REPLACEMENT GRIP NUT FOR WHEEL ASSEMBLY 6900			(4) REQUIRED		ST.ST.	2.30	
15938	1-5/8" DIA REPLACEMENT WHEELS FOR 6700 VAC HD.					RUBBER		
15940	HOSE TERMINAL "O" RING 1-1/2" MPS X 1-1/2" HOSE CONN.	SHORT SUPPLY	(SEE 15981 SERIES)			BR		
15941								
15947	REPLACEMENT BAG FOR 17536 & 17583 LEAF SKIMMERS					NYLON	21.75	
15951	PUMP HOSE TERMINAL 1-1/2" MPT.X 1-1/2" HOSE CONN.	TUEC 0-57-A	(WITH 5550 ADAPTER)			BRZE	125.00	1.5
15952	PUMP HOSE TERMINAL 2" MPT.X 1-1/2" HOSE CONN.	TUEC 0-58-A	(WITH 5551 ADAPTER)			BRZE	156.55	2.6
15953	PUMP HOSE TERMINAL 2" MPT.X 2" HOSE CONN.	TUEC 0-59-A	(WITH 5551 ADAPTER)			BRZE	151.05	2.6
15954-A	HANDLE CONN.1-1/2" DIA. TUBE WITH BOLTS & W/NUTS	15358-BOLT & W/NUT	SPECIAL ORDER			B/ALUM	44.55	0.8
15954-B	HANDLE CONN.1-1/2" DIA. TUBE WITH BOLTS & W/NUTS	15358-BOLT & W/NUT					66.20	2.0
15956	1-3/4" DIA REPLACEMENT WHEELS FOR 7000 VACUUM HEAD		STOCK	(6) REQUIRED		RUBBER	9.25	
15962	2" MPT COMPRESSION TYPE HEXAGON NUT			SPECIAL ORDER		WR/CU		
15970	REPLACEMENT - WHEEL AXLE FOR 7000 BODY	TUEC 0-645	(2) REQUIRED			ST.ST.	6.55	
15971	REPLACEMENT - WHEEL AXLE FOR 7000 FRAME	TUEC 0-646	(4) REQUIRED			ST.ST.	6.55	
15973	2" TAPER X 2" MPS WALL INLET	TUEC 0-672	SEE NEW 6091			BRZE	85.35	2.3
15981	MALE SPANNER SWIVEL "O" RING 1-1/2" MPS X 1-1/2" HOSE	TUEC 0-74	FOR BELOW WATER LEVEL			BRZE	78.40	1.2
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED							
PAGE 27	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL							PAGE 27
	NJ (201) 339-1351-2-3		STANDARD BRONZE COMPANY			NY (212) 267-6738	FAX (201) 339-3492	

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.
15982	MALE SPANNER SWIVEL "O" RING 2" MPS X 1-1/2" HOSE	TUEC	0-74 -B			BRZE	115.95	1.8
15983	MALE SPANN. HOSE SWIVEL "O" RING 2" MPS X 2" HOSE	TUEC	0-77			BRZE	135.55	1.7
15984								
15995	REPLACEMENT DEFLECTOR PLATE FOR 7300 VAC. HEAD			(2) REQUIRED		ST.ST.	107.60	1.1
15996-C	REPLACEMENT BRUSH WITH CLIPS 23"FOR 7300 VAC. HEAD	NEW TUEC	EXPENDABLE			P.V.C.	119.80	0.6
15997	SCREWS FOR DEFLECTOR PLATE FOR 7100 VAC HEAD						1.35	
15998	3/8" HEX JAM NUT FOR 7300 VAC HEAD							
15999	WHEEL AXLE & NUT FOR 7100 VAC HEAD						5.25	
16000								
16004-C	REPLACEMENT BRUSH WITH CLIPS 17"FOR 7100 VAC. HEAD	NEW TUEC	EXPENDABLE			P.V.C.	119.10	0.5
16019-SP	2" DIAREPLACEMENT WHEELS FOR 6900-6904 VAC HDS.	TUEC	0-903-N	(4) REQUIRED		NYLON		
16100-WC	GAS ENGINE PUMPS WITH WHEEL CARTS TUEC SERIES	SPECIAL ORDER	AVAILABLE IN 3-5-7 & 8 HP SIZES					
16101-WC	ELECTRIC PUMPS ELECTRIC MOTOR PUMPS	SPECIAL ORDER	AVAILABLE IN VARIOUS SIZES					
17005	REPLACEMENT HEX NUT FOR 1" TUBE BUCK ANCHORS					CHR	56.40	
17006	SPLIT COMPRESSION RING FOR 1" TUBE BUCK ANCHORS	1-7/16" THREAD	3902-3910 ASSEMBLIES			ST.ST.	5.80	
17007	CLOSURE PLUG 1/2"-13 THREAD 5656 & 5657 ANCHORS		(REF.DRWG.5414)			ST.ST.	14.80	
17012	TOP CLAMP FLANGE REPLACEMENT PART 5041 ANCHOR	(REF.DRWG.5306-R)			122.50	CHR	133.65	1.6
17013								
17017	ADJ. TOP PLATE 1/2"-13 THREAD WITH GASKET 4692 & 4693	(SEE ALSO 17,019REF.DRWG.5306-R)				C/P/B	92.15	0.8
17019-SP	AS ABOVE 9/16"-12 THREAD LONDON REPLACEMENT	SPECIAL ORDER	(SEE ALSO21428-SP)			C/P/B		0.9
				*SEE FOOTNOTE				
17020	SKIMMER EQUALIZER FLAP ASSEMBLY	SPECIAL ORDER				BRZE	39.05	0.8
17035	NEOPRENE SEALING GASKET FOR 4742 SPRAY INLET					NEO.	7.70	
17042	REPLACEMENT PLATE 8-1/4" DIAMETER 4585 ASSY.	(4860-4861 ASSY)	(REF.DRWG.5473)		80.25	GL/BRZ	133.95	2.7
17043	REPLAC. COVER PLATE 9-1/8" OVERALL 4304 & ASSY.	((NON STOCK STD.))				GL/BRZ	138.90	3.5
17044	REPLACEMENT PLATE 6-1/2" DIAMETER 4584 & ASSY.				112.20	C/P/B	122.75	1.9
17048	REPL. HEX. NUT 2" MPS 7/8" THRD.1-1/2" BUCK ANCHORS	(REF. DRWG.5216)	(SEE ALSO21007)		54.30	C/P/B	62.45	
17400	COMPLETE LADDER SOCKET INSERT ASSY.5025 PLAIN	SPECIFY A-B-C OR D	(REF.DRWG.5427-30)	AS REQUIRED		OBSOLETE		
17401	AS ABOVE FOR 5025 ASSY. WITH RETAINING PIN HOLE	SPECIFY A-B-C OR D	(REF.DRWG.5427-30)	AS REQUIRED		OBSOLETE		
17502	2-1/2" DIA ADJUSTABLE FACEPLATE ASSY. TEAR DROP	(2) PLATES & CENTER SCREW				CHR	27.95	
17503	2-1/2" DIA NON-ADJ. FACEPLATE ASSY. TEAR DROP					CHR	16.90	
17504	3-1/16" DIA ADJUSTABLE FACE TOP PLATE ONLY					ST.ST.	20.25	
17506	3-1/16" DIA ADJUSTABLE FACEPLATE ASSY. TEAR DROP	(2) PLATES & CENTER SCREW				ST.ST.	35.20	
17507	3-1/16" DIA NON-ADJ. FACEPLATE ONLY TEAR DROP					ST.ST.	20.90	
17508								
17510	3-7/16" DIA ADJUSTABLE FACEPLATE ASSY. TEAR DROP	(2) PLATES & CENTER SCREW				ST.ST.	41.35	
17511	3-7/16" DIA NON-ADJ. FACEPLATE ONLY TEAR DROP					ST.ST.	22.35	
17512								
17515	PYREX TUBE FOR 1-1/4" SITE GLASSES			(1) REQUIRED		PYREX	55.10	
17516	PYREX TUBE FOR 1-1/2" SITE GLASSES					PYREX	61.95	
17517	PYREX TUBE FOR 2" SITE GLASSES					PYREX	64.25	
17519	COVER PLATE (FOR HAYWARD'S NO. SP-1425 BOTTOM INLET)	P.O.A.				C/P/B		2.6
17520	6" DIA STRAINER GRATE 4369-4610 SD					GL/BRZ	64.60	0.9
17521	8" DIA STRAINER GRATE 4614 SD				106.45	C/P/B	117.05	2.0
17522	5-1/8" DIASTRAINER GRATE DROP IN 4955-4956				66.15	C/P/B	75.35	0.8
17523	5-3/8" DIA STRAINER GRATE DROP IN 4296-4954	NON STOCK STD			66.15	C/P/B	76.55	0.8
17524	2" MPS ADJUSTING CAP (FOR 6764-6765 BOTTOM INLETS)	FITS SWIM QUIP 8416-5,NORCAL 2045-F USE 5791 WRENCH				C/P/B	88.45	1.1
17528	REPLACEMENT CAP (FOR HAYWARD'S SP-426-B BOTTOM INLET)	SPECIAL ORDER	2-9/16" 12 THREAD.			BRZ	P.O.A.	1.1
17529								
17533	1-1/2" MPT. PIPE PLUG RECESSED HEAD	SPECIAL ORDER				BRZ		
17534-SD	8" DIA.SCREW DOWN STRAINER GRATE FOR 5230-6626 SD)				110.65	C/P/B	121.30	
17535-SD	8" DIA SCREW DOWN STRAINER GRATE FOR 6625 SD	NON STOCK STD.			110.65	C/P/B	121.30	2.0
17536-B	"BIG DIPPER" BAG SKIMMER 1-1/4" BOLTED CONN.	WY. BOLTS & NUTS	REPL. SCRAPER 15732		15947	ALUM	110.25	1.5
17537								
17540	CLOSURE PLUG (FOR 6549 DECK ANCHOR)		(REF.DRWG.5120)			ST.ST.	P.O.A.	
17544	CLOSURE PLUG (FOR 6550 DECK ANCHOR)					ST.ST.	P.O.A.	
17546	"TEE" BOLT 1/2"-13 THREAD (FOR 6749-6750 DECK ANCHOR)		(DRWGS. 5121-5394)			C/P/B	75.05	0.7
17548	SPRING FOR 4350, 4352, 4353 HYDRO RELIEF VALVES						1.65	
17575	GROUND COLLAR FOR 2" PIPE FILL SPOUT WY ADJ. SCREW					BRZE		
17583-T	"BIG DIPPER" BAG SKIMMER 1"-8 FEMALE THREADED CONN.	(REPL. BAG 15,947)	(REPL. SCRAPER 15732)	(YMCA SPEC)		ALUM	144.80	1.7
17602	CAP WITH GASKET FOR 4350 HYDRO RELIEF VALVES 1"	(DRWG NO. 5005)	SPARE PARTS ARE AVAILABLE			BRZE	40.95	
17603	CAP WITH GASKET FOR 4352 HYDRO RELIEF VALVES 1-1/2"	(DRWG NO. 5005)	(ON SPECIAL ORDER)			BRZE	40.95	
17604	CAP WITH GASKET FOR 4353 HYDRO RELIEF VALVES 2"	(DRWG NO. 5005)				BRZE	40.95	
17605								
18000	HEXAGON HOSE SWIVEL 1-1/2" MPS X 1-1/2" HOSE		(DRWGS. 5044-5125)			BR	42.50	0.8
18001	HEXAGON HOSE SWIVEL 1-1/2" MPS X 1-1/4" HOSE		(DRWGS.5044-5125)			BR	46.15	0.9
18002	HEXAGON HOSE SWIVEL 2" MPS X 2" HOSE	(USE 4243 WRENCH)	(REF. DRWG.5044)			BRZE	69.45	1.2
18003	HEXAGON HOSE SWIVEL 2" MPS X 1-1/2" HOSE		(REF. DRWG.5044)			BR	76.40	1.4
18004	SPANNER HOSE SWIVEL 1-1/2" FPS X 1-1/2" HOSE	(USE 4243 WRENCH)				BR	58.80	0.8
18005	SPANNER HOSE SWIVEL 1-1/2" FPS X 1-1/4" HOSE		(REF. DRWG.5125)			BR	57.10	0.8
18006	SPANNER HOSE SWIVEL 2" FPS X 1-1/2" HOSE	(USE 4456 WRENCH)				BR	87.75	1.6
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED							
PAGE 28	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL						PAGE 28	
NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY			NY (212) 267-6738		FAX (201) 339-3492		

NUMBER	DESCRIPTION		FINISH	LIST EA	FINISH	LIST EA	WGT.		
18007	SPANNER HOSE SWIVEL 2" FPS X 2" HOSE	(USE 4456 WRENCH)	(REF. DRWG. 5306-R)		BR	89.40	1.6		
18008	SPANNER HOSE SWIVEL 1-1/2" MPS X 1-1/2" HOSE	(USE 4456 WRENCH)	(REF. DRWG. 5306-R)		BR	54.45	1.6		
18009	SPANNER HOSE SWIVEL 1-1/2" MPS X 1-1/4" HOSE				BR	57.60	1.7		
18010	SPANNER HOSE SWIVEL 2" MPS X 1-1/2" HOSE	(USE 4243 WRENCH)			BR	86.35	1.7		
18011	SPANNER HOSE SWIVEL 2" MPS X 2" HOSE				BR	85.70	1.7		
18016	3/8" DIA X 3-1/2" LONG ANCHOR PIN FOR 5041 ASSY.	OPTIONAL	(REF. DRWG. 5306-R)		BR	87.35	0.5		
18017									
18030	"DRAGLEAFER" 19" SIZE WY.1"-8 FEMALE THREADED CONN.	(REPL. BAG 15165)	(REPL. HANDLE 15,127)		ALUM	72.85			
18031	"DRAGLEAFER" 19" SIZE WY.1"-8 FEMALE THREADED CONN.	(REPL. BAG 15165)	(REPL. HANDLE 15128)		ALUM	75.15	1.4		
18032	"DRAGLEAFER" 24" SIZE WY.1-1/4" BOLTED HANDLE CONN.	(REPL. BAG 15166)			ALUM	76.75	1.5		
18033	"DRAGLEAFER" 24" SIZE WY.1"-8 FEMALE THREADED CONN.				ALUM	78.90	1.5		
18034	"DRAGLEAFER" 19" SIZE WY.PROTECTOR 1-1/4" BOLTED CONN.	(REPL. BAG 15165)			ALUM	83.25	1.5		
18035	"DRAGLEAFER" 19" SIZE WY.PROTECTOR 1"-8 FEMALE THREAD	(REPL. BAG 15128)			ALUM	86.25	1.4		
18036	"DRAGLEAFER" 24" SIZE WY.PROTECTOR 1-1/4" BOLTED CONN.		(REPL. HANDLE 15128)		ALUM	87.15	1.4		
18037	"DRAGLEAFER" 24" SIZE WY.PROTECTOR 1"-8 FEMALE THREAD	(REPL. BAG 15166)	(REPL. HANDLE 15127)		ALUM	90.15	1.5		
18038-SD	4-3/4" DIAMETER COVER PLATE FOR 5237 ASSEMBLY			GL/BRZ	74.15	C/P/B	82.45	0.5	
18039	7-5/16" DIAMETER COVER PLATE FOR 5345 ASSEMBLY	SPECIAL ORDER		GL/BRZ		C/P/B		1.1	
18039-A	7-5/16" DIA. PROX. COVER PLATE ONLY FOR POOL MISER	SPECIAL ORDER		GL/BRZ		C/P/B		0.5	
18040	BACK UP PLATE (FOR 4826 HOSE RACK)					B/ALUM	39.05	0.5	
18041	FENCE HOOK WITH WASHER & NUT (FOR 4826 HOSE RACK)	SPECIAL ORDER				STEEL	12.90	4.0	
18046	4-3/4" DIA STRAINER GRATE FOR 5229 DRAIN			GL/BRZ	57.65	C/P/B	70.95	0.8	
18047									
18047-SD.	7-1/2" DIA STRAINER GRATE SCREW DOWN			GL/BRZ		C/P/B	117.60	1.5	
18048	5-1/4" DIA COVER PLATE (FOR 4341 DECK BOX)			GL/BRZ	55.20	C/P/B	62.90	1.2	
18049	2" X 2" X 5-3/8" ANGLE STRAINER GRATE	4743-4783 DRAINS	(REF. DRWG. 5020-R)	GL/BRZ	74.75	C/P/B	84.50	0.9	
18050	2-3/4" X 10" STRAINER GRATE FOR 5248-5249 DRAINS			GL/BRZ	81.40	C/P/B	90.95	2.4	
19003	6-7/16" DIA SPEC. STR. PLATE (FOR HAYWARD'S 1048-C)	ALSO 19010 & 19027	(3) HOLE MOUNT	SPECIAL ORDER		C/P/B			
19004	ADJ. INLET CAP FOR FROST 40661								
19015	7-1/4" DIA DROP IN STRAINER GRATE 5349 DRAIN			GL/BRZ	118.90	C/P/B	142.70		
19040-A	10" SQ. COVERPLATE (2) HOLE MOUNT FITS HAYWARD'S 1082-E &	1084-E	(REF. DRWG. 5481)	SPECIAL ORDER		GL BRZ	360.70	5.2	
19040-B	10" SQ. COVERPLATE (4) HOLE MOUNT (FOR 5833 ASSY.)		(REF. DRWG. 5452)			GL BRZ	338.55	5.2	
19040-C	10" SQ. COVERPLATE (4) HOLE MOUNT (FOR 7635 ASSY.)					GL BRZ			
19042									
19050-SP.	6-3/4" DIAMETER DRAIN STRAINER PLATE			SPECIAL ORDER		C/P/B		2.1	
19051-SP.	7-7/8" DIAMETER DRAIN STRAINER PLATE					C/P/B			
19052-SP	ADJUST. CAP ASSY. REPLACEMENT (JACUZZI) BOTTOM INLET	3-5/8" DIA.	(JACUZZI ARF-12-5)	SPECIAL ORDER		C/P/B		0.7	
19053-SP	ADJUST. CAP ASSY. REPLACEMENT (JACUZZI) BOTTOM INLET	4-1/4" DIA.	(JACUZZI ARF-20)	SPECIAL ORDER		C/P/B		1.2	
19054-SP	ADJUST. CAP REPLACEMENT 1-1/2" MPS FOR SWIMQUIP 8415-5	NORCAL 2044-F 1-1/2"	BOTTOM INLETS	SPECIAL ORDER		C/P/B	115.20	1.0	
19055-SP	DRAIN STRAINER PLATE 4-1/2" DIA. (WADE 5-S)			SPECIAL ORDER		C/P/B			
19058-SP	DRAIN STRAINER PLATE 7-5/8" DIA.					C/P/B			
19067	5-5/8" DIA. DRAIN GRATE			SPECIAL ORDER		C/P/B			
19068									
19071	4-7/16" DIA. DRAIN GRATE			SPECIAL ORDER		C/P/B			
19075-SP	8-3/4" DIA PROX. COVERPLATE (TO FIT HAYWARD SKIMMER)	P.O.A	SPECIAL ORDER	BRZE		C/P/B	P.O.A.	0.8	
19085-SP	10-7/8" DIAMETER DRAIN GRATE	USE 5245 PATTERN		SPECIAL ORDER		C/P/B		8.5	
21001	SLIP TYPE SOCKET 4-1/8" HIGH 2"-14THREAD. 1-1/4" PIPE	USE 5797 PLUG	(REF. DRWG. 5353)	BRZE	94.70	C/P/B	111.00	2.3	
21002	SPLIT COMPRESSION RING 1-1/4" PIPE BUCK ANCHORS					ST. ST.	5.80	1.6	
21007	REPL. HEX. NUT 2" FPS 7/8" THREAD 1-1/2" BUCK ANCHORS	REF. DRWG. 5216	(SEE ALSO P/N 17048)			B/BRZ	51.05	0.6	
21008	SPLIT COMPRESSION RING 1-1/2" PIPE BUCK ANCHOR					ST. ST.	5.80		
21021	CARR. BOLTS (POL. HEAD) 1/2" X 5-1/2" LG. WASHERS & NUTS	FOR 4411 PERSONALIZED BUTT PLATES		PRICED PER PAIR		ST. ST.	71.15		
21046	ADJ. SLIP FLANGE (WITH SET SCREWS) 1-1/2" PIPE (1.90")	SPECIAL ORDER		P/BRASS		C/P/B		1.5	
21050	ADJ. SLIP FLANGE (WITH SET SCREWS) 2" TUBE (2.00")	SPECIAL ORDER	(REF. DRWG. 5388)	P/BRASS		C/P/B		2.1	
21051	3-9/16" DIA. REPLACEMENT STRAINER		(FOR 4374-4375 ASSY)			C/P/B			
21052	ADJ. SLIP FLANGE 1-1/4" PIPE (1.66")	SPECIAL ORDER	(REF. DRWG. 5388)	P/BRASS		C/P/B		2.6	
21053	2" FPS 4" HIGH SLIP TYPE ANCHOR SOCKET 1-1/2" PIPE	(USE 5795 PLUG)	(REF. DRWG 5354)	BRZE	79.90	C/P/B	92.35	2.3	
21054	2" FPS 6" HIGH SLIP TYPE ANCHOR SOCKET 1-1/2" PIPE	(USE 5795 PLUG)		BRZE		C/P/B	109.65	3.6	
21055	2" FPS 9" HIGH SLIP TYPE ANCHOR SOCKET 1-1/2" PIPE	(USE 5795 PLUG)	NO LONGER AVAIL.	BRZE		C/P/B		5.3	
21057-R	WEDGE ONLY 4028 7/16"-14 THREAD (LESS HARDWARE)					BR	16.15		
21098	REPLACEMENT GASKET (FOR 4237 SPRAY INLETS)					NEO.		3.1	
21102	REPLACEMENT GASKET (FOR 4255-56, 6034-35 DRAINS)					NEO.	15.30	3.4	
21170	COVER PLATE (FOR 4342 & 4343 DECK BOXES)					ST. ST.		2.0	
21220	"SCOOPMASTER" JR 19" WIDE 1-1/4" DIA (BOLTED CONN)	WITH BOLTS & NUTS	(REPL. SCRAPER 15731)			ALUM	103.60	1.2	
21221	"SCOOPMASTER" JR. 19" WIDE 1"-8 (FEMALE THREADED CONN)	REPL. BAG 15,926	(REPL. HANDLE NO. 15299)			ALUM	130.10	1.6	
21300-SP	OUR STANDARD PENNANT ASSEMBLIES 12" WIDE X 18" LONG	(YMCA SPECS)	IN THIS SEQUENCE		BLUE-RED & WHITE	VINYL	P.O.A.		
21423	3-3/4" DIA ADJUSTABLE TOP PLATE ONLY (ROUND HOLES)	(LESS HARDWARE)				C/P/B		0.4	
21424	3-3/4" DIA ADJUSTABLE TOP PLATE ASSY. (ROUND HOLES)		4548-5449 ASSEM.			C/P/B		0.8	
21425	3-3/4" DIA. NON-ADJ. FACEPLATE (ROUND HOLES)		4374-4375 ASSEM.	(REF. DRG. 5447)		C/P/B		0.4	
21426	HANDLE COVER ADAPTER 1-1/2" BOLT X 1-5/16"-18 THREAD	SPECIAL ORDER	FRAME			B/BRZE			
21427-FR	2-3/4" X 3-3/16" REPLACEMENT COVER PLATE	SPECIAL ORDER	FROST-40048		GL/BRZ	C/P/B	111.20		
							112.70		
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED								
PAGE 29							PAGE 29		
NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY			NY (212) 267-6738		FAX (201) 339-3492			

