

Standard Bronze

www.StandardBronze.com

179 West 5th Street · Bayonne, NJ · 07002-0062

Phone: 201-339-1351 Fax: 201-339-3492

January 1, 2011 Price List

										01JAN11	
NUMBER	DESCRIPTION				FINISH	LIST EA	FINISH	LIST EA		WGT.	
660	1-1/2" MPS NON ADJ. FLANGED ADAPTER	SPECIAL ORDER	REF.DRWG.5164				C/P/B	47.55		0.4	
664	2" MPS NON ADJ. FLANGED ADAPTER	SPECIAL ORDER	REF.DRWG.5164				C/P/B	63.70		0.5	
665	2-1/2" MPS NON ADJ. FLANGED ADAPTER	SPECIAL ORDER	REF.DRWG.5164				C/P/B	96.35		1.1	
699	RECTANGULAR ROPE EYE						C/P/B	27.10		0.2	
706	OVAL ROPE EYE						C/P/B	P.O.A.		0.1	
708	2-1/2" DIA ROUND ROPE EYE 1-1/2" PROJ.		1-1/2 OD. X 1" 8-ID.				C/P/B	41.90		0.3	
710	5/8" LONG THREADED ROPE EYE 3/8"-16 THREAD		REF.DRWG.5282				C/P/B	30.00		0.2	
776	WALL SOCKET 1-1/2" PIPE (1.90")	NON STOCK STD.	DISCONTINUED		ALUM		WH/AL			0.6	
777-DAL	RD. DECK ANCHOR 1-1/2" PIPE (1.90")3/8" SQ. HOLE	STANDARD	DRWGS.5048 & 5369		ALUM	30.30	WH/AL	33.10		0.7	
777-DSP	AS ABOVE MACH. TO SUIT POOL COPING 3/8" SQ. HOLE	SPECIAL ORDER.	DRWG.No.5048				BRZE			0.7	
777-BR	RD. DECK ANCHOR 1-1/2" PIPE (1.90")1/2" DIA. HOLE	SPECIAL ORDER.			BRZE	58.00	C/P/B	71.95		2.0	
777-PL	BOTTOM ANCHOR PLATE 3" DIA. FOR ABOVE		SEE NEW 5540		ALUM	10.35	BRZE	15.55			
777-NG	NEO. SEALING GASKET 3" DIA. FOR ABOVE		SEE NEW 6877				RUBBER	2.70			
787-AL	RD. DECK ANCHOR 4" DIA 1-1/2"(1.90)WITH CROSS HOLE	DISCONTINUED	REF.DRWG.5050		ALUM					0.7	
788-AL	ROUND DECK ANCHOR 5-1/4" DIA. 1-1/2" PIPE (1.90")	(4) HOLE MOUNT	REF.DRWG.5051		ALUM	83.05	WH/AL	106.70		2.0	
788-BR	ROUND DECK ANCHOR 5-1/4" DIA. 1-1/2" PIPE (1.90")	NON-STOCK STD.			BRZE	148.55	C/P/B	173.10		6.8	
789-DAL	RECTANGULAR DECK ANCHOR 3" X 4-1/8"1-1/2 PIPE (1.90")	(4) HOLE MOUNT	DRWGS.5049 & 5372		ALUM	31.65	WH/AL	34.45		0.7	
789-BR	RECTANGULAR DECK ANCHOR 3"X 4-1/8" 1-1/2"PIPE (1.90")	NON-STOCK STD.	REF.DRWG.5372		BRZ	70.25	C/P/B	80.30		1.9	
789-PL	BOTTOM ANCHOR PLATE FOR ABOVE.	SEE NEW 6878			ALUM	33.90	BRZE	43.45			
804	BAR SUPPLIES AND RAILING FITTINGS		INFO ON REQUEST		BRASS						
847-DAL	SLOPED RD. DECK ANCHOR 1-1/2" PIPE (1.90")3/8" SQ. HOLE	STANDARD	DRWGS.5048 & 5370		ALUM	27.75	WH/AL	30.40		0.8	
847-DSP	AS ABOVE MACH'D TO SUIT POOL COPING 3/8" SQ. HOLE	SPECIAL ORDER.	P.O.A.		ALUM		WH/AL			0.8	
847-BR	SLOPED RD. DECK ANCHOR 1-1/2" PIPE (1.90")1/2" DIA. HOLE	SPECIAL ORDER.	NOT IN PRODUCTION		BRZE		C/P/B			2.6	
855	1-1/4" MPS NON ADJ. FLANGED ADAPTER	SPECIAL ORDER.					C/P/B	97.00		0.5	
866	1-1/4" MPS ADJ. FLANGED ADAPTER	SPECIAL ORDER.					C/P/B	122.85		0.6	
905	FLOOR FLANGES 3/8" THROUGH 4" PIPE SIZES	INFO. ON REQUEST			ALUM		BRZE			N/A	
970	ANCHOR DOOR KNOCKER	INFO. ON REQUEST					P/BR			N/A	
1133-S	"RANCHMASTER" MAIL BOX WITH MAGAZINE STRAPS	PATENTED	INFO ON REQUEST		SW. IRON		P/BR			N/A	
1342	1-3/8" DIA. MONUMENT MARKER						S/BRZ			N/A	
1343	2" DIA. MONUMENT MARKER									N/A	
1344	2-1/2" DIA. MONUMENT MARKER						S/BRZ			N/A	
1416-B	ROPE HOOK PLUG BAYONET LOCK 1-1/2" PIPE (1.90")						ST. ST.			N/A	
1417-B	BAYONET TYPE DECK SOCKET 1-1/2" PIPE WITH PLUG	REF DRWG.5314					C/P/B			N/A	
1418-B	DECK STANCHION BAYONET LOCK 1-1/2" PIPE (1.90")						ST. ST.			N/A	
1419	STANCHION ASSEMBLY 1-1/2" PIPE (1.90")OLD 6920	REMOVABLE TOP EYE				REF.DRWG.5205	ST. ST.			N/A	
1420	CENTER STANCHION 2" TUBE (2.00")						ST. ST.			N/A	
1442	1-1/4" DIA. MONUMENT MARKER						S/BRZ			N/A	
1651	"MERMAID" DOOR PULL		INFO ON REQUEST				C/P/B			1.8	
1940	TRI-NUT 1/2"-13 THREAD (USE 1941 SPANNER WRENCH)						BRZE			N/A	
2020-HB	DECORATIVE GARDEN FAUCETS	INFO. ON REQUEST			VERDI		P/BR.			N/A	
2126	SCALLOPED FONT BASIN 4" X 10" 5-5/8" PROJ.	WATER BALANCED			VERDI		OX/BRZ	417.65		6.2	
2236-F	9" HIGH BENGAL TIGER HEAD FONT 2-1/2" PROJ.	3/4" SLIP HOLE	NON STOCK STD.		VERDI	361.80	OX/BRZ	356.15		7.0	
2238-F	8-1/4" HIGH LIONS HEAD FONT 3-3/4" PROJ.	3/4" SLIP HOLE	NON STOCK STD.		VERDI		OX/BRZ	334.55		6.0	
2240-F	3-5/8" HIGH LIONS HEAD FONT 1-7/8" PROJ.	1/2" SLIP HOLE	NON STOCK STD.		VERDI	103.00	OX/BRZ	71.60		0.9	
2241-F	4-3/4" HIGH LIONS HEAD FONT 2-1/4" PROJ.	5/8" SLIP HOLE			VERDI	104.20	OX/BRZ	90.05		1.4	
2242-F	6-1/2" HIGH LIONS HEAD FONT 2-3/4" PROJ.	3/4" SLIP HOLE			VERDI	167.60	OX/BRZ	156.15		3.0	
2243-F	8" HIGH LIONS HEAD FONT 3" PROJ.	3/4" SLIP HOLE			VERDI	214.45	OX/BRZ	205.05		5.0	
2382-RBH	DECORATIVE ROSE BUD HOOKS	INFO. ON REQUEST					P/BR			P.O.A.	
3020	LE MODERNE SHELF BRACKETS,3"-5"-7"-9"-11" SIZES	INFO. ON REQUEST					P/BR			P.O.A.	
3087	4-3/8" X 17-5/8" SCALLOPED FONT BASIN 9-1/2"PROJ.	(WATER BALANCED)			VERDI	1205.00	OX/BRZ	1185.30		18.0	
3320	1-1/4" FPT SIDE OUTLET BELL TRAP DRAIN	REPL. STR.17403	DISCONTINUED							N/A	
3321	1-1/4" FPT BOTTOM OUTLET BELL TRAP DRAIN	REPL. STR.17403	DISCONTINUED							N/A	
3322	1-1/2" FPT BOTTOM OUTLET BELL TRAP DRAIN	REPL. STR.17404	DISCONTINUED							N/A	
3323	2" FPT BOTTOM OUTLET BELL TRAP DRAIN	REPL STR.17404	DISCONTINUED							N/A	
3324-F	11-5/8" HIGH LIONS HEAD FONT 4-1/4" PROJ.	3/4" SLIP HOLE	NON STOCK STD.		VERDI		OX/BRZ	676.45		15.0	
3325-F	17-1/2" HIGH DOLPHIN FONT 4-1/4" PROJ.	3/4" SLIP HOLE	NON STOCK STD.		VERDI	711.30	OX/BRZ	685.15			
3326-F	15" HIGH BANJO CATFISH FONT 3-3/4"PROJ.	3/4" SLIP HOLE	NON STOCK STD.		VERDI	443.65	OX/BRZ	405.65		8.0	
3327-F	7" HIGH BANJO CATFISH HEAD FONT 4"PROJ.	3/4" SLIP HOLE	NON STOCK STD.		VERDI	376.70	OX/BRZ	359.60		8.0	
3330											
3344	BELL ESCUT. 1" TUBE (1.00") (FOR SLIP & BUCK ANCHORS)	3" DIA. OD.	(YMCA SPEC)		P/BR		C/P/B	47.15		3.4	
3568-N	DECK ANCHOR WITH PLUG 1-1/2" TUBE (1.50")	REPL. PLUG 15736	(REF.DRWG.5431)		P/BR		C/P/B	211.05		0.2	
3569	DECK ANCHOR WITH PLUG 2" TUBE (2.00")	REPL. PLUG 15735			P/BR		C/P/B	212.75			
3572											
3585	DECK ANCHOR WITH PLUG 2-3/4" TUBE (2.75")	(REPL. PLUG 15739)	(SPECIAL ORDER)		P/BR		C/P/B			6.0	
3586-AL	HANDLE CONVERSION ADAPT.1-1/2" BOLTED 1" 8 THREAD.	NO BOLTS & NUTS	Ref.21426				ALUM	35.95		0.4	
3586-BR	HANDLE CONVERSION ADAPT.1-1/2" BOLTED 1" 8 THREAD.				B/BRZ	52.40	C/P/B	58.45		1.1	
3625											
3668	DECK ANCHOR WITH PLUG 1-1/2" PIPE (1.90")REPLACEMENT PLUG 15735						C/P/B	212.75		2.7	
3711	2-1/2" DIA CLINCH RING						C/P/B	14.65			
3712	1-1/8" DIA. CLINCH RING						C/P/B	P.O.A.		2.0	
*PARTS LISTS AVAILABLE ON ALL VACUUM CLEANER ASSEMBLIES - DRAWING NUMBERS AS INDICATED											
* FONTS ARE AVAILABLE IN A VARIETY OF MATERIALS & FINISHES - INFORMATION ON REQUEST											
PAGE 1	* FOUNTAIN POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL									PAGE 1	

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
3713	1-3/8" DIA CLINCH RING			C/P/B	5.95	0.1
3733	3" DIA CLINCH RING			C/P/B	30.45	0.3
3735						
3751-BR	UTILITY HOOK 10" PROJECTION	P/BR	100.35	C/P/B	126.70	1.6
3843	1-1/4" PIPE SLIP NEOPRENE GASKET	PRICED PER 100		RUBBER	143.90	
3844	1-1/2" PIPE SLIP NEOPRENE GASKET	PRICED PER 100		RUBBER	144.00	
3845	NEOPRENE GASKET 2-1/8" 1" DIA. SLIP	PRICED PER 100		RUBBER	129.95	
3846	NEOPRENE GASKET 2" PIPE (2.38")	PRICED PER 100		RUBBER	144.00	
3847	2-1/8" ID. COMPRESSION WASHER	PRICED PER 100		CAD/PL	116.55	3.0
3851-SP	2-1/8" -11 THREAD HEXAGON NUT			BR.	P.O.A.	0.2
3876	1/4" NYLON ROPE CLAMP, 2 PC. ASSY.			NYLON	6.90	
3877	3/8" NYLON ROPE CLAMP, 2 PC ASSY.			NYLON	6.95	
3878	1/2" NYLON ROPE CLAMP, 2 PC ASSY.			NYLON	6.95	
3880	3/4" NYLON ROPE CLAMP, 2 PC ASSY.			NYLON	7.70	
3901	REAR DIVING STAND WEDGE ANCHOR 1-1/2" PIPE (1.90")	15414-WEDGE ASSY. (REF.DRWG.5355)	REF.DRWG.5351	BRZE	200.40	5.0
3902	COMPRESS. BUCK ANCHOR 1 TUBE (1.00") LESS PLUG	(REF. DRWG 5351)	USE 3344 BELL ESC.	BRZE	120.70	C/P/B 134.35 2.5
3909	SPANNER PLUG 1-7/16"-14 THREAD 3902-3910 ANCHORS	(USE 5790 WRENCH)	(REF.DRWG.5351)			C/P/B 55.10 0.5
3910	COMP. BUCK ANCHOR 1" TUBE (1.00")2" SQ. TOP LESS PLUG	YMCA SPEC.	USE 3344 BELL ESC.	BRZE	137.65	C/P/B 150.50 2.6
3911	REVERSIBLE EYE 1-7/16"-14 THREAD 3902-3910 ANCHORS	USE(5790 WRENCH)				C/P/B 73.75 0.6
3912	REVERSIBLE HOOK 1-7/16"-14 THREAD 3902-3910 ANCHORS					C/P/B 18.70 0.6
3913	SPLASH CURTAIN ASSY. 24" X 70 FT. INFO REQUIRED	YMCA SPEC. (REF.DRWG.5357)		P.O.A.		VINYL 16.0
3914	HDWE. FOR OLD YMCA TIE DOWN SPLASH CURTAIN ASSY.	YMCA SPEC (2) EXTRA SOCKETS REQUIRED				PAIR 111.80 0.8
3915	BACKSTROKE PENNANT ASSY.(6) FT. LANES DRWG. REQUIRED	YMCA SPEC. (REF.DRWG.5359)		*SEE FOOTNOTE		VINYL P.O.A. 7.0
3916	BACKSTROKE PENNANT ASSY.(7) FT. LANES DRWG. REQUIRED	YMCA SPEC. (REF.DRWG.5460)		BLUE-RED-WHITE		VINYL P.O.A. 7.0
3916-SP	BACKSTROKE PENNANTS WITH NUMBERS AND OR LETTERS	DRWG. REQUIRED (REF.DRWG.5399-A)				VINYL P.O.A. 7.0
3917	FALSE START ROPE ASSEMBLY NEED INFO. FOR PRICING	YMCA SPEC. (REF.DRWG.5358)				NYLON P.O.A. 4.0
3921	SPLASH CURTAIN ASSY. 24" X 56 FT. INFO. REQUIRED	YMCA SPEC. (REF.DRWG.5357)				NYLON P.O.A. 14.0
3925	RECTANGULAR FRAME USED WITH 3932 6" EMBEDMENTS	9-3/8 X 17-1/2" ID (REF.DRWG.5181)		FITS 1 TO 9 FT.		GL/BRZ P.O.A. 8.0
3926	RECTANGULAR FRAME USED WITH 3932 6" EMBEDMENTS	9-3/8" X21-1/2" ID (REF.DRWG.5181)		FITS 9-3/4 & 10 FT.		GL/BRZ P.O.A. 8.0
3927	RECTANGULAR FRAME USED WITH 3932 6" EMBEDMENTS	9-3/8"X 22-3/8" ID (REF.DRWG.5179-81)		FITS 10	-3/4 FT.	GL/BRZ P.O.A. 10.0
3928	BACKSTROKE PENNANT ASSY. 9 FT. LANES DRWG. REQUIRED	YMCA SPEC. (REF.DRWG.5359)		BLUE-RED-WHITE		VINYL P.O.A. 7.0
3931	FRAMED EMBEDMENTS 6" HIGH INFORMATION ON REQUEST	(1) ASSEMBLY (REF.DRWGS.5179-80-81)				GL/BRZ P.O.A. 12.0
3932	EMBEDMENTS 6" HIGH WITH INTEGRALLY CAST TIE BARS	YMCA OUTDOOR POOLS (REF.DRWGS.5381-82)		*SEE FOOTNOTE		GL/BRZ P.O.A. 6.0
3933	1-1/2" FPT NO-LEAK FLANGE WATER STOP	(REF.DRWG.5022-R)		ZINC PL. FINISH		C/IRON 43.35 1.8
3934	2" FPT NO-LEAK FLANGE WATER STOP			ZINC PL. FINISH		C/IRON 46.45 2.3
3948	SPLASH CURTAIN ASSY. 24" X 77 FT. INFO. ON REQUEST	YMCA SPEC. (REF.DRWG.5357)		P.O.A.		VINYL P.O.A. 18.0
3951	ROPE HOOK WITH WOOD SCREW	1-1/8" DIA. FLANGE				C/P/B 32.75 0.3
3952	ROPE HOOK 1/2"-13 THREAD 1-1/4" LONG	1-1/8" DIA. FLANGE				C/P/B 31.15 0.4
3953	ROPE EYE 5/16"-18 TAPPED HOLE	1-1/8" DIA. FLANGE				C/P/B 30.40 0.3
3954	ROPE HOOK 5/16"-18 TAPPED HOLE	1-1/8" DIA. FLANGE				C/P/B 32.75 0.3
3956	3/8" CLAMP HOOK STRAIGHT STYLE		(2) PC. ASSY.			C/P/B 30.95 0.5
3961	1/2" CLAMP HOOK STRAIGHT STYLE		(2) PC. ASSY.			C/P/B 31.00 0.5
3962	5/8" CLAMP HOOK STRAIGHT STYLE		(2) PC. ASSY.			C/P/B 36.40 0.7
3965	5/8" BULL DOG CLAMP	FOR RACING LANES (2) PC ASSY.	B/BRZ 60.05			C/P/B 69.45 0.9
3966	SPLASH CURTAIN ASSY. 36" x 70 FT. INFO. REQUIRED	YMCA SPEC. (REF.DRWG.5357)				VINYL P.O.A. 23.0
3968-GS	3-1/4" DIA. SAFETY LINE ANCHOR WITH 4863 T/E	3/4"10 THREAD. 3-1/4" DEEP				N/A 1.7
3972	DEPTH MARKERS 4" NUMBERS (1 THROUGH 0)	(EACH NUMBER PRICED SEPARATELY)		(REF.DRWG.5178)		GL/BRZ 47.90 0.5
3972	DEPTH MARKERS 4" LETTERS D-E-M-P & NUMBER 1/2	(EACH LETTER PRICED SEPARATELY)				GL/BRZ 59.85 0.5
3972	DEPTH MARKERS 4" LETTERS F - T	(SPECIAL LETTERS TO ORDER)				GL/BRZ 53.05 0.5
3972-SP	DEPTH MARKERS 4" SYMBOLS-PERIOD-INCH & FOOT MARK					GL/BRZ 36.60
3973	DEPTH MARKERS 6" NUMBERS 1-2-3-4-6-8-9	(EACH NUMBER PRICED SEPARATELY)		(REF.DRWG.5180)		GL/BRZ 72.35 1.3
3973	DEPTH MARKERS 6" NUMBERS 5 -7 -0 OR 1/2	(EACH NUMBER PRICED SEPARATELY)				GL/BRZ 90.85 1.3
3973	DEPTH MARKERS 6" LETTERS F - T OR M	(EACH LETTER PRICED SEPARATELY)				GL/BRZ 72.35 1.3
3973	DEPTH MARKERS 6" LETTERS -D -E OR P	(EACH LETTER PRICED SEPARATELY)				GL/BRZ 74.50 1.3
3973-SP	DEPTH MARKERS 6"(SPECIAL LETTERS TO ORDER)	SYMBOLS - PERIOD -INCH & FOOT MARK				GL/BRZ 36.60
3977	WEDGE ANCHOR 1- 1/2"PIPE (1.90")WEDGE ASSEM.15416					DISCONTINUED
3978	COMP. BUCK ANCHOR 1-1/2" PIPE (1.90")2" MPS BOTTOM	(USE 5795 PLUG)		(REF.DRWG.5069)		BRZE P.O.A. 3.0
3979	COMP. BUCK ANCHOR 1-1/2" PIPE (1.90")2-1/2" MPS TOP	(USE 5795 PLUG)		(REF.DRWG.5069)		BRZE P.O.A. 3.1
3980-BR	BRUSH ASSEMBLY 24" 1-1/4" DIA. BOLTED CONN.	(REPL. BRUSH 4068)		NYLON BRISTLES		BRZE 236.70 5.0
3981-AL	DECK SQUEEGEE 12" REV. RUBBER BLADE 1-1/4" DIA. BOLT.	(REP. BLADE 15607)		SPECIAL ORDER		ALUM P.O.A. 1.7
3981-BR	DECK SQUEEGEE 12" REV. RUBBER BLADE 1-1/4" DIA. BOLT.			SPECIAL ORDER		BRZE P.O.A. 2.8
3982-BR	BRUSH ASSEMBLY 36" 1-1/4" DIA. BOLTED CONN.	(REPL. BRUSH 4069)		NYLON BRISTLES		BRZE P.O.A. 7.5
3983-AL	DECK SQUEEGEE 24" REV. RUBBER BLADE 1-1/4" DIA. BOLT.	(REP BLADE 15608)		SPECIAL ORDER		ALUM P.O.A. 2.5
3983-BR	DECK SQUEEGEE 24" REV. RUBBER BLADE 1-1/4" DIA. BOLT.			SPECIAL ORDER		BRZE P.O.A. 3.5
3985	WALL INLET 1-1/2" PIPE (1.90")FOR VINYL POOLS					BRZE 104.80 2.2
3986-AL	DECK SQUEEGEE 12" REVERS. RUBBER BLADE FEMALE THREAD	(REP. BLADE 15607)		SPECIAL ORDER		ALUM 117.85 2.0
3986-BR	DECK SQUEEGEE 12" REVERS. RUBBER BLADE FEMALE THREAD			SPECIAL ORDER		BRZE 129.95 3.0
3988						
3991	BACKSTROKE PENNANT ASSY. 8 FT. LANES DRWG. REQUIRED	(YMCA SPEC) (REF. DRWG. 5359)		BLUE-RED-WHITE		VINYL P.O.A. 7.0
3992	SPLASH CURTAIN ASSY. 24" X 35 FT. INFO. REQUIRED	(YMCA SPEC) (REF. DRWG. 5357)				P.O.A. 13.0
	*PENNANT ASSEMBLIES AVAILABLE IN A VARIETY OF COLORS, WITH NUMBERS AND LETTERS TO ORDER - INFORMATION ON REQUEST.					
	*REF. DRWG. 5359FOR REQ. INFO. TO INSURE CORRECT BACKSTROKE, FALSE START, SPLASH CURTAIN AND STANCHION ASSEMBLIES					
PAGE 2	*EMBEDMENTS QUOTED PER SPECIFIC POOL PROJECT					PAGE 2

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.
3994	BACK PLATE ASSEMBLY SOLD ONLY WITH 4179 ASSEMBLY						P.O.A.	0.2
3997	3" SQUARE LANE MARKER W/CROSS BAR 2" MPS	(REF.DRWG.5068)				C/P/B	107.00	1.2
3997-RC	AS ABOVE WITH GASKETS, WASHER AND NUT.					C/P/B	121.65	1.4
3999	SPLASH CURTAIN ASSY.36"X 77 FT. INFO REQUIRED	YMCA SPEC.	REF. DRWG 5357				P.O.A.	
4015 X	INLET FITTING 1-1/2" FPT X 4312-OVS 1-1/2" FPT	SPECIALS TO ORDER	(REF.DRWG.5237)			C/P/B		1.4
4015 X	4018 ADJUSTABLE INLET	SPECIALS TO ORDER	(REF.DRWG.5238)			C/P/B	143.15	1.4
4019	POOL COVER SOCKET SCREW TYPE 3/4" DIA.					BRASS	P.O.A.	
4020	1" FPT SPRAY INLET 4" DIA.	NOT IN PRODUCTION						N/A
4021	BELL ESCUTCHEON 1-1/4" PIPE FOR SLIP & BUCK ANCHORS	3-9/16" O/D.	(REF.DRWG.5353)			C/P/B	76.00	1.0
4027	COVER PLATE - USED WITH 4030 STOP COLLAR	YMCA SPEC.	15542 BOLT REQ.			C/P/B	107.00	0.6
4028	WEDGE ANCHOR 1-1/2"PIPE (1.90")WEDGE ASSY. 15414	YMCA SPEC.	USE 5449 ESCUT.	(REF.DRWG.5327)		BRZE	105.00	4.0
4029	ESCUTCHEON PLATE 1-1/2" PIPE (1.90")			(REF.DRWG.5129)		C/P/B	51.75	0.5
4030	TILE STOP COLLAR - USE 4028 ANCHOR OR EQUAL	YMCA SPEC.	4027 COVER REQ.	(REF.DRWG.5327)		ST.ST.	70.40	0.4
4031	WEDGE ANCHOR 2" PIPE (2.375") WEDGE ASSY.15414		4033 COVER REQ.	(REF.DRWG.5137)		BR	127.90	
4032	ESCUTCHEON PLATE 2"PIPE (2.375")	SPECIAL ORDER				C/P/B	66.40	0.6
4033	ANCHOR COVER PLATE 2" PIPE (2.375")FITS 4031 ANCHOR	COUNTERSUNK FOR BOLT		GLZ/BZ	71.95	C/P/B	85.30	
4034	WALL ANCHOR 1/2"-13 THREAD 4" LONG 2" DIA. LESS PLUG	REPL. PLUG 15550		BRZE	69.80	C/P/B	79.60	1.3
4035	DECK ANCHOR SLIP TYPE 1" TUBE (1.00) 1" MPS THREAD.	OLD YMCA SPEC.	REF.DRWG.5351	P/BR	89.45	C/P/B	102.00	2.2
4036	REVERSIBLE PLUG 1" MPS THREAD FOR 4035 ANCHOR	(DISCONTINUED)		USE 4037-4038		C/P/B		0.4
4037	REVERSIBLE HOOK 1" MPS THREAD. (FOR 4035 ANCHOR)	(USE 5790 WRENCH)	REF.DRWG.5351	REF.DRWG.5351		C/P/B	63.90	0.4
4038	REVERSIBLE EYE 1" MPS THREAD. (FOR 4035 ANCHOR)	(USE 5790 WRENCH)				C/P/B	63.90	0.4
4039	STANCHION ASSEMBLY 1" TUBE (1.00") .083" WALL	REMOVABLE TOP EYE	SPECIFY THREAD EYE	REF.DRWG.5493		ST.ST.	P.O.A.	
4041	BACKSTROKE PENNANT ASSY.10 FT. LANES (DRWG. REQUIRED)	YMCA SPEC.	REF.DRWG.5359	*SEE FOOTNOTE		VINYL	P.O.A.	8.0
4042	BACKSTROKE PENNANT ASSY.11 FT. LANES (DRWG. REQUIRED)	YMCA SPEC.	REF.DRWG.5359	BLUE-RED-WHITE		VINYL	P.O.A.	9.0
4046	4" LONG TENSION SPRING					ST.ST.	18.85	0.4
4049	POOL COVER (SCREW TYPE) SOCKET, DRIVE FIT 3/4" PIPE					BRASS	13.10	0.5
4050	2" FPT DECK DRAIN 2-1/2" x 3-9/16"RECESS.STRAINER	REPL STR.7303	REF.DRWG.5042			C/P/B	103.85	1.8
4051	2" FPT DECK DRAIN 2-1/2" x 5-9/16"RECESS.STRAINER	REPL STR.7304	REF.DRWG.5043			C/P/B	135.75	2.1
4052	2" FPT DECK DRAIN 2-3/4" x 4" FLUSH STRAINER	REPL STR.7305	REF.DRWG.5116			C/P/B	99.45	1.8
4053	2" FPT DECK DRAIN 2-3/4" x 6" FLUSH STRAINER	REPL STR.7306	REF.DRWG.5116			C/P/B	127.05	2.1
4054	BACKSTROKE PENNANT ASSEMBLY 2.0 METER LANES	DRWG. REQUIRED	REF.DRWG.5359	*SEE FOOTNOTE		VINYL	P.O.A.	
4055	BACKSTROKE PENNANT ASSEMBLY 2.5 METER LANES	DRWG. REQUIRED	REF.DRWG.5359	BLUE-RED-WHITE		VINYL	P.O.A.	
4056	TAMPERPROOF SCREWS FOR (4) HOLE MT. STRAINER. ASSEMBLIES No. 4159-4163	5/8" LONG		USE 4059 TOOLS		ST. ST.	2.30	
4057	8-3/4" X 8-1/2" "CHERUB" FONT 3-3/4" PROJ.	1/2" SLIP HOLE	NON STOCK STD.	VERDI		OX/BRZ	553.65	12.0
4058	15-5/8" X 9-3/8" "NEPTUNE" FONT 4" PROJ.	3/4" SLIP HOLE	NON STOCK STD.	VERDI		OX/BRZ	686.90	22.0
4059-A	SPECIAL SCREW DRIVER & BIT FOR 4056 TAMPERPROOF SCREW ASSEMBLIES					ST. ST.	71.45	
4059-B	SPANNER BIT FOR 4059-A SCREW DRIVER & 4056 SPANNER SCREWS						27.70	
4060	RETURN FITTING 1-1/2" FPT X 2" MPS X 1-1/2" INSERT	(REF.DRWG.5028)				C/P/B		1.7
4060-RC	AS ABOVE WY GASKETS, WASHER AND LOCK NUT LESS PLUG							
4061	3" SQ. RACING LINE CUP ANCHOR WITH CROSS BAR 2" MPS	1-3/8" DEEP	(REF.DRWG.5059)			C/P/B	107.90	1.2
4061-RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT					C/P/B	126.35	1.4
4062	2" MPS X 1-1/2" FPT ADJUSTABLE INLET 3" SQ.	SPECIAL ORDER	(REF.DRWG.5027)			C/P/B	177.10	1.6
4062-RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT					C/P/B	189.80	1.9
4063	1-1/2" FPT X 2" MPS VACUUM RETURN FITTING	SPECIAL ORDER		NEW		C/P/B	177.10	
4063-RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT					C/P/B	189.80	1.8
4064	1-1/2" FPS X 2" MPS VACUUM RETURN FITTING	SPECIAL ORDER				DISCONTINUED		1.4
4064-RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT					DISCONTINUED		1.5
4065	1-1/2" FPS X 2" MPS VACUUM RETURN FITTING	SPECIAL ORDER				C/P/B		1.4
4065-RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT					C/P/B		1.5
4066-SP	3/4" MPT. AERATOR 1-3/4" LONG	NEW				BRASS	26.60	0.4
4068	REPLACEMENT BRUSH 24" LONGFOR 3980-4094 & 4406 ASSY.	NYLON BRISTLES				POLY	62.15	0.8
4069	REPLACEMENT BRUSH 36" LONGFOR 3982,4095 & 6166 ASSY.	NYLON BRISTLES				POLY	95.10	1.2
4070	12" LONG PRY BAR FOR POOL COVER SPRING	SPECIAL ORDER				ST. ST.		0.7
4071	1-1/2" FPT X 2" MPS NON-ADJ. INLET	SPECIAL ORDER				C/P/B	103.70	1.7
4071-RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT					C/P/B	129.20	1.9
4072	3-1/2" LONG ROPE CLEAT			BRZ	19.40	C/P/B	26.60	0.2
4073 X	INLET FITTING 1" INSERT X 4077 OVS 1 FPT WALL POOLS	SPECIALS TO ORDER	SPECIFY ASSY.			C/P/B		2.0
4074 X	INLET FITTING 1-1/2" INSERT X 4322-OVS 1-1/2" FPT	SPECIALS TO ORDER	SPECIFY ASSY.			C/P/B		2.0
4075 X	INLET FITTING 1-1/2" FPT X 4322 1-1/2" FPT WALL POOLS	SPECIALS TO ORDER	SPECIFY ASSY.			C/P/B		
4079	POOL COVER HOOK FOR POOL COVER SPRINGS	SPECIAL ORDER					P.O.A.	
4080	HEAVY DUTY POOL COVER SPRING DOUBLE BAR ASSEMBLY	PATENTED				ST. ST.	27.85	0.4
4082	23-1/4" LONG PRY BAR FOR POOL COVER SPRING					ST. ST.	P.O.A.	1.3
4084	3/4"-10 WALL ANCHOR 4" LONG CONCRETE POOLS			BRZ	71.15	C/P/B	81.00	1.2
4085	3/4"-10 WALL ANCHOR 4-1/4" LONG LINER POOLS	(REF.DRWG.5064)				C/P/B	105.45	1.0
4086	4" LONG ROPE CLEAT	SPECIAL ORDER		BRZ	22.30	C/P/B	31.10	0.3
4087	5" LONG ROPE CLEAT	SPECIAL ORDER		BRZ	28.30	C/P/B	37.65	0.4
4088	1-1/2" FPT VACUUM INLET 2 X 6 MOUNT LINER POOLS	(REF.DRWG.5240)				C/P/B	106.25	2.0
4090	1-1/2" FPT VACUUM INLET 2 X 4 MOUNT LINER POOLS	(REF.DRWG.5239)				C/P/B	100.70	1.5
4092	1-1/2" FPT VACUUM INLET 4 X 4 MOUNT LINER POOLS	(REF.DRWG.5241)				C/P/B	105.85	2.0
	* REF. DRWG. 5359FOR REQ. INFO. TO INSURE CORRECT BACKSTROKE, FALSE START, SPLASH CURTAIN AND STANCHION ASSEMBLIES							
	* TAMPERPROOF HDWE IS AVAILABLE COMPLETE WITH SCREWS, BIT & DRIVER ON SPECIAL ORDER - PRICES ON REQUEST							
PAGE 3							PAGE 3	
	NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY		NY (212) 267-6738		FAX (201) 339-3492		

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
4094-T	24" BRUSH ASSEMBLY 1"-8 THREAD (REPL. BRUSH 4068) NYLON BRISTLES			BRZE	245.75	5.0
4095-T	36" BRUSH ASSEMBLY 1"-8 THREAD (REPL. BRUSH 4069) NYLON BRISTLES			BRZE	336.65	6.7
4097	8" LONG STRAP SWIVEL ROPE EYE			ST.ST.	11.95	0.2
4099-1	1-1/2" FPT X 2" MPS ADJ. INLET SPECIAL ORDER. FOR STEEL POOLS			C/P/B	97.05	1.0
4099-1RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT (REF.DRWG.5018)			C/P/B	112.80	1.5
4099-2	1-1/2" FPT X 2" MPS NON-ADJ. INLET SPECIAL ORDER. FOR STEEL POOLS			C/P/B	89.45	1.3
4099-2RC	AS ABOVE WITH GASKETS, WASHER AND LOCK NUT REF.DRWG.5018			C/P/B	102.05	1.8
4116	5/8"-11 THREAD WALL ANCHOR 3-1/2" LONG			BRZE	40.85	0.8
4117	3/4"-10 THREAD WALL ANCHOR 3-1/2" LONG REF.DRWG.5072			BRZE	39.75	0.7
4118	5-3/8" LONG STRAP SWIVEL EYE			ST.ST.	11.45	0.1
4119	3/4" BULL DOG ROPE CLAMP (FOR RACING LANES) (2) PC. ASSY.	B/BR	60.10	C/P/B	71.30	0.8
4120	POOL COVER SOCKET SPRING LOADED RETRACTABLE PLUG			BRASS	P.O.A.	
4121	3/4"-10 THREAD FLANGED ROPE EYE 1-3/8" LONG (1-3/4" DIAFLANGE) 2-3/8"OD.X 1-3/8" ID.	REF.DRWG.5285		C/P/B	71.85	1.0
4123	3/4" ROPE CLAMP HOOK STRAIGHT STYLE, 2 PC. ASSY	(2) PC. ASSY.		C/P/B	44.00	0.9
4124	3/8" SIZE ROPE HOOK FIXED LEVER STYLE REF.DRWG.5281			C/P/B	12.90	0.1
4126	1/2" SIZE ROPE HOOK FIXED LEVER STYLE REF.DRWG.5281			C/P/B	14.30	0.2
4127	5/8" SIZE ROPE HOOK FIXED LEVER STYLE			C/P/B	15.75	0.2
4128	3/4" SIZE ROPE HOOK FIXED LEVER STYLE			C/P/B	19.55	0.3
4129-GS	3"RD RACING SAFETY LINE CUP ANCHOR SPECIFY WITH 4869 T/E OR 4723 T/E (2-5/8" DEEP)	REF.DRWG.5071-R		C/P/B	123.05	2.5
4130	BACK PLATE ASSEMBLY SOLD ONLY WITH 4189 ASSEMBLY REF.DRWG.5154			BRASS		
4131-GS	4" DIARACING SAFETY LINE CUP ANCHOR & 6688 THREADED EYE 4-3/4" DEEP REF.DRWG.5063			C/P/B	181.00	3.0
4132	1/2" SIZE ROPE HOOK SNAP SWIVEL STYLE			C/P/B	14.20	0.2
4133	5/8" SIZE ROPE HOOK SNAP SWIVEL STYLE			C/P/B	14.65	0.2
4134	1" SIZE ROPE HOOK SNAP SWIVEL STYLE 3/4" TO 1"			C/P/B	20.70	0.4
4135	1/4" ROPE LOOP STYLE CLAMP HOOK, 2 PC ASSY.			C/P/B	30.95	0.3
4136	3/8" ROPE LOOP STYLE CLAMP HOOK, 2 PC ASSY.			C/P/B	35.20	0.5
4137	1/2" ROPE LOOP STYLE CLAMP HOOK, 2 PC ASSY.			C/P/B	37.65	0.7
4139	3/4" ROPE LOOP STYLE CLAMP HOOK, 2 PC ASSY.			C/P/B	53.50	1.4
4140	3/4" FPT SPRAY INLET SPECIAL MACHINING TO ORDER			C/P/B	58.95	0.7
4141	3/4" FPT SPRAY INLET			C/P/B	67.95	0.7
4142	3/4" FPT SPRAY INLET SPECIAL MACHINING TO ORDER			C/P/B	76.65	0.7
4143	3/4" FPT SPRAY INLET			C/P/B	61.50	0.7
4144	1/2" SIZE ROPE HOOK SWIVEL LEVER STYLE			C/P/B	15.05	0.2
4145	5/8" SIZE ROPE HOOK SWIVEL LEVER STYLE			C/P/B	16.75	0.3
4146	3/4" SIZE ROPE HOOK SWIVEL LEVER STYLE			C/P/B	18.60	0.4
4147	1" FPT SPRAY INLET SPECIAL MACHINING TO ORDER			C/P/B	96.60	0.4
4148-SD	FRAME AND 6" SQ. STRAINER GRATE 4 HOLE MOUNT 3/4" HIGH (REPL. STR. 4148-1) 5035-5111-5213	GL/BRZ	217.15	C/P/B	245.55	4.0
4148-1	6" SQUARE STRAINER GRATE ONLY FOR ABOVE	GL/BRZ	129.25	C/P/B	147.25	1.5
4149	2" FPT DECK DRAIN 2-3/8" X 9-5/8" RECESSED STRAINER (REPL.STR.15551) (REF.DRWG.5012)	GL/BRZ	223.65	C/P/B	258.60	4.4
4150	2-1/2" MPT DECK DRAIN 2-3/8" X 9-5/8" RECESSED STRAINER (REPL.STR.15551) (USE 5676 TEST PLUG)	GL/BRZ	240.25	C/P/B	277.40	4.4
4151	3/8"-16 THREAD FLANGED ROPE EYE 2-1/4" LONG (2" DIA. FLANGE) 1-3/4" OD. (REF.DRWG.5284)	C/P/B		C/P/B	79.05	0.6
4152	1/2"-13 THREAD FLANGED ROPE EYE 2-1/4" LONG (2" DIA. FLANGE) 1-3/4" OD. (REF.DRWG.5284)	C/P/B		C/P/B	72.95	0.7
4153	1/2"-13 THREAD FLANGED ROPE EYE 1-3/4" LONG (1-1/2" DIAFLANGE) 1-3/4"OD. (REF. DRWG 5284)	C/P/B		C/P/B		0.3
4154	1" FPT X 1-1/4"MPS X 1-1/4" INSERT INLET FITTING			C/P/B	P.O.A.	0.1
4154-RC	AS ABOVE WITH GASKET, WASHER AND LOCK NUT			C/P/B	P.O.A.	1.0
4156	1" FPT X 1-1/4" MPS VACUUM RETURN FITTING			C/P/B	P.O.A.	1.0
4156-RC	AS ABOVE WITH GASKET, WASHER AND LOCK NUT			C/P/B	88.55	1.0
4157	1-1/2" FPS X 2" MPS VACUUM RETURN FITTING LESS PLUG 1-1/8" O/A (REF.DRWG.5260)	(USE 5717 PLUG)		C/P/B	75.30	1.0
4157-RC	AS ABOVE WITH GASKET, WASHER AND LOCK NUT			C/P/B	90.05	1.0
4158	1-1/2" FPT X 1-1/2" FPT X 2" MPS VACUUM FITTING 1-1/8" O/A			C/P/B	75.30	1.0
4158-RC	AS ABOVE WITH GASKET, WASHER AND LOCK NUT			C/P/B	90.65	1.3
4159-SD	FRAME & 7-7/8" SQ.STR.GRATE(4) HOLE MOUNT 3/4" HIGH (REPL. STR. 4159-1) (DRWG.5034-5035)	GL/BRZ	250.65	C/P/B	274.80	5.6
4159-1	7-7/8" SQUARE STRAINER GRATE ONLY FOR ABOVE	GL/BRZ	165.65	C/P/B	197.10	2.1
4160-SD	FRAME AND 10" SQ. STRAINER GRATE (4) HOLE MOUNT 3/4" HIGH (REPL. STR. 4160-1)	GL/BRZ	354.75	C/P/B	401.10	9.5
4160-1	10" SQUARE STRAINER GRATE ONLY FOR ABOVE	GL/BRZ	243.85	C/P/B	282.65	
4161-SD	FRAME AND 12" SQ. STRAINER GRATE (4) HOLE MOUNT 7/8" HIGH (REPL.STR.4161-1) SEE 5439 SD	GL/BRZ	511.00	C/P/B	597.40	11.3
4161-1	12" SQUARE STRAINER GRATE ONLY FOR ABOVE	GL/BRZ	310.00	C/P/B	359.55	10.0
4162-SD	FRAME AND 15" SQ.STR.GRATE(4) HOLE MOUNT 3/4" HIGH (REPL.STR.4162-1) (DRWG.5035-5037)	GL/BRZ	1160.90	C/P/B	1300.35	21.0
4162-1	15" SQUARE STRAINER GRATE ONLY FOR ABOVE (DRWG.5035-5038)	GL/BRZ	609.65	C/P/B	674.95	13.0
4163-SD	FRAME & 18" SQ.STR.GRATE(4) HOLE MOUNT 1-1/8" HIGH (REPL.STR.4163-1) (DRWG.5035-5038)	GL/BRZ	1747.20	C/P/B	2042.90	
4163-1	18" SQUARE STRAINER PLATE ONLY FOR ABOVE	GL/BRZ	998.40	C/P/B	1095.95	
4164	WALL ANCHOR 7/16-14 THREAD. 2-1/2" LONG			BRZE	25.75	0.4
4165	WALL ANCHOR 5/16-18 THREAD. USED WY 5937 ANCHOR ASSY.			BRZE	34.95	0.9
4167-GS	4" SQUARE RACING/SAFETY LINE CUP ANCHOR 1/2-13 EYE (6684)			DISCONTINUED		1.8
4168	3-5/8"RD.RACING/SAFETY LINE CUP ANCHOR 2" MPS CROSSBAR 1-3/8" DEEP REF.DRWG.5059			C/P/B	109.70	1.3
4168-RC	AS ABOVE WITH GASKET, WASHER AND LOCK NUT			C/P/B	126.20	1.6
4169-GS	6" SQ.RACING/SAFETY LINE CUP ANCHOR & 6688 THREADED EYE			DISCONTINUED		4.1
4173	2" MPT SIGHT GLASS ASSY. (CENTER BOLT STYLE) (DRWG.5030 & 5089) REPL. 17517 PYREX GLASS			BRZE	192.20	2.4
4174-SP	8-3/16" SQUARE STRAINER GRATE X 1/4" THICK (FITS FROST FRAME) NEW	GL/BRZ		C/P/B		2.5
4175	1-1/4" MPT SIGHT GLASS ASSY. (CENTER BOLT STYLE) REF.DRWG.5030 REPL. 17515 PYREX GLASS			BRZE	124.65	1.3
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED					
	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL					
PAGE 4	*SPRAY INLETS AVAILABLE WITH SPECIAL MACHINING - INFORMATION ON REQUEST				PAGE 4	
NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY	NY (212) 267-6738	FAX (201) 339-3492			

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
4176	3/4" RADIUS CURVED OVAL ROPE EYE	SEE 6754-2 ASSEMBLY		C/P/B	19.95	0.3
4177	1" RADIUS CURVED OVAL ROPE EYE	SEE 6755-2 ASSEMBLY		C/P/B	19.95	0.3
4178-GS	2-7/8" SQ. RACING LINE CUP ANCHOR & 6684 1/2-13 THREADED EYE	3-1/4" DEEP	REF.DRWG.5054	C/P/B	97.50	1.8
4179	FLAT OVAL ROPE EYE LARGE PATTERN	SEE 6732 ASSY	(2) REQUIRED	C/P/B	41.50	0.5
4179-CC	OVAL ROPE EYE ASSY. WY.3994 BACK PLATE & HARDWARE		(2) REQUIRED	C/P/B	58.95	0.7
4180	3/8"-16 THREAD WALL ANCHOR 2-1/2" LONG			BRZE	25.00	0.4
4181-GS	3-1/2" DIA RACING/SAFETY LINE CUP ANCHOR & 6684 T/E	FOR LINER POOLS	3" DEEP	REF.DRWG.5221	C/P/B	151.80
4182	1-1/4" RADIUS CURVED OVAL ROPE EYE	SEE 6756-2 ASSEMBLY		C/P/B	20.95	0.3
4183-GS	4" SQ. RACING/SAFETY LINE CUP ANCHOR & 5/16"CROSS BAR	DISCONTINUED		C/P/B		1.6
4184-GS	3-1/2" DIA RACING/SAFETY LINE CUP ANCHOR CROSS BAR	FOR LINER POOLS	3" DEEP	REF.DRWG.5222	C/P/B	116.55
4185	5/8" ROPE HOOK LARGE PATTERN			C/P/B	34.95	0.4
4186	DOG BOLT ASSEMBLY	SPECIAL ORDER.		BRZE		
4187	BELL ESCUTCHEON 1-1/2" PIPE SLIP & BUCK ANCHORS	4-1/16" O/DIA. DRWGS.5061-5216		C/P/B	70.25	1.0
4189	FLAT OVAL ROPE EYE SMALL PATTERN	SEE 6733,6777 & 6790	ASSEMBLIES	C/P/B	20.15	0.3
4189-CC	OVAL ROPE EYE ASSY. 4130 BACK PLATE, GASKET & FASTENERS	REF.DRWG.5154	(2) REQUIRED	C/P/B	31.50	0.7
4190	ROPE SPLICING TOOL	SPECIAL ORDER.		BRASS		0.2
4191	12" LONG STRAP SWIVEL EYE			ST.ST.	12.60	0.2
4192	ESCUTCHEON PLATE 1-1/2" PIPE (1.90")3-1/8" X 4-1/8"		REF.DRWG.5304	ST.ST.	11.55	0.1
4193	ESCUTCHEON PLATE 1-1/2" PIPE (1.90")4" DIA.	DISCONTINUED	SEE 5450	ST.ST.		0.2
4194	1/8" ROPE CLAMP, 2 PC. ASSY.	PACKED(2) IN POLY BAG	SEE 4472-73-74	C/P/B	10.15	0.1
4195	1/4" ROPE CLAMP, 2 PC. ASSY.	FOR CABLE CLAMPS		C/P/B	10.15	0.1
4197	3/8" ROPE CLAMP, 2 PC. ASSY.	PACKED(2) IN POLY BAG		C/P/B	10.15	0.1
4198	1/2" ROPE CLAMP, 2 PC. ASSY.			C/P/B	10.15	0.1
4199	ROPE HOOK EYE SMALL PATTERN			C/P/B	8.40	0.2
4200	1/2"-13 THREAD WALL ANCHOR 7" LONG			BRZE	50.70	1.0
4201-SP	SPECIAL SPLASH CURTAIN ASSEMBLIES MADE TO ORDER	INFO. REQUIRED		VINYL	P.O.A.	
4202	THREADED EYE 1/2"-13 THREAD 1-3/4"L WY GASKET, WASHER & NUT	1-1/2" DIA. FLANGE 1-3/8" OD.X 1-3/16" 4316-TE		C/P/B	37.45	0.4
4203	1" ROPE CLAMP, 2 PC. ASSY.			C/P/B	28.85	0.4
4204	1/2"-13 THREAD WALL ANCHOR 2-1/2" LONG		REF.DRWG.5072	BRZE	23.30	0.4
4205-AL	5" LONG ALGAE BRUSH 1"-8 THREAD	REPL. BRUSH 15609	STAINLESS BRISTLES	ALUM	84.55	1.2
4205-BR	5" LONG ALGAE BRUSH 1"-8 THREAD	REPL. BRUSH 15609		BRZE	89.30	1.9
4206-AL	9" LONG ALGAE BRUSH 1"-8 THREAD	REPL. BRUSH 15610	STAINLESS BRISTLES	ALUM	108.50	1.7
4206-BR	9" LONG ALGAE BRUSH 1"-8 THREAD	REPL. BRUSH.15610		BRZE	121.25	3.0
4207	CORNER WALL EYE	DISCONTINUED		C/P/B		0.4
4208	EMBEDMENTS 4" HIGH INTEGRALLY CAST TIE BARS	*SEE FOOTNOTE		GL/BRZ	P.O.A.	
4209	SPLIT ESCUT.PLATE(2) PC. ASSY. 1-1/2" PIPE (1.90")	SPECIAL ORDER	REF.DRWG.5304	C/P/B	68.75	0.7
4210	5/8" ROPE CLAMP, 2 PC. ASSEMBLY	PACKED(2) IN POLY BAG		C/P/B	16.85	0.3
4211	3/4" ROPE CLAMP, 2 PC ASSEMBLY			C/P/B	16.85	0.3
4212-GS	2-3/4" DIA RACING/SAFETY LINE CUP ANCHOR & 6684 T/E	3" DEEP	REF.DRWG.5054	C/P/B	84.15	1.5
4213	ROPE HOOK EYE LARGE PATTERN			C/P/B	18.05	0.4
4215	ESCUTCHEON PLATE 1-1/4" PIPE (1.66")		REF.DRWG.5304	C/P/B	43.65	0.5
4216-GS	3" DIA RACING/SAFETY LINE CUP ANCHOR 1/2-13 T/E	6686 THREADED EYE		C/P/B	77.15	1.7
4217	4" LONG ARROW WALL EYE SLIPS 1/2" ROPE		BRZE 15.70	C/P/B	18.80	0.3
4218	3/4" ROPE HOOK LARGE PATTERN			C/P/B	35.60	0.4
4219	ESCUTCHEON PLATE 1-1/2" PIPE (1.90")		REF.DRWG.5304	C/P/B	42.45	0.5
4220-BR	HEAVY DUTY WEDGE ANCHOR 1-1/2" PIPE (1.90")	15414 WEDGE ASSY.	DRWG.5301	BRZE	97.55	3.8
4224	EXTERNAL ROPE EYE LESS FASTENERS			C/P/B	33.50	0.3
4226	ANCHOR COVER PLATE 1-1/2" PIPE (1.90")SLIP FITS	4028,4220,5720	SPECIFY ANCHOR	GL/BRZ 46.05	C/P/B	53.40
4226-SD	COVER PLATE AS ABOVE SCREW DOWN FOR 4028,4220,5720	SPECIFY ANCHOR		GL/BRZ 70.30	C/P/B	83.60
4227	2" MPS FLUG ADAPTER FLANGED	NEW	(REF.DRWG.5024)	C/P/B	41.50	0.6
4228	THREADED EYE 1/2"-13 THREAD 1-3/4" LONG & EXP. SHIELD	1-1/2" DIAFLANGE	4316-TE	(3) PC. ASSY.	C/P/B	37.00
4229-BR	19-3/4" C/L LADDER STEP LESS FASTENERS	NON STOCK STD.		BRZE	210.55	6.0
4230-BR	18-3/4" C/L LADDER STEP LESS FASTENERS	NON STOCK STD.		C/P/B	144.00	5.0
4231	1-1/2" FPT SPRAY INLET 1/8"45 DEGREE ARC SLOT	15,556 FACE PL.	REF.DRWG.5404	NEW	C/P/B	298.75
4232	FLANGED THREADED EYE 3/8"-16 THREAD 1-1/8" LONG	1-1/8" DIA. FLANGE	REF.DRWG.5282	C/P/B	27.85	0.3
4237	1-1/2" FPT RECIRCULATING WALL INLET (15575 FACEPLATE)	.625 OPEN AREA	REF.DRWG.5073-5149		C/P/B	293.85
4238	1-1/2" MPS X 1-1/2" HOSE MALE HOSE ADAPTER			BRZE	38.45	0.6
4239	1-1/2" MPS X 1-1/4" HOSE MALE HOSE ADAPTER			BRZE	32.75	0.5
4243-AL	1-1/2" SPANNER WRENCH (HOSE SWIVELS)			B/ALUM	26.25	0.3
4243-BR	1-1/2" SPANNER WRENCH (HOSE SWIVELS)			BRZE	32.10	0.9
4244	1-1/2" MPT SIGHT GLASS ASSY (4 BOLT STYLE)	(REF.DRWG.5031)	REPL. 17,516 PYREX GLASS		BRZE	136.50
4245	1-1/2" MPT SIGHT GLASS ASSY (CENTER BOLT STYLE)	(REF.DRWG.5030)	REPL. 17,516 PYREX GLASS		BRZE	134.60
4246-BR	18-3/4"C/L 15 DEGREE ANGLE LADDER STEP LESS HARDWARE	(NON STOCK STD)		BRZE 120.70	C/P/B	146.60
4247	1/2"-13 FLANGED THREADED EYE 1-1/8" LONG	(1-1/8" DIAFLANGE)	4639-40-41 ASSY.	REF.DRWG.5282	C/P/B	24.00
4249-GS	1-1/2" FPT X 1-1/2" FPT VACUUM RETURN FITTING NO PLUG	(USE 4251 PLUG)	REF.DRWG.5204-6211		C/P/B	75.30
4250-GS	1-1/2" FPT FRONT X 2" MPT VACUUM RETURN FITTING	(USE 4251 PLUG)	1-3/4" HIGH	REF.DRWG.6211	C/P/B	88.75
4251	1-1/2" MPS FLUG ADAPTER FLANGED		REF.DRWG.5024	BRZE 25.10	C/P/B	30.75
4252	1-1/2" MPS NON-ADJ. FLANGED INLET ADAPTER		REF.DRWG.5024		C/P/B	38.60
4253	1-1/2" MPS ADJUSTABLE FLANGED INLET ADAPTER		REF.DRWG.5024		C/P/B	54.55
4254-GS	1-1/2" FPT X 1-1/2" FPT X 2" MPT VACUUM/RETURN FITTING	1-3/4" HIGH	REF.DRWG.6211		C/P/B	104.85
*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED						
*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL						
PAGE 5	*EMBEDMENTS QUOTED PER SPECIFIC POOL PROJECT					PAGE 5
NJ (201) 339-1351-2-3		STANDARD BRONZE COMPANY			NY (212) 267-6738 FAX (201) 339-3492	

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.		
4255-BR	1-1/2" FPT X1" FPS DRAIN SUMP CHR.STR.15410 4-3/8" DIA	15411 CHR. OUTER RING	REF.DRWG. 5230		BRZE	436.35 9.0		
4256-BR	2" FPT X 1" FPS DRAIN SUMP CHR. STR. 15410 AND	15411 CHR. OUTER RING	REF.DRWG.5230		BRZE	436.35 9.3		
4257	1-1/2" FPS X 2"FPS VACUUM RETURN FITTING LESS PLUG	1-1/2" O/A	1-1/2" THREADED LENGTH	USE 4251 PLUG	C/P/B	82.75 1.4		
4257-RC	AS ABOVE WITH GASKET, WASHER AND LOCK NUT				C/P/B	95.45 1.6		
4261	1-1/2" TAPER X 1-1/2" HOSE MALE HOSE ALIP ADAPTER		REF.DRWG.5044		BRZE	35.20 0.7		
4262	1-1/2" TAPER X 1-1/4" HOSE MALE HOSE SLIP ADAPTER		REF.DRWG.5161		BRZE	33.10 0.8		
4263	1-1/2" VACUUM HOSE CONNECTOR		REF.DRWG.5044		BRZE	28.55 0.5		
4273	1-1/2" FPT X 1-1/2" MPT THREADED EXTENSION ADAPTER	(USE 6737 WRENCH)			BRZE	49.25 1.7		
4274-GS	1-1/2" FPT VACUUM RETURN FITTING LESS PLUG	(USE 4251 PLUG)	REF.DRWG.5204		C/P/B	60.95 0.7		
4274-SP	ABOVE MACHINED FOR 6548 ANTI VORTEX ASSEMBLY	NEW	REF.DRWG.5388		C/P/B			
4275	2" MPS PLUG ADAPTER NO FLANGE	NEW			C/P/B	42.55 0.7		
4276-SP	BELL ESCUTCHEON 2" TUBE FOR SLIP AND BUCK ANCHORS	(4-3/8" O/D)	SPECIAL ORDER		C/P/B	78.15 1.0		
4277	REPL. CHANNEL STRIP BRUSH 48" LONG FOR SUCTION VACS		FOR CUTTING TO REQUIRED LENGTH		PL/ST	92.30 0.8		
4278-BR	18" LONG CURVED WALL BRUSH WITH FINS FEMALE THREAD	(REPL. BRUSH 4295)	NEW		BRZE	166.90 3.5		
4279-AL	5" LONG ALGAE BRUSH 1-1/4" DIABOLTED CONN.		STAINLESS BRISTLES		ALUM	81.80 1.7		
4279-BR	5" LONG ALGAE BRUSH 1-1/4" DIA BOLTED CONN.				BRZE	103.20 3.1		
4280-AL	18" LONG STRAIGHT FLOOR BRUSH 1"8 FEMALE THREAD	(YMCA SPEC)	REPL. BRUSH 4295		ALUM	133.25 2.4		
4280-BR	18" LONG STRAIGHT FLOOR BRUSH 1"-8 FEMALE THREAD	(YMCA SPEC)	REPL. BRUSH 4295		BRZE	150.60 3.4		
4281-AL	18" LONG STRAIGHT FLOOR BRUSH 1-1/4"BOLTED CONN.	(REPL. BRUSH 4295)			ALUM	108.15 2.0		
4281-BR	18" LONG STRAIGHT FLOOR BRUSH 1-1/4"BOLTED CONN.	(REPL. BRUSH 4295)			BRZE	140.35 4.2		
4282	18" LONG STRAIGHT FLOOR BRUSH 1"-8 FEMALE THREAD				NYLON BRISTLES	BRZE	151.45 3.4	
4283-AL	18" LONG CURVED FLOOR BRUSH 1-1/4"BOLTED CONN.	(REPL. BRUSH 4295)			NYLON BRISTLES	ALUM	132.65 1.9	
4283-BR	18" LONG CURVED FLOOR BRUSH 1-1/4"BOLTED CONN.	(REPL. BRUSH 4295)			BRZE	153.45 3.6		
4284-AL	9" LONG ALGAE BRUSH 1-1/4" BOLTED CONN.	(REPL. BRUSH 15610)	STAINLESS BRISTLES		ALUM	104.65 1.9		
4284-BR	9" LONG ALGAE BRUSH 1-1/4" BOLTED CONN.				BRZE	125.80 3.3		
4285-AL	18" LONG STRAIGHT WALL BRUSH WITH FINS 1"-8 FEMALE THREAD	(YMCA SPEC)	REPL. BRUSH 4295		NYLON BRISTLES	ALUM	152.90 1.9	
4285-BR	18" LONG STRAIGHT WALL BRUSH WITH FINS 1"-8 FEMALE THREAD	(YMCA SPEC)			BRZE	175.80 3.1		
4286-AL	18" LONG STRAIGHT FLOOR BRUSH 1"-8 FEMALE THREAD		REPL. BRUSH 4295		ALUM	133.20 1.9		
4286-BR	18" LONG STRAIGHT FLOOR BRUSH 1"-8 FEMALE THREAD				BRZE	160.00 3.1		
4287-AL	18" LONG STRAIGHT FLOOR BRUSH WITH FINS 1"-8 FEMALE THREAD.		REPL. BRUSH 4295		ALUM.	147.95 2.4		
4287-BR	18" LONG STRAIGHT FLOOR BRUSH WITH FINS 1"-8 FEMALE THREAD.				BRZE	164.55 3.4		
4288	22" LONG FLOOR BRUSH 1"-8 FEMALE THREAD		LIMITED SUPPLY			P.O.A. 5.5		
4290-AL	18" LONG CURVED FLOOR BRUSH WITH FINS, BOLTED CONN.	(REPL. BRUSH 4295)	NYLON BRISTLES		ALUM	150.10 2.0		
4290-BR	18" LONG CURVED FLOOR BRUSH WITH FINS, BOLTED CONN.				BRZE	169.55 4.2		
4294-AL	18" LONG STRAIGHT FLOOR BRUSH WITH FINS, BOLTED CONN.	(REPL. BRUSH 4295)			ALUM	124.10 2.1		
4294-BR	18" LONG STRAIGHT FLOOR BRUSH WITH FINS, BOLTED CONN.				BRZE	155.60 4.3		
4295-PN	18" LONG REPLACEMENT BRUSH ONLY	(NYLON BRISTLES)			POLY	52.10 0.5		
4297	ESCUTCHEON PLATE 1-1/2" TUBE (1.50")				C/P/B	47.90 0.6		
4298-AL	WEDGE ANCHOR 1-1/2" TUBE (1.50")	(15405 WEDGE ASSY)	DISCONTINUED		ALUM	1.0		
4298-BR	WEDGE ANCHOR 1-1/2" TUBE (1.50")	(15405 WEDGE ASSY)			BRZE	53.15 2.3		
4300								
4301	18" LONG COMB. STRAIGHT FLOOR BRUSH 1"-8 FEMALE THREAD	(REPL. BRUSH 4295)	NYLON BRISTLES	ALUM	131.45	BRZE	161.65 2.5	
4302	18" LONG COMB. CURVED FLOOR BRUSH 1" - 8 FEMALE THREAD	(REPL. BRUSH 4295)	NYLON BRISTLES			BRZE	167.10 2.0	
4303-AL	24"DECK SQUEEGE, REVER. RUBBER BLADE 1"-8 FEMALE THREAD	(REPL. BLADE 15608)			ALUM	138.50 2.0		
4303-BR	24"DECK SQUEEGE, REVER. RUBBER BLADE 1"-8 FEMALE THREAD				BRZE	150.70 3.0		
4304	8-7/16" I/D EXTEN. COLLAR AND (17043) COVER PLATE	SPECIAL ORDER	ORIGINAL LYCOMING POOL		GL/BRZ	323.15 7.9		
4305	1" FPT INLET FITTING	SPECIAL ORDER			C/P/B	P.O.A. 0.9		
4308 X	INLET FITTING 1" FPT X 4313 PLATE 1" FPT	SPECIALS TO ORDER	SPECIFY ASSY.		C/P/B	P.O.A.		
4309 X	INLET FITTING 1-1/4" FPT X 4315 PLATE NON ADJ.	SPECIALS TO ORDER	SPECIFY ASSY.		C/P/B	P.O.A. 1.2		
4310 X	INLET FITTING 1-1/2" FPT X 4327 PLATE 1-1/2" FPT	SPECIALS TO ORDER	SPECIFY ASSY.		C/P/B	P.O.A.		
4316	THREADED EYE (2) PC.ASSY. 1/2"-13 THREAD 1-3/4" LONG	1-1/2" DIA FLANGE	(2) PC. ASSY.		C/P/B	28.85 0.4		
4323 X	INLET FITTING 1" FPT X 4325 FACEPLATE 1" FPT	SPECIALS TO ORDER	SPECIFY ASSY.		C/P/B	P.O.A. 2.0		
4324 X	INLET FITTING 1-1/2" FPT 4327 FACEPLATE 1-1/2" FPT	SPECIALS TO ORDER	SPECIFY ASSY.		C/P/B	P.O.A. 0.2		
4334	1-1/2" FPS X 1" FPT REDUCING BUSHING				BRZE	22.90 0.4		
4335	1-1/2" MPS NO FLANGE ADJ. INLET ADAPTER	(REF.DRWG.5024)			C/P/B	56.70 0.3		
4336	1-1/2" MPS NO FLANGE NON. ADJ. INLET ADAPTER	(REF.DRWG.5024)			C/P/B	42.45 0.2		
4337	1-1/2" MPS NO FLANGE PLUG ADAPTER	(REF.DRWG.5024)			C/P/B	31.50 0.3		
4338	WALL BRACKET 1-1/2" PIPE 2" TUBE 2-1/4" PROJECTION	SPECIAL ORDER	NEW		BRZE	C/P/B	0.4	
4339	WALL BRACKET 2" PIPE 3-3/4" PROJECTION	SPECIAL ORDER	NEW		BRZE	C/P/B	1.0	
4341-2	DECK BOX(2) 3/4" FPT S/O & (1)3/4" FPT B/O					DISCONTINUED	5.4	
4341-3	DECK BOX (3)3/4" FPT S/O & (1) 3/4" B/O NOT U.L. APPROVED OR LISTED					DISCONTINUED	5.4	
4342	DECK BOX 1/2" FPT (2) S/O & (1) B/O ST.ST. COVER	NOT U.L. APPROVED OR LISTED			BRZE	115.20	C/P/B	121.00 2.4
4343	DECK BOX 3/4" FPT (2)S/O X 3/4" B/O ST.ST. COVER (21170)	NOT U.L. APPROVED OR LISTED			BRZE	109.70	C/P/B	121.60 2.2
4343-A	DECK BOX (2)-3/4" FPT S/O X 1" FPT B/O ST.ST. COVER	SPECIAL ORDER			BRZE	113.65	C/P/B	125.55 2.4
4344	1-1/2" MPS X 1-1/4" FPS REDUCING BUSHING				BRZE	20.00		0.4
4345	1-1/2" MPS X 1-1/2" FPS REDUCING BUSHING				BRZE	40.90		0.4
4350	1" MPT HYDRO RELIEF VALVE SPANNER WRENCH 6735	(YMCA SPEC)	2-3/8" O/A HGT.	(REF.DRWG.5005)	BRZE	80.55		1.0
4352	1-1/2" MPT HYDRO RELIEF VALVE SPANNER WRENCH 6736	(YMCA SPEC)	2-5/8" O/A HGT.	(REF.DRWG.5005)	BRZE	85.80		1.3
4353	2" MPT HYDRO RELIEF VALVE SPANNER WRENCH 6737	(YMCA SPEC)	3" O/A HGT.	(REF.DRWG.5005)	BRZE	105.40		1.8
4367-FP	REPLACEMENT FACEPLATE ONLY FOR 6629 DECK DRAIN			(REF.DRWG.5003)	C/P/B	95.45		
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED							
	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT - DRAWING NUMBERS AS INDICATED							
PAGE 6	*PERSONALIZED ACCESSORIES MADE TO ORDER IN A VARIETY OF MATERIALS & FINISHES						PAGE 6	
NJ (201) 339-1351-2-3		STANDARD BRONZE COMPANY			NY (212) 267-6738 FAX (201) 339-3492			

NUMBER	DESCRIPTION		FINISH	LIST EA	FINISH	LIST EA	WGT.
4368-FP	REPLACEMENT FACEPLATE ONLY FOR 6630 SPRAY INLET	(DRWG.5014-5150)			C/P/B	140.20	
4369-BR	1-1/2" FPT X 1" FPS MAIN DRAIN SUMP 6"CHR.STRAINER	REF.DRWG.5001	17520 SCREW DOWN STR.		BRZE	260.45	10.0
4370-BR	2" FPT X 1" FPS MAIN DRAIN SUMP 6"CHR.STRAINER				BRZE	292.45	10.7
4371	DELUXE FLANGE FOR 6" MAIN DRAINS	NON STOCK STD	6620 ASSEMBLY		C/P/B		2.0
4372							
4373							
4374	1-1/2" FPT NON. ADJ. INLET 3-3/4" DIA	21425 FACEPLATE (REF.DRWG.5447)			P/BRZ		2.1
4375	NON-ADJUSTABLE INLET (AS ABOVE) EXCEPT 2" DIAMETER	21425 FACEPLATE (REF.DRWG.5447)			P/BRZ		2.0
4377-2	DECK BOX 1/2" FPT (2) S/O & (1) B/O	SPECIAL ORDER (REF.DRWG.5190)		194.25	C/P/B	219.45	3.5
4378-3	DECK BOX 1/2" FPT (3) S/O & (1) B/O	SPECIAL ORDER (REF.DRWG.5190)		199.15	C/P/B	234.75	3.5
4378-4	DECK BOX 1/2" FPT (4) S/O & (1) B/O	SPECIAL ORDER (REF.DRWG.5190)		205.15	C/P/B	228.35	
4379-2	DECK BOX 3/4" FPT (2) S/O & (1) B/O	NOT AVAILABLE			BRZE		4.2
4380-3	DECK BOX 3/4" FPT (3) S/O & (1) B/O	NOT AVAILABLE (REF.DRWG.5190)			BRZE		4.2
4380-4	DECK BOX 3/4" FPT (4) S/O & (1) B/O	NOT AVAILABLE (REF.DRWG.5190)			BRZE		4.2
4381-PB	11" ECONOMY VAC HEAD, 1-1/2" HOSE BOLTED CONN.	PARTS DRWG.6132	REPL. BRUSH ASSY.15198		P/ALUM	276.65	4.0
4381-PT	11" ECONOMY VAC HEAD, 1-1/2" HOSE FEMALE THREAD				P/ALUM	283.10	5.0
4383	11" TORNO SWEEP VAC HEAD 1-1/2" HOSE CONN.	SPECIFY B OR T. (PARTS DRWG.6104)			C/P/B	293.85	5.2
4385	"ROTO-VAC" 11" JET VAC. HEAD 1-1/2" HOSE CONN.	PARTS DRWG.6106	SPECIFY B OR T		BL/AL	349.30	5.0
4386	"ROTO-VAC" 11" SUCTION VAC. HEAD 1-1/2" HOSE CONN.	PARTS DRWG.6105	WHEEL ASSY. 15039		BL/AL	314.10	2.8
4387-P	"TORNO-JET" 11-3/4" JET VAC.1-1/2" HOSE CONN.	PARTS DRWG.6139	SPECIFY B OR T		P/ALUM		5.2
4388-T	"TORNO-JET" 11-3/4" JET VAC. WHEELS FEMALE THREAD	PARTS DRWG.6140			P/ALUM	211.75	2.8
4389-T	"ECONOMY" 11" VAC. HEAD 1-1/4" HOSE FEMALE THREAD	PARTS DRWG.6129	REPL. BRUSH ASSY.15198		P/ALUM	275.10	3.4
4390-AL	"STANDARD" 14" VAC. HEAD 1-1/2" FPT FEMALE THREAD.	PARTS DRWG.6133	REPL. BRUSH ASSY.15259		P/ALUM	328.30	3.5
4390-BR	"STANDARD" 14" VAC. HEAD 1-1/2" FPT FEMALE THREAD.		SPECIAL ORDER		C/P/B		8.5
4391-T	14" STANDARD VAC HEAD 1-1/2" MPT MALE THREAD	PARTS DRWG.6133	REPL. BRUSH ASSY.15259		P/ALUM		3.6
4392-T	"STANDARD" 14" VAC. HEAD 1-1/2" FPT FEMALE THREAD.	PARTS DRWG.6130	REPL. BRUSH ASSY.15257		P/ALUM	324.95	5.0
4393-T	"STANDARD" 19" VAC. HEAD 1-1/2" FPT FEMALE THREAD.	PARTS DRWG.6134	REPL. BRUSH ASSY.15192		P/ALUM	354.25	5.4
4394-T	14" STANDARD VAC HEAD 1-1/2" MPT MALE THREAD	PARTS DRWG.6134	REPL. BRUSH ASSY.15152		P/ALUM	390.65	5.5
4395-PB	"ECONOMY" 11" VAC. HEAD 1-1/4" HOSE BOLTED CONN.	PARTS DRWG.6132	REPL. BRUSH ASSY.15198		P/ALUM	282.20	3.3
4395-PT	"ECONOMY" 11" VAC. HEAD 1-1/4" HOSE FEMALE CONN.				P/ALUM	293.55	3.5
4396-PB	"ECONOMY" 14" VAC. HEAD 1-1/2" HOSE BOLTED CONN.	PARTS DRWG.6131			P/ALUM	318.10	3.9
4396-PT	"ECONOMY" 14" VAC. HEAD 1-1/2" HOSE FEMALE THREAD	PARTS DRWG.6131			P/ALUM	330.35	3.9
4397-AL	HANDLE CONVERS. ADAPTER 1-1/4" BOLT 1"-8 MALE	LESS BOLTS & W NUTS			ALUM	26.60	0.8
4397-BR	HANDLE CONVERS. ADAPTER 1-1/4" BOLT 1"-8 MALE	LESS BOLTS & W NUTS		31.65	C/P/B	37.15	1.2
4398	THREAD CONVERS. ADAPTER 1"-8 FEMALE TO 1"-14 MALE				BRASS	17.75	0.4
4399	THREAD CONVERS. ADAPTER 1"-8 MALE TO 1"-14 FEM. THREAD				BRASS	17.75	0.4
4400-AL			DISCONTINUED				1.0
4400-BR	WEDGE ANCHOR ASSEMBLY 1-1/4"PIPE (1.66")				BR	48.70	2.2
4401-AL			DISCONTINUED				1.0
4401-BR	WEDGE ANCHOR ASSY 1-1/2"PIPE (1.90")		DISCONTINUED		BR		2.2
4402	DIVING STAND EYE PIN 1/2 ROUND 1-1/4" C/L				BRZE	8.20	0.7
4403-AL	HANDLE CONVER. ADAPTER 1-1/4"BOLTED TO 1" 8 FEM. THREAD.	WITH BOLTS & W/NUTS			ALUM	29.40	0.5
4403-BR	AS ABOVE.	15130			BR	34.95	0.9
4404	18" LONG SPLIT FULCRUM FOR 1-1/2"PIPE (1.90")		DISCONTINUED		RUBBER		2.0
4405	7-1/4" HIGH X 22" LONG DECK LEVER STRAP 12" C/L	PRICE ON REQUEST (REF.DRWG.5501)		LIMITED SUPPLY	GALV/ST.		10.3
4406-T	24" LG.COMB.STRAIGHT FLOOR/WALL BRUSH 1"-8 FEMALE THREAD.	REPL. BRUSH 4068	NYLON BRISTLES		BRZE	247.65	5.0
4407-AL	1-1/2" PIPE (1.90")DIVING STAND FULCRUM BRACKET 4-1/8" C/L	NON STOCK STD. (REF.DRWG.5311)		(2) REQUIRED	B/ALUM	110.15	2.4
4407-BR	AS ABOVE	LESS FASTENERS (2) REQUIRED		171.15	C/P/B	208.95	7.1
4408	1-1/2" FPT UNDERDRAIN 11-5/8" DIA	SPECIAL ORDER			BRZE	P.O.A.	
4409							
4410	UNDERDRAIN PLATE PLAIN CENTER HOLE 11-5/8" DIA.	SPECIAL ORDER			BRZE	P.O.A.	
4411-SP	PERSONALIZED BUTT PLATE 15" LONG 12" C/L	5241 COMPLETE ASSY	INFO. REQUIRED		C/P/B	P.O.A.	2.2
4411-NP	NEOPRENE PAD FOR ABOVE	SEE NEW 6875			RUBBER	9.75	
4412	2" MPT UNDERDRAIN PLATE	SPECIAL ORDER			BRZE	P.O.A.	
4413-AL	REAR DIVING BOARD SWIVEL	LESS FASTENERS	SPECIAL ORDER (REF.DRWG.5307)		ALUM	105.90	1.7
4413-BR	AS ABOVE				NI/BRZ	201.30	4.8
4413-F	FASTENERS FOR 4413 ASSY. SPECIFY BOLT LENGTH	SPECIAL ORDER (4) REQUIRED			ST.ST.	P.O.A.	
4414	DIVING STAND EYE PIN FULL ROUND 3-1/4" C/L				BRZE	12.45	0.2
4415	1-2" MPT RELIEF VALVE	NON STOCK STD			BRZE	57.05	0.7
4416	PORTABLE VENTURI PLATE WITH EYE HOOK	SPECIAL ORDER ONLY			BRZE	P.O.A.	
4417	11-5/8"DIAMETER PORTABLE STANDPIPE ASSEMBLY	SPECIAL ORDER ONLY			BRZE	P.O.A.	
4418-AL	HANDLE CONN. 1-1/4" DIA. TUBE WITH BOLTS & W/NUTS	15130 BOLT & W/NUT			ALUM	39.05	0.5
4418-BR	AS ABOVE				BRZE	52.95	1.3
4420-A	DECK BOX 2-3/4" FPT X 3/4" FPT B/O	NEW			P/BRZ	C/P/B	
4420-B	DECK BOX 2-3/4" FPT S/O X 1" FPT B/O	NEW			P/BRZ	C/P/B	
4421-GS	2" FPT X 2" FPT VACUUM/RETURN FITTING LESS PLUG	USE 4227-5718 PLUG (REF.DRWG.5258)			C/P/B	92.60	2.0
4422	DECK BOX (2) 1" FPT S/O X 1" FPT B/O	NEW			C/P/B		
4423-GS	2" FPT X 2" FPT X 2-1/2" MPT VAC/RET. FITTING LESS PLUG	USE 4227-5718 PLUG (REF.DRWG.5258)			C/P/B	94.85	1.6
4425	RECTANGULAR FRAME & 2-3/8" X 11-3/8" STRAINER GRATE	(REF.DRWG.5507)			C/P/B		3.4
4426	14" LONG BUTT PLATE ONLY 12" C/L	SEE 4432-4433 ASSEMBLIES		40.80	C/P/BZ.	ST.ST.	48.05
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED						
	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL						
PAGE 7	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT - DRAWING NUMBERS AS INDICATED						PAGE 7

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
4427-AL	BUTT WASHER ONLY SEE 6880 FOR COMPLETE ASSEMBLY	B/ALUM	10.85	WH/AL	14.00	0.2
4427-BR	BUTT WASHER ONLY SEE 6881 FOR COMPLETE ASSEMBLY	BR/CHR	19.10	C/P/B	25.05	0.5
4432	BUTT PLATE ASSY. SINGLE, COMPLETE WITH ACCESSORIES (4426 BUTT PLATE)			ST.ST.	118.30	2.0
4433	BUTT PLATE ASSY. DOUBLE COMPLETE WITH ACCESSORIES 4426 TOP PLATE & 6876 ALUM BOTTOM PLATE			ST.ST.	134.70	2.4
4433-P	NEOPRENE PAD FOR 4432 & 4433 ASSEMBLIES (SEE NEW 6874)			RUBBER	6.90	
4434	2" MPT. HYDROSTATIC RELIEF VALVE SEE 4353			DISCONTINUED		1.0
4435-36	NAMEPLATES INFORMATION REQUIRED MADE TO ORDER. (PI SHEET 71-72)	OX/BRZ		C/P/B		P.O.A.
4437-40	FILTER BAGS FOR JET VACUUM HEADS					P.O.A.
4445-S	STRAINER PLATE 7-1/2" DIA DROP IN 18047 (REF. DRWG.5094)			C/P/B		1.5
4449-S	9" DIA. STRAINER PLATE DROP IN (REF. DRWG.5094)	GL/BRZ	128.75	C/P/B	149.45	2.5
4450						
4451	3-7/8" RD. RACING LINE CUP ANCHOR & 6696 5/8"-11 T/E			C/P/B	P.O.A.	
4453	DIVING STAND EYE PIN HALF ROUND 2-7/8" C/L			BRZE	14.20	0.3
4454	2-1/2" MPT HYDROSTATIC RELIEF VALVE			BRZE	P.O.A.	
4455	DIVING STAND EYE PIN FULL ROUND 2-1/2" C/L			BRZE	13.10	0.4
4456-AL	2" SPANNER WRENCH (HOSE SWIVELS)			ALUM	29.20	0.4
4456-BR	2" SPANNER WRENCH (HOSE SWIVELS)			BRZE	41.90	1.0
4457	DIVING STAND EYE PIN FULL ROUND 3" C/L			BRZE	13.50	0.2
4459	RECTANGULAR FRAME USED WITH NO 4208 4" EMBEDMENTS 6-3/4"X12-1/4" ID. FITS 1/2 FT. & 4 FT.			GL/BRZ	P.O.A.	1.7
4460	RECTANGULAR FRAME USED WITH NO 4208 4" EMBEDMENTS 6-3/4"X15-5/8" ID. FITS 4-1/2 FT.			GL/BRZ	P.O.A.	2.0
4461	RECTANGULAR FRAME USED WITH NO 4208 4" EMBEDMENTS FITS 3-1/2 & 10 FT.			GL/BRZ	P.O.A.	
4472	CABLE CLAMPS FOR 1/8" VINYL COVERED CABLE NEW			BRZE	11.55	0.1
4473	CABLE CLAMPS FOR 3/16" VINYL COVERED CABLE USED ON RACING LINES & AERIAL CABLE ASSEMBLIES			BRZE	11.55	0.1
4474	CABLE CLAMPS FOR 1/4" VINYL COVERED CABLE NEW			BRZE	11.55	0.1
4477	4-3/4" LONG DOUBLE SNAP HOOK LEVER STYLE			C/P/B	21.75	0.2
4480-P	"BUD-JET" 11" JET VAC. WHEELS 1-1/2" HOSE CONN. PARTS DRWG.6135 SPECIFY B. OR T.	BLUE AL.		P/ALUM		3.0
4481-T	"BUD-JET" 11" JET VAC. WHEELS 1"8 FEM. THREADED CONN. P.O.A. PARTS DRWG.6136	BLUE AL.		P/ALUM		3.0
4482-P	"TORNO-JET" 9-3/4"JET VAC. BRUSHES 1-1/2" HOSE CONN. PARTS DRWG.6141			BL/AL		3.0
4483-T	"TORNO-JET" 9-3/4" JET VAC. BRUSHES FEM. THREADED CONN. PARTS DRWG.6142			BL/AL		3.0
4484-P	"BUD-JET" 9-1/2" JET VAC. BRUSHES 1-1/2" HOSE CONN. PARTS DRWG.6137			BL/AL		3.1
4485-T	"BUD-JET" 9-1/2" JET VAC. BRUSHES FEM. THREADED CONN. PARTS DRWG.6138			BL/AL	P.O.A.	3.0
4486	"TRI-VAC" VAC. HEAD SUCTION ONLY SEE NEW 5066			BL/AL		
4488	"CIRC-VAC" 11" VAC. HEAD SUCTION 1-1/2" HOSE CONN. PARTS DRWG.6110			BL/AL	377.15	5.0
4489	"CIRC-VAC" 11" VAC. HEAD JET ACTION 1-1/2" HOSE CONN. PARTS DRWG.6111			BL/AL	409.35	5.0
4490	"CIRC-VAC" 11" DELUXE SUCTION ONLY 1-1/2" HOSE CONN. PARTS DRWG.6112 WHEEL ASSY.15039			BL/AL	442.35	5.0
4492	"TRI-VAC" 11-1/4" SUCTION ONLY 1-1/2" HOSE CONN. PARTS DRWG.6123 WHEEL ASSY.15039			BL/AL	288.60	4.7
4493	"CIRC-VAC" 11" DIA. DELUXE JET ACTION 1-1/2" HOSE CONN PARTS DRWG.6113			BL/AL	475.40	5.0
4494	"TRI-VAC" 11-1/4" JET ACTION 1-1/2" HOSE CONN. PARTS DRWG.6124 WHEEL ASSY.15039			BL/AL	322.75	4.7
4495-P	"ROCKET" 13" VAC HEAD 1-1/2" HOSE CONN. PARTS DRWG.6127			P/ALUM	343.05	5.0
4496-T	"ROCKET" 13" VAC. HEAD 1-1/2" HOSE FEM. THREAD. CONN. PARTS DRWG.6128			P/ALUM	317.30	5.0
4497	"ROTO-VAC" 15-3/4" JUMBO JET ACTION 1-1/2" HOSE CONN. PARTS DRWG.6107 WHEEL ASSY.15039			BL/AL	457.05	6.7
4498	"ROTO-VAC" 15-3/4" JUMBO SUCTION 1-1/2" OR 2" HOSE. PARTS DRWG.6108 WHEEL ASSY.15039			BL/AL	435.00	8.4
4500	"ROTO-VAC" 11-3/4" DE-LUXE SUCTION 1-1/2" HOSE CONN. PARTS DRWG.6114 BRUSH ASSY.15065			BL/AL	373.85	5.4
4502-PB	"MINI-VAC" 9" VAC HEAD 1-1/4" HOSE CONN. BOLTED CONN. REPL. BUMPER.15070 PARTS DRWG.6119	BL/AL	103.40	P/ALUM	114.85	1.2
4502-PT	"MINI-VAC" 9" VAC. HEAD 1-1/4" HOSE CONN .FEM. THREADED CONN. REPL. BRUSH 15071	BL/AL	118.35	P/ALUM	127.90	1.2
4503-PB	"MINI-JET" 9" VAC. HEAD 1-1/4" HOSE CONN. BOLTED CONN. PARTS DRWG.6120	BL/AL	103.40	P/ALUM		1.1
4503-PT	"MINI-JET"9" VAC. HEAD 1-1/4" HOSE CONN. FEM. THREADED CONN. PARTS DRWG.6119	BL/AL	116.95	P/ALUM		1.1
4504-PB	"MINI-VAC" 9" VAC. HEAD 1-1/2" HOSE CONN. BOLTED CONN. REPL. BUMPER 15070 PARTS DRWG.6119	BL/AL	104.70	P/ALUM	114.85	1.2
4504-PT	"MINI-VAC" 9" VAC. HEAD 1-1/2" HOSE CONN. FEM. THREADED CONN. REPL. BRUSH 15071	BL/AL	117.10	P/ALUM	126.40	1.3
4505-PB	"MINI-JET" 9" VAC HEAD 1-1/2" HOSE CONN. BOLTED CONN. PARTS DRWG.6120	BL/AL		P/ALUM	P.O.A.	1.3
4505-PT	"MINI-JET" 9" VAC. HEAD 1-1/2" HOSE CONN. FEM. THREADED CONN. REPL. BRUSH 15071	BL/AL		P/ALUM	P.O.A.	1.3
4506-T	"MINI-JET" 9" VAC. HEAD 1-1/2" HOSE CONN. FEM. THREADED CONN. PARTS DRWG.6122			P/ALUM		1.3
4507-20	WINTERIZING OR TEST PLUGS (CALL FOR INFORMATION & PRICING)			BRZE	P.O.A.	
4522	SWIVEL HOSE CONNECTOR 2" HOSE FOR 5990 VAC HEAD			BRZE	50.10	0.8
4523	SWIVEL HOSE CONNECTOR 1-1/2" HOSE FOR 5990 VAC HEAD			BRZE	48.75	0.8
4524	FRAME ONLY FOR No. 4208 4" No. RUNNING EMBEDMENT	NEW		GL/BRZ	P.O.A.	
4526	2" MPS X 1-1/2" FPS REDUCING BUSHING (SPANNER TYPE) FOR STEEL POOLS P.O.A.			BRZE	36.20	0.4
4527	2-1/2" MPS X 2" FPS REDUCING BUSHING (SPANNER TYPE) FOR STEEL POOLS P.O.A.			BRZE	70.90	0.5
4528-AL	1-1/4" PIPE (1.66") ROUND DECK FLANGE SEE NEW 5987	ALUM		WH/AL		0.7
4529	2" MPS NON. ADJ. INLET ADAPTER PARTS DRWG.5024	BRZE		C/P/B	49.50	0.5
4530	2" MPS ADJ. INLET ADAPTER PARTS DRWG.5024			C/P/B	65.05	0.6
4531	FRAME ONLY FOR NO.4208 4" NO DIVING EMBEDMENT SIZE 26-1/2" X 8" O/D	NEW		GLZ/BR	P.O.A.	7.7
4532	2-1/2" MPS NON. ADJ. INLET ADAPTER MODERN SP. 335 PARTS DRWG.5024				62.40	0.6
4533	1-1/2" MPS ADJ. INLET ADAPTER MODERN SP. 338 VOLUME ORDERS ONLY				72.00	0.8
4534	SQUARE INLET FITTING 1-1/2" PIPE (1.90")USED WITH 4865 INLET FITTING			BRZE	P.O.A.	0.4
4535	1" MPS EQUALIZER ADAPTER SPECIAL ORDER			BRZE		0.4
4536	1-1/2" MPS EQUALIZER ADAPTER USE 6737 WRENCH			BRZE	42.90	0.5
4537	2" MPS EQUALIZER ADAPTER USE 6737 WRENCH			BRZE	62.40	0.9
4538	EQUALIZER PLATE FITS 1-1/2" OR 2" PIPE NIPPLES FOR STEEL POOLS			BRZE	P.O.A.	0.6
4547-SP	WALL ANCHOR 1/2"-13 THREAD			BRZE		
	*AERIAL CABLE, STANCHION & PENNANT ASSEMBLIES - DRAWINGS REQUIRED TO INSURE PROPER INSTALLATION					
	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT - DRAWING NUMBERS AS INDICATED					
PAGE 8	* PERSONALIZED ACCESSORIES MADE TO ORDER IN A VARIETY OF MATERIALS & FINISHES				PAGE 8	

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.	
4548	1-1/2" FPT ADJUSTABLE INLET 3-3/4" DIA.	21424 FACEPLATE				GL/BRZ	C/P/B	2.3	
4549	2" FPT ADJUSTABLE INLET 3-3/4" DIA.	21424 FACEPLATE				GL/BRZ	C/P/B	2.4	
4574	5/8"-11 THREADED EYE 1-3/4" LONG		1-3/4" OD.	REF.DRWG.5283			C/P/B	45.60 0.3	
4575	3" X 5" POLY FLOAT FOR 1/2" ROPE						POLY	7.50 0.2	
4576	5" X 9" POLY FLOAT FOR 3/4" ROPE						POLY	14.20 0.5	
4577	WEDGES FOR 4575 FLOATS 3/8" ROPE CONVERSION						PLAST	P.O.A.	
4578	WEDGES FOR 4576 FLOATS 1/2" ROPE CONVERSION						PLAST	P.O.A.	
4583	WEDGES FOR 4576 FLOATS 3/4" ROPE CONVERSION						PLAST	P.O.A.	
4584	5-3/8" I/D EXTENSION COLLAR & 17044 COVER PLATE	NON STOCK STD			232.95	GL/BRZ	C/P/B	284.00 5.8	
4585-SD	7-1/2" I/D EXTENSION COLLAR & 17042 COVER PLATE	POOL MISER	4860-4861 ASSY.			SCREW	GL/BRZ	256.00 6.3	
4587	3/4" FPT NO LEAK FLANGE WATER STOP	SPECIAL ORDER					BRZE	P.O.A.	
4588	1" FPT NO LEAK FLANGE WATER STOP	SPECIAL ORDER					BRZE	P.O.A.	
4589	1-1/4" FPT NO LEAK FLANGE WATER STOP	SPECIAL ORDER					BRZE	P.O.A. 3.2	
4590	DECK ANCHOR PLATE FITS 1-1/2" PIPE - DOCK MOUNTING	WOOD PLATFORM MOUNT	LIMITED SUPPLY					P.O.A.	
4591	WALL EYE 2-1/4" PROJ						DISCONTINUED	0.4	
4592	5/8"-11 THREAD ROPE EYE 1-3/8" LONG		2-3/8"OD.X 1-3/8" ID.	REF.DRWG.5285			C/P/B	52.75 0.8	
4593	5/8"-11 THREADED FLANGED ROPE EYE 1-3/8" LONG	1-3/4" DIAFLANGE	2-9/16" OD.	REF.DRWG.5285			C/P/B	78.15 1.0	
4594-AL	6" SIZE COPING COVER PLATE STANDARD MODEL	SPECIAL ORDER	REF DRWG.5099			WH/AL	P/ALUM	0.4	
4594-BR	COPING COVER PLATE AS ABOVE	SPECIAL ORDER					C/P/B	1.0	
4595-AL	8" SIZE COPING COVER PLATE STANDARD MODEL	SPECIAL ORDER	REF.DRWG.5099			WH/AL	P/ALUM	0.5	
4595-BR	COPING COVER PLATE AS ABOVE	SPECIAL ORDER					C/P/B	1.2	
4596-AL	10" SIZE COPING COVER PLATE STANDARD MODEL	SPECIAL ORDER	REF.DRWG.5099			WH/AL	P/ALUM	0.4	
4596-BR	COPING COVER PLATE AS ABOVE	SPECIAL ORDER					C/P/B	1.3	
4597	8" SIZE COPING COVER PLATE LARGE PATTERN 6" RADIUS	SPECIAL ORDER	REF.DRWG.5325			WH/AL	P/ALUM	2.0	
4598-AL	8" SIZE COPING COVER PLATE 90°ANGLE STYLE	SPECIAL ORDER	REF.DRWG.5099			WH/AL	P/ALUM	0.4	
4598-BR	COPING COVER PLATE AS ABOVE	SEE NEW 4859	REF.DRWG.5100			WH/AL	P/ALUM	1.3	
4599	6-5/8 SIZE COPING COVER PLATE SMALL PATTERN 6" RADIUS	SPECIAL ORDER	REF.DRWG.5100			WH/AL	P/ALUM	1.0	
4600	1" MPT GRAVEL STOPPER 11-3/4" PROX.	SPECIALS TO ORDER	DRWG.5095-5113			*SEE FOOTNOTE	BRZ/CU	83.60 1.6	
4601	1-1/4" MPT GRAVEL STOPPER 16-1/2" LONG PROX.		DRWG.5095					P.O.A.	
4602	1-1/2" MPT GRAVEL STOPPER 16-1/2" LONG PROX.		DRWG.5095				BRZ/CU	122.20 2.7	
4603	2" MPT GRAVEL STOPPER 16-1/2" LONG PROX.		DRWG.5095-5113				BRZ/CU	140.75 3.4	
4604-AL	COPING COVER PLATE NARROW MODEL 90' 6" ANGLE SIZE	SPECIAL ORDER	REF.DRWG.5099				P/ALUM	0.2	
4604-BR	COPING COVER PLATE AS ABOVE	SPECIAL ORDER					C/P/B	0.9	
4605	1" FPT GRAVEL STOPPER 11-3/4" LONG PROX.	SPECIALS TO ORDER	DRWGS.5095-5113				BRZ/CU	83.00 1.6	
4607	1-1/2" FPT GRAVEL STOPPER 16-1/2" LONG PROX.						BRZ/CU	119.10 2.7	
4608	2" FPT GRAVEL STOPPER 16-1/2" LONG PROX.		DRWGS.5095 & 5113				BRZ/CU	139.30 3.4	
4609-AL	COPING COVER PLATE NARROW MODEL 90' 8" ANGLE SIZE	SPECIAL ORDER	REF.DRWG.5099			WH/AL	P/ALUM	0.3	
4610-BR	1-1/2" FPT X 2" FPS MAIN DRAIN SUMP 6" DIACHR.STR.	REF.DRWG.5001	17520 STR. SCREW DOWN				BRZE	299.00 11.0	
4611-BR	2" FPT X 2" FPS MAIN DRAIN SUMP 6" DIA CHR. STR.						BRZE	299.00 11.0	
4613-BR	2" FPT X 1-1/2" FPS MAIN DRAIN SUMP 6" DIA CHR. STR.						BRZE	299.00 11.0	
4614-BR	1-1/2" X 1-1/2" FPS MAIN DRAIN SUMP 8" DIA CHR. STR.	REF.DRWG.5002	17534 STR. SCREW DOWN				BRZE	549.80 19.0	
4615-BR	2" FPT X 1-1/2" FPS MAIN DRAIN SUMP 8" DIA CHR. STR.						BRZE	593.90 19.0	
4616-BR	2" FPT X 2" FPS MAIN DRAIN SUMP 8" DIA CHR. STR.						BRZE	597.70 19.0	
4617-BR	2-1/2" FPT X 2" FPS MAIN DRAIN SUMP 8" DIA CHR. STR.	SPECIAL ORDER					BRZE	676.05 19.0	
4618-BR	3" FPT X 2" FPS MAIN DRAIN SUMP 8" DIA CHR. STR.	SPECIAL ORDER	17534 STR. SCREW DOWN				BRZE	788.40 20.0	
4619	DE LUXE FLANGE FOR 8" MAIN DRAINS	SEE 6625 ASSY					C/P/B	3.8	
4620-BR	2" FPT DECK DRAIN 3" X 24"OPEN AREA21.2 SQ. INS.	REPL.STR.15349	REF.DRWG.5004		596.85	BRZE	C/P/B	639.75 11.8	
4623	1-1/2" FPT DECK DRAIN 3-1/2" DIA ST.ST. STRAINER	LIGHT PATTERN	REF.DRWG.5023				BRASS	29.35 0.5	
4624	2" FPT DECK DRAIN 3-1/2" DIA ST.ST. STRAINER	LIGHT PATTERN					BRASS	29.35 0.5	
4628	1/2"-13 THREADED EYE 3" LONG	SPECIAL ORDER	1-1/2" OD.	REF.DRWG.5283			C/P/B	42.45 0.5	
4629									
4630	8" X 18" STRAINER GRATE	SPECIAL ORDER	FOR STEEL POOLS				C/P/B	5.5	
4632	11-3/4" DIA DROP IN STRAINER GRATE SPECIAL ORDER	REF.5421-SP	FOR STEEL POOLS	CPB	407.60		GLZ/BZ	280.40 3.5	
4633	STRAINER GRATE DROP IN WITH LUGS TO FIT 8" PIPE		DISCONTINUED						
4634	STRAINER GRATE DROP IN WITH LUGS TO FIT 10" PIPE		DISCONTINUED						
4635	SPRAY INLET 1/8" ELONGATED SLOT 45°BODY 1" FPT	15,544 FACE PL.				NEW	C/P/B	273.05 4.0	
4636	2" MPS X 1-1/2" FPT VACUUM RETURN FITTING	SPECIAL ORDER.	FOR STEEL POOLS				C/P/B	66.65 0.9	
4636-RC	AS ABOVE WITH GASKET, WASHER & LOCKNUT						C/P/B	81.45	
4637-1	2" MPS ADJUSTABLE INLET	SPECIAL ORDER.	FOR STEEL POOLS	REF.DRWG.5021			C/P/B	89.30 1.0	
4637-2	2" MPS NON. ADJUSTABLE INLET	SPECIAL ORDER.	FOR STEEL POOLS				C/P/B	77.95 0.9	
4638	2" MPS RACING LINE CUP ADAPTER 1/2"-13 THREAD	6686-TE	REF.DRWG.5058				C/P/B	109.65 1.5	
4638-RC	AS ABOVE WITH GASKET WASHER AND LOCK NUT						C/P/B	126.35 1.9	
4639	1-1/2" MPS RACING LINE CUP ADAPTER 1/2"-13 THREAD	4247-TE	REF.DRWG.5052				C/P/B	67.55 0.9	
4640	2" MPS RACING LINE CUP ADAPTER 1/2"-13 THREAD	4247-TE					C/P/B	92.60 1.2	
4641	2-1/2" MPS RACING LINE CUP ADAPTER 1/2"-13 THREAD	4247-TE					C/P/B	114.15 1.3	
4643	COMPRESSION WASHER FOR 1-1/4" PIPE (1.66")		PRICED PER 100				P/ST.	P.O.A. 1.3	
4644	COMPRESSION WASHER FOR 1-1/2" PIPE (1.90")		PRICED PER 100				P/ST.	P.O.A. 1.2	
4645	COMPRESSION WASHER FOR 2" PIPE (2.375")		PRICED PER 100				P/ST.	P.O.A. 3.0	
4646	1-1/4" FPT ADJUSTABLE INLET 4-1/4" DIA	21424 FACEPLATE	REF.DRWG.5453	P/BRZ			C/P/B	1.9	
*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED									
*PARTS LISTS AVAILABLE ON ALL VACUUM CLEANER ASSEMBLIES - DRAWING NUMBERS AS INDICATED									
PAGE 9	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL							PAGE 9	
NJ (201) 339-1351-2-3			STANDARD BRONZE COMPANY			NY (212) 267-6738 FAX (201) 339-3492			

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
4647	1-1/4" FPT NON ADJUSTABLE INLET 4-1/4" DIA	21425 FACEPLATE		P/BRZ	C/P/B	1.5
4648	1-1/2" FPT ADJUSTABLE INLET 4-1/4" DIA	21424 FACEPLATE REF.DRWG.5453		P/BRZ	C/P/B	2.0
4649	1-1/2" FPT NON ADJUSTABLE INLET 4-1/4" DIA	21425 FACEPLATE NEW		P/BRZ	C/P/B	1.7
4650	2" MPT. ADJUSTABLE INLET 4-1/4" DIA	21424 FACEPLATE NEW		P/BRZ	C/P/B	2.1
4651	2" MPT. NON ADJUSTABLE INLET 4-1/4" DIA.	21425 FACEPLATE REF.DRWG.5453		P/BRZ	C/P/B	1.8
4654-AL	COPING COVER PLATE 8" SMALL PATTERN 6" RADIUS	SPECIAL ORDER. REF.DRWG.5100		WH/AL	C/P/B	0.8
4656-GS	1-1/4" FPT ADJ. INLET DIRECTIONAL NYLON AIM FLOW	NO.15615 (3) PC NYLON BALL ASSY.		REF.DRWG.5011	C/P/B	121.00 2.0
4657-GS	1-1/2" FPT ADJ. INLET DIRECTIONAL NYLON AIM FLOW	SPECIFY 5/8"-3/4" OR 1" HOLE SIZE		WY. GRD. SCREW	C/P/B	122.90 2.1
4658-GS	2" FPT ADJ. INLET DIRECTIONAL NYLON AIM FLOW	4656-57-58 COMPLETE WY GRD SCREW		LANDON ORIG.	C/P/B	128.75 2.2
4659	ANGLE STYLE GUTTER DRAIN					
4660	1-1/2"PT ADJ. INLET NYLON AIM FLOW FOR WALL POOLS	SPECIAL ORDER INDICATE POOL WALL		REF.DRWG.5226	C/P/B	3.4
4662						
4664	STRAINER GRATE DROP IN WITH LUGS TO FIT 6" PIPE	SPECIAL ORDER FOR STEEL POOLS			C/P/B	3.4
4668						
4669	1-1/4" FPT X 1-1/2" INSERT FEMALE 45 DEGREE EL				BRZE	76.85 1.2
4673	2" VACUUM HOSE CONNECTOR				B/BRZ	38.00 0.9
4678	COPING COVER PLATE NARROW MODEL 90" 7" SIZE	SPECIAL ORDER.		WH/AL	P/ALUM	38.00 0.5
4680	5/8"-11 THREADED ROPE EYE 1-1/4" LONG	1-1/4" OD.X 7/8" ID.		REF.DRWG.5283	C/P/B	39.05 0.5
4681	3/4"-10 THREADED ROPE EYE 1-1/4" LONG	1-1/4" OD.X 7/8" ID.		REF.DRWG.5283	C/P/B	38.60 0.5
4682	1-1/2" FPT NO LEAK FLANGE WATER STOP	YMCA SPEC. REF.DRWG.5022-R		WY GRD. SCREW	BRZE	64.50 2.0
4683	2" FPT NO LEAK FLANGE WATER STOP	YMCA SPEC. REF.DRWG.5022-R			BRZE	91.75 2.6
4684	2-1/2" FPT NO LEAK FLANGE WATER STOP	YMCA SPEC. REF.DRWG.5022-R			BRZE	167.30 4.3
4685	1-1/2" MPS X 1-1/2" SLIP SKIMMER CONNECTOR	SPECIAL ORDER.			BRZE	1.5
4686	1-1/2" FPT X 1-1/2" INSERT SKIMMER CONNECTOR	SPECIAL ORDER.			BRZE	1.4
4688	1-1/2" FPS X MPS X INSERT SKIMMER CONNECTOR	SPECIAL ORDER.			BRZE	1.4
4689	1-1/2" MPS X 1-1/2" INSERT SKIMMER CONNECTOR	SPECIAL ORDER			BRZE	1.2
4692	1-1/2" FPT BOTTOM INLET ADJ. CAP 1/2"-13 THREAD	CAP ASSY.17017		REF.DRWG.5007	C/P/B	224.25 2.8
4693	2" MPT BOTTOM INLET ADJ. CAP 1/2"-13 THREAD			REF.DRWG.5007	C/P/B	229.80 2.8
4694	1-1/2" FPS X 2" MPS INLET FITTING	SPECIAL ORDER FOR STEEL POOLS		REF.DRWG.5081	C/P/B	93.25 1.5
4696-A	2" MPS ADJUSTABLE INLET PVC BACK	SPECIAL ORDER FOR STEEL POOLS		REF.DRWG.5081	C/P/B	104.20 0.5
4696-B	2" MPS NON ADJUSTABLE INLET PVC BACK	SPECIAL ORDER FOR STEEL POOLS			C/P/B	99.25 0.5
4698	1/2"-13 WALL ANCHOR			SEE.NEW.5980	DISCONTINUED	
4701	5" DIA "DISCOID" SACRIFICIAL ANODE 3/8"-16 THREAD	2" HIGH REF.DRWG.5170-71			MAGN.	142.80 1.5
4702	7" DIA "DISCOID" SACRIFICIAL ANODE 3/8"-16 THREAD	2" HIGH			MAGN.	258.90 3.5
4703	"MULTI-FAC" SACRIFICIAL ANODE	2-7/8" DIA.			MAGN.	47.55 0.7
4704						
4705	2" MPS X 1-1/2" MALE HOSE ADAPTER			P.O.A.	BRZE	
4706	2" MPS X 2" MALE HOSE ADAPTER				BRZE	69.85
4707	MALE HOSE SLIP ADAPTER 2" TAPER X 1-1/2" HOSE CONN.	TUEC 0-194 REF.DRWG.5162		REF.NEW.15924	BRZE	142.55 1.3
4708	MALE HOSE SLIP ADAPTER 2" TAPER X 2" HOSE CONN.	TUEC 0-673 REF.DRWG.5162		REF.NEW.15827	BRZE	83.20 1.6
4710	4" COMPLETE BUCK ANCHOR ASSEMBLY 1-1/2" PIPE	NEW FLUSH MODEL			BRZE	2.3
4711	2" MPS SPANNER TYPE ADJUSTING COLLAR FOR ABOVE	NEW			REPLACEMENT PART	0.5
4712	2" MPS SPANNER PLUG FOR ABOVE IF REQUIRED				BRZE	0.9
4716	6" DIA "DISCOID" SACRIFICIAL ANODE 3/8"-16"THREAD	1" HIGH NYC. STANDARD		REF.DRWG.70	MAGN.	164.80 1.7
4717	1-1/4" MPT ADJUST. HYDRO AIR JET THERAPY ASSEMBLY	PATENTED			DISCONTINUED	2.5
4718	1-1/4" MPT ADJUST. HYDRO AIR JET THERAPY ASSEMBLY				DISCONTINUED	2.7
4723	5/8"-11 THREADED EYE 1-1/4" LONG	SPECIAL ORDER			C/P/B	46.45 0.4
4724	POOL MAGNET FITS 1-1/8" DIA. EXTENSION HANDLES				RUBBER	10.40
4725	POOL MAGNET FITS 1-1/4" DIA. EXTENSION HANDLES				RUBBER	10.40
4737-40	POLE HANGERS FOR EXTENSION HANDLES(1)(2)OR (3) HOOKS	SEE 6118-20-24			DISCONTINUED	1.3
4742-GS	SPRAY INLET 1" FPT HOLES ARC 45 ANGLE SPRAY	FACEPLATE 15,576 NEO. GASKET 17,035		REF.DRWG.5074	C/P/B	206.10 2.0
4743-GS	2" FPT FULL ANGLE STYLE GUTTER DRAIN	REPL. STR. 18049 REF.DRWG.5076			C/P/B	157.40 4.3
4744	2" FPT IRREGULAR ANGLE STYLE GUTTER DRAIN	REF. DRWG 5075			DISCONTINUED	
4745	2" MPT PIPE PLUG RECESSED HEAD	SPECIAL ORDER NEW			BRZE	P.O.A.
4747	2-1/2" MPT PIPE PLUG RECESSED HEAD	SPECIAL ORDER NEW			BRZE	
4748	3" MPT PIPE PLUG RECESSED HEAD	SPECIAL ORDER NEW			BRZE	
4749	1-1/2" MPS "POOL SWEEP" ADAPTER	SEE 5705 ASSEMBLY		USE 5191 WRENCH	C/P/B	
4750	4" MPT. PIPE PLUG RECESSED HEAD	SPECIAL ORDER NEW			BRZE	P.O.A.
4754	HYDRO AIR JET ASSEMBLY	SEE 6536 BODY ONLY			DISCONTINUED	
4755	HYDRO AIR JET ASSEMBLY	SEE 4780 BODY ONLY			DISCONTINUED	
4756	HYDRO AIR JET ASSEMBLY	SEE 4780 BODY ONLY			DISCONTINUED	
4757	1-1/2" MPT ADJUST. HYDRO AIR THERAPY JET ASSY.	REF.DRWG.5269-70		PATENTED	C/P/B	213.80 2.5
4758	1-1/2" MPT ADJUST. HYDRO AIR THERAPY JET ASSY	REF.DRWG.5272			C/P/B	189.25 2.7
4762-F	1-1/4" FPT SWIVEL FILL SPOUT ADJ. HGT. X 17-1/2" C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	2.4
4763-M	1-1/4" MPT SWIVEL FILL SPOUT ADJ. HGT. X 17-1/2" C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	2.4
4764-F	1-1/2" FPT SWIVEL FILL SPOUT ADJ. HGT. X 17-1/2" C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	2.8
4765-M	101/2" MPT SWIVEL FILL SPOUT ADJ. HGT. X 17-1/2" C/O	TEMPORARILY OUT OF PRODUCTION			C/P/B	2.8
4768	HYDRO AIR JET ASSEMBLY	(SEE 4792 BODY ONLY)			DISCONTINUED	
4770						
4774	BENT TUBE-FORMED TIP 5-1/2"x17-1/2" C/L 1-1/4" FPT	FILL SPOUT MAXIMUM LGTH. INDICATED			C/P/B	
	* REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED					
	* GRAVEL STOPPERS AVAILABLE IN SPECIAL LENGTHS TO ORDER - INFORMATION ON REQUEST					
PAGE 10	* FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL					PAGE 10

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
4775	BENT TUBE WITH FORMED TIP 5-1/2"X17-1/2"C/L 1-1/4" MPT	FILL SPOUT		*SEE FOOTNOTE	C/P/B	
4776	BENT TUBE WITH FORMED TIP 5-1/2"X17-1/2"C/L 1-1/2" FPT	MAXIMUM LENGTH INDICATED			C/P/B	263.00
4777	BENT TUBE WITH FORMED TIP 5-1/2"X17-1/2"C/L 1-1/2" MPT	FILL SPOUT		*SEE FOOTNOTE	C/P/B	268.55
4780-A	1" FPT X 1/2" SWEAT AIR INTAKE HYDRO AIR JET ONLY	7/16-14 ORIFICE (REF.DRWG.5419)			BRZE	68.40 0.7
4780-B	1" SWEAT X 1/2" SWEAT AIR INTAKE HYDRO AIR JET ONLY	(REF.DRWG.5419)			BRZE	73.55 0.7
4780-C	1" FPT X 3/8" FPT AIR INTAKE HYDRO AIR JET ONLY	7/16-14 ORIFICE (DRWGS.5151 & 5419)			BRZE	66.90 0.7
4780-D	1" SWEAT X 3/8" FPT AIR INTAKE HYDRO AIR JET ONLY	7/16-14 ORIFICE (REF.DRWG.5419)			BRZE	66.05 0.7
4780-E-1	1" SWEAT X 5/8" SWEAT AIR INTAKE HYDRO AIR JET ONLY	7/16-14 ORIFICE SPECIALS TO ORDER			BRZE	62.90 0.7
4781	HYDRO AIR JET ASSEMBLY	SEE 6542 BODY ONLY			DISCONTINUED	
4782	HYDRO AIR JET ASSEMBLY	SEE 6537 BODY ONLY			DISCONTINUED	
4783-GS	2-1/2" MPT FULL ANGLE STYLE GUTTER DRAIN	REPL. STR. 18049 (REF.DRWG.5130)			C/P/B	205.25 4.2
4788-F	1-1/2" FPT VALVE FILL SPOUT 5-1/2"X17-1/2" C/L	SPECIALS TO ORDER			C/P/B	365.20 4.0
4789-M	1-1/2" MPT VALVE FILL SPOUT 5-1/2"X17-1/2" C/L				C/P/B	365.20 4.0
4790-F	2" FPT VALVE FILL SPOUT 5-1/2"X17-1/2" C/L				C/P/B	432.00 6.0
4791-M	2" MPT VALVE FILL SPOUT 5-1/2"X17-1/2" C/L				C/P/B	416.15 6.0
4792	1" FPT X 2/3" SWEAT AIR INTAKE HYDRO AIR JET ASSY.	7/16-14 ORIFICE REF.DRWG.5267			C/P/B	166.80
4792-SP	AS ABOVE: SPECIAL ASSEMBLIES TO ORDER	REF.DRWG.5351 SPECIFY POOL WALL			BRZE	
4795	1" MPS X 3/8" HOLE 45'ANGLE FIXED INLET ADAPTER				C/P/B	48.45 0.3
4797	1-1/2" MPS X 45' ANGLE SLOT FIXED INLET ADAPTER				C/P/B	69.70 0.4
4798	1-1/2" MPS X 5/8" HOLE 45'ANGLE FIXED INLET ADAPTER				C/P/B	67.55 0.4
4799	1-1/2" MPS ANGLE DIVERTER INLET ADAPTER				C/P/B	35.50 0.4
4800	POLY ROPE 1/4" TWISTED, BLUE & WHITE 600 FT. ROLL.				POLY	12.00
4800	AS ABOVE 1200 FT. ROLL SPECIAL LENGTHS TO ORDER	SPECIAL ORDER			POLY	20.00
4801	POLY ROPE 5/16" TWISTED BLUE & WHITE 600 FT. ROLL	SPECIAL ORDER			POLY	P.O.A. 16.00
4801-SP	AS ABOVE 1200 FT. ROLL SPECIAL LENGTHS TO ORDER	SPECIAL ORDER			POLY	27.00
4802	POLY ROPE 3/8" TWISTED BLUE & WHITE 600 FT. ROLL				POLY	291.90 23.0
4802-SP	AS ABOVE 1200 FT. ROLL SPECIAL LENGTHS TO ORDER				POLY	556.95 47.0
4804	POLY ROPE 1/2" TWISTED BLUE & WHITE 600 FT. ROLL				POLY	442.40 20.0
4804-SP	AS ABOVE 1200 FT. ROLL SPECIAL LENGTHS TO ORDER				POLY	864.75 66.0
4805	POLY ROPE 5/8" TWISTED BLUE & WHITE 600 FT. ROLL	SPECIAL ORDER			POLY	56.00
4806	POLY ROPE 3/4" TWISTED BLUE & WHITE 600 FT. ROLL				POLY	955.00 77.0
4807	RACING LINE ANCHOR "U" INSERT FOR SCUM GUTTERS	SPECIAL ORDER UNIV. OF PENN. SPEC.			P.O.A.	1.3
4808	DOUBLE END STYLE STANCHION 1" TUBE (1.00") .083"WALL	SPECIFY HEIGHT REF DRWG 5492-6014			ST.ST.	
4809						
4810	DOUBLE CORNER STYLE STANCHION 1 TUBE (1.00") .083"WALL	SPECIFY HEIGHT REF.DRWGS.4810-6041E		SPECIFY A-B-C	ST.ST.	0.5
4811	2" HEAVY DUTY FLOATING SUCTION HOSE, 25 FT.	YMCA SPECS. USE 4673 CONNECTORS & 4868 CLAMPS			PLAST	576.45 22.0
4812						
4816	2" HEAVY DUTY FLOATING SUCTION HOSE, 50 FT.	YMCA SPECS. USE 4673 CONNECTORS & 4868 CLAMPS			PLAST	1158.50 36.0
4817-AL	8" PROJECTION UTILITY HOOK	SPECIAL ORDER.			P/ALUM	81.00 0.7
4817-BR	8" PROJECTION UTILITY HOOK				C/P/B	120.55 1.9
4818	MERMAID HOOK DISCONTINUED				P/ALUM	
4819-AL	4" PROJECTION UTILITY HOOK	SPECIAL ORDER		WH/AL 31.65	C/P/B	61.50 0.4
4819-BR	4" PROJECTION UTILITY HOOK				C/P/B	86.95 1.0
4820	1" MPS X 1/2" FPT SPECIAL 90' WALL INLET	SPECIAL ORDER (REF.DRWG.5389)			C/P/B	78.15 0.5
4820-A	AS ABOVE: WITH GASKETS, WASHER AND LOCK NUT	SPECIAL ORDER			C/P/B	P.O.A. 0.9
4824	SPRING WALL CLAMPS FOR 1-1/4" & 1-1/2" EXT. HANDLES	LESS SCREWS		PRICED PER PAIR	ST.ST.	24.45 0.1
4825	VOLLEY BALL STANCHION 1" TUBE (1.00") .083" WALL	5 FT ABOVE DECK REF.DRWG.5492-6048			ST.ST.	P.O.A.
4826	12-1/2"X 6-7/8" X 5-3/4"PROJ. HEAVY DUTY HOSE RACK	FOR INSTALLATION AS A WALL MOUNT		ALUM 136.50	WH/AL	153.35 3.2
4828	SMALL UTILITY HOOK				C/P/B	30.85
4829	LIFE PRESERVER HOOK FOR LIFEGUARD CHAIRS 1-1/2" PIPE	(1.90") NEW ITEM REF.DRWG.5462			C/P/B	91.55 0.8
4830-A-B	UMBRELLA BRAX. ASSY. FOR LIFEGUARD CHAIRS 1-1/2" PIPE	1-3/8" DIA. SLIP REF.DRWG.5461		(2) PC. ASSY.	C/P/B	181.30 2.2
4830-SP	UMBRELLA BRACKET ASSEMBLY AS ABOVE	1-1/2" DIA. SLIP SPECIAL ORDER		(2) PC. ASSY.	C/P/B	2.1
4831	BACK UP PLATE FOR 4832 LIFE PRESERVER HOOK	SPECIAL ORDER.		AS REQUIRED	BRZE	0.2
4832	LIFE PRESERVER RING BUOY HOOK WALL MOUNT	REF. PI-3			C/P/B	63.20 0.6
4833-FT	RESCUE HOOK SHEPHERDS CROOK 1"-8 FEMALE THREAD.				S/BR	86.35 1.7
4834-B	RESCUE HOOK SHEPHERDS CROOK 1-1/4" BOLTED CONN.	LESS BOLTS & NUTS			S/BR	97.50 1.8
4835-FT	RESCUE HOOK SHEPHERDS CROOK 1"-8 FEMALE THREAD.				S/ALUM	76.65 1.5
4836-B	RESCUE HOOK SHEPHERDS CROOK 1-1/4" BOLTED CONN.	LESS BOLTS & NUTS YMCA SPEC.			S/ALUM	84.90 1.5
4837-A	1" INSERT 180'SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5009-5149 CAP ASSY.15578-A		PATENTED	C/P/B	130.75 1.5
4837-B	AS ABOVE: 360' SLOT	DWGS.5107-5108 CAP ASSY.15578-B		FLOW DRWG.5108	C/P/B	156.15 1.5
4838-A	1"ANGLE INSERT 180'SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5010-5149 CAP ASSY.15578-A		PATENTED	C/P/B	180.80 1.7
4838-B	AS ABOVE: 360' SLOT	DWGS.5107-5108 CAP ASSY.15578-B		FLOW DRWG.5108	C/P/B	1.7
4839-A	1" FPT 180' SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5009-5149 CAP ASSY.15578-A		PATENTED	DISCONTINUED	1.4
4839-B	1" FPT 360' SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5009-5149 CAP ASSY.15578-B FLOW DRWG.5108			DISCONTINUED	1.4
4840	BACKSTROKE STANCHION 1" TUBE .083" 7 FT. ABOVE DECK	QUICK RELEASE REF.DRWG.5491-6891		(2) REQUIRED	ST.ST.	0.3
4841	VOLLEY BALL STANCHION 1-1/4" PIPE (1.66")	5 FT ABOVE DECK REF.DRWG.5492-6054			ST.ST.	
4842-A	1-1/2" FPT 180'SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5008-5149 CAP ASSY.15579-A		PATENTED	C/P/B	267.90 2.5
4842-B	1-1/2" FPT 360'SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5107-5108 CAP ASSY.15579-B		PATENTED 5108	C/P/B	279.75 2.5
4843-A	2" FPT 180'SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5008-5149 CAP ASSY.15579-A		PATENTED	C/P/B	280.80 2.7
4843-B	2" FPT 360'SLOT DIRECTIONAL FLOW BOTTOM INLET	DWGS.5107-5108 CAP ASSY.15579-B		FLOW RATE 5108	C/P/B	293.20 2.7
*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS ON SPECIAL SAMPLE REQUIRED						
*SPECIAL FILL SPOUTS TO ORDER - UNDER 4 UNITS THERE WILL BE A \$ 25.00 NET LINE ITEM SET UP CHARGE						
PAGE 11	*INLET ADAPTERS ARE AVAILABLE WITH SPECIAL MACHINING ON REQUEST					PAGE 11

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
4844	BACKSTROKE STANCHION 1" TUBE .083" 7 FT. ABOVE DECK	QUICK RELEASE	REF.DRWG.5491-6902	(2) REQUIRED	ST.ST.	
4845	BACKSTROKE STANCH.1" TUBE .083" SPEAKER HOOK 7 FT.	QUICK RELEASE	REF.DRWG.5491-6906	(1) R & (1)L.REQ	ST.ST.	
4846	BACKSTROKE STANCH.1" TUBE .083" SPEAKER HOOK 7 FT.	QUICK RELEASE	REF.DRWG.5491-6906	(1) R & (1)L.REQ	ST.ST.	
4847	7/16"-14 THREADED ROPE EYE 5/8" LONG	6684 PATTERN	1-3/4"X 1-3/16"ID.	REF.DRWG.5079	C/P/B	35.45 0.2
4850	AUTOMATIC SKIMMER VINYL LINER POOLS	4584 COVER ASSY.	REF.DRWG.5231		ALUM	18.0
4851	VOLLEY BALL STANCHION 1-1/2" PIPE (1.90") .065"WALL	5 FT ABOVE DECK	REF.DRWG.5492-6057		ST. ST.	
4852-AL	2-7/8" PROJECTION SINGLE UTILITY HOOK	NON STOCK STD.			B/ALUM	15.05 0.1
4852-BR	2-7/8" PROJECTION SINGLE UTILITY HOOK	NON STOCK STD.			C/P/B	26.25 0.3
4853-AL	2-7/8" PROJECTION DOUBLE UTILITY HOOK				B/ALUM	25.15 0.3
4853-BR	2-7/8" PROJECTION DOUBLE UTILITY HOOK				C/P/B	39.05 0.5
4857	ROBE HOOK ONLY FOR 4856-57 ASSEMBLY				P.O.A.	
4859-AL	10" SIZE 90' ANGLE STYLE COPING COVER PLATE	SPECIAL ORDER	REF.DRWG.5099	WH/AL	P/ALUM	0.6
4860-BR	AUTOMATIC SKIMMER FOR GUNITE POOLS(2) 2" FPS CONN.	SPECIAL ORDER ONLY	REF.DRWG.5473	4585 COVER ASSY	BRZE	P.O.A. 76.0
4861-BR	AUTOMATIC SKIMMER FOR WALLED POOLS(2) 2" FPS CONN.	SPECIAL ORDER ONLY		P.O.A.	BRZE	85.0
4862	EXTERNAL ROPE EYE REVERSED EYE LESS FASTENERS				C/P/B	43.75 0.6
4863	3/4"-10 THREADED EYE 1" LONG	2-1/4"OD.X	(SEE 3968 ASSEMBLY)	(REF.DRWG.5285)	C/P/B	43.75 0.5
4865	1-1/2" MPS ADJ.AIMFLOW SPECIFY HOLE 3/8",1/2",5/8"	3/4"OR 1" DIA. HOLE	(REF.DRWG.5093)		C/P/B	78.20 0.6
4866	1-1/4" SIZE (TUEC) 0-514 HOSE CLAMP VACUUM HOSE				ST.ST.	4.95
4867	1-1/2" SIZE (TUEC) 0-60 HOSE CLAMP VACUUM HOSE				ST.ST.	4.95
4868	2" SIZE (TUEC) 0-62 HOSE CLAMP VACUUM HOSE				ST.ST.	4.95
4869	5/8"-11 THREADED EYE 1" LONG	2-1/4"OD.X1-1/4" ID.		REF.DRWG.5079	C/P/B	45.85 0.5
4870	ANTI VORTEX FRAME & 8" DIAMETER PLATE				C/P/B	
4871	1-1/2" HVY. DUTY FLOATING SUCTION HOSE 25 FT. (TUEC)	(YMCA SPECS)	USE 4263 CONNECTORS & 4867 CLAMPS		PLAST	N/A 12.0
4876	1-1/2" HVY. DUTY FLOATING SUCTION HOSE 50 FT. (TUEC)	(YMCA SPECS)	USE 4263 CONNECTORS & 4467 CLAMPS		PLAST	676.20 22.0
4889	1/2"-13 FLAT TYPE THREADED EYE 5/8" LONG		(REF.DRWG.5079)		C/P/B	39.10 0.2
4897	BACKSTROKE STANCHION SPEAKER HOOK 1" TUBE .083"WALL	(7 FT. ABOVE DECK)	(REF.DRWG.5491-6914)		ST. ST.	P.O.A.
4898	5/8"-11 THREADED EYE 1-1/8" LONG		1-1/4" OD.		C/P/B	42.60 0.6
4898-SP	AS ABOVE 9/16"-12 THREAD 1-1/8" LONG				C/P/B	56.50 0.6
4899	1/2"-13 THREADED EYE 1-1/8" LONG				C/P/B	43.75 0.3
4901						
4902-F	3/4" FPT VALVE FILL SPOUT 2"C/L X 15-1/2" C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	2.0
4903-M	3/4" MPT VALVE FILL SPOUT 2-1/4"C/L X 15-1/2" C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	2.0
4904-F	1" FPT VALVE FILL SPOUT 2"C/L X 15-1/2" C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	3.0
4905-M	1" MPT VALVE FILL SPOUT 2-1/4"C/L X 15-1/2"C/L	TEMPORARILY OUT OF PRODUCTION			C/P/B	3.0
4906	26-3/4" SQUARE HEAVY DUTY FOOT BATH				RUBBER	339.55 25.0
4910-F	3/4" FPT FORMED TIP FILL SPOUT 5"X17-1/2"C/L	SPECIALS TO ORDER			C/P/B	115.15 2.0
4911-M	3/4" MPT FORMED TIP FILL SPOUT 5"X17-1/2"C/L	SPECIAL ORDER	*SEE FOOTNOTE		C/P/B	114.70 2.0
4912-F	1" FPT FORMED TIP FILL SPOUT 5"X17-1/2"C/L	(SPECIALS TO ORDER)			C/P/B	143.35 2.2
4913-M	1" MPT FORMED TIP FILL SPOUT 5"X17-1/2"C/L				C/P/B	142.55 2.2
4914	BACKSTROKE STANCH. SPEAKER HOOK 1-1/4" PIPE (1.66")	(7 FT. ABOVE DECK)	(REF.DRWG.5491-6938)		ST. ST.	
4915	BACKSTROKE STANCH. SPEAKER HOOK 1-1/2" PIPE (1.90")	(7 FT. ABOVE DECK)	(REF.DRWG.5491-9942)		ST. ST.	2.4
4916-F	1-1/2" FPTFORMED TIP FILL SPOUT 5"X17-1/2"C/L	(SPECIALS TO ORDER)			C/P/B	201.85 3.4
4917-M	1-1/2" MPTFORMED TIP FILL SPOUT 5"X17-1/2"C/L	(SPECIALS TO ORDER)			C/P/B	203.15 3.4
4918-F	2" FPT FORMED TIP FILL SPOUT 5"X17-1/2"C/L	*SEE FOOTNOTE			C/P/B	276.20 5.0
4919-M	2" MPT FORMED TIP FILL SPOUT 5"X17-1/2"C/L				C/P/B	272.45 5.0
4920-B	DOUBLE BAR ASSIST HOOK 1-1/4" DIA. BOLT. HANDLE CONN.	LESS BOLTS & W NUTSREPL (REF.DRWG.5099)			ALUM	84.55 1.5
4921-F	DOUBLE BAR ASSIST HOOK 1"-8 FEMALE HANDLE CONN.	(SPECIAL ORDER)	(REPL.HANDLE.15128)		ALUM	88.25 1.3
4922-SP	FRAME & # 5087 6" WIDE STRAINER GRATE ASSEMBLIES	SPECIAL LENGTHS TO ORDER			GL/BRZ	
4923	6" LONG TEE WRENCH 5/16" SQUARE HOLE	SPECIAL ORDER			BRZE	0.5
4924-F	3/4" FPT WROUGHT END FILL SPOUT 5-1/2"X17-1/2"C/L	SPECIALS TO ORDER			C/P/B	143.55 2.0
4925-M	3/4" MPT WROUGHT END FILL SPOUT 5-1/2"X17-1/2" C/L				C/P/B	139.30 2.0
4926-F	1" FPT WROUGHT END FILL SPOUT 5-1/2"X 17-1/2"C/L				C/P/B	154.95 2.4
4927-M	1" MPT WROUGHT END FILL SPOUT 5-1/2"X 17-1/2" C/L	*SEE FOOTNOTE			C/P/B	154.95 2.4
4930-F	1-1/2" FPT WROUGHT END FILL SPOUT 5-1/2"X 17-1/2"C/L				C/P/B	207.55 3.4
4931-M	1-1/2" MPT WROUGHT END FILL SPOUT 5-1/2"X 17-1/2"C/L				C/P/B	207.55 3.4
4932-F	2" FPT WROUGHT END FILL SPOUT 5-1/2"X 17-1/2" C/L				C/P/B	270.75 6.0
4933-M	2" MPT WROUGHT END FILL SPOUT 5-1/2"X 17-1/2" C/L				C/P/B	260.95 6.0
4934-F	3" FPT WROUGHT END FILL SPOUT	(SPECIAL ORDER)			C/P/B	
4935-M	3" MPT WROUGHT END FILL SPOUT	(SPECIAL ORDER)			C/P/B	
4936	2" MPT PIPE PLUG WITH SQUARE HEAD	SPECIAL ORDER	(SPECIFY TYPE)	ST. ST.	BR	
4937	2-1/2" MPT PIPE PLUG WITH SQUARE HEAD	SPECIAL ORDER	(SPECIFY TYPE)	ST. ST.	BR	
4938	3" MPT PIPE PLUG WITH SQUARE HEAD	SPECIAL ORDER	(SPECIFY TYPE)	ST. ST.	BR	
4939	JET WASH FITTING 1"8 THREAD 90' (SPECIAL ORDER) WY ADJ. BOLT. RET. WASHER & 2 "O" RINGS DWG.5510				C/P/B	115.15 1.4
4940	JET WASH FITTING 1"8 THREAD 45' (SPECIAL ORDER) WY ADJ. BOLT. RET. WASHER & 2 "O" RINGS DWG. 5510				C/P/B	116.25
4941	4" MPT PIPE PLUG WITH SQUARE HEAD	SPECIAL ORDER	(SPECIFY TYPE)	ST. ST.	BR	
4942						
4945						
4949-SP	FILL SPOUT STRAIGHT STYLE 45'ELBOW MALE OR FEMALE	SPECIAL ORDER	(SPECIFY TYPE)	NEW	C/P/B	P.O.A.
4951	1-1/2" MPS ADJUSTABLE EQUALIZER ADAPTER	SEE ALSO 4536	(REF.DRWG.5232)		BRZE	60.20 0.7
4952	2" MPS ADJUSTABLE EQUALIZER ADAPTER	TEMPORARILY OUT OF PRODUCTION SEE 4537			BRZE	1.1
*REPLACEMENT PARTS ON SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED						
*SPECIAL FILL SPOUTS TO ORDER - UNDER 4 UNITS THERE WILL BE A \$ 25.00 NET LINE ITEM SET UP CHARGE						
PAGE 12	*INLET ADAPTERS ARE AVAILABLE WITH SPECIAL MACHINING ON REQUEST					PAGE 12

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.	
4953	2-1/2" MPS ADJUSTABLE EQUALIZER ADAPTER (REF.DRWG.5232)			BRZE	P.O.A.		
4954-BR	1-1/2" FPT X 1-1/2" FPS MAIN DRAIN 5-3/8"CHR.STR. REPL.STR.17523 (REF.DRWG.5109)	SYLVAN POOLS		BRZE	259.55	5.4	
4955-BR	1-1/2" INSERT.X 1-1/2" FPS MAIN DRAIN 5-1/8"CHR.STR. REPL.STR.17522 (REF.DRWG.5263)	SYLVAN POOLS		BRZE	293.85	10.0	
4956-BR	1-1/2" FPT X 1-1/2" FPS MAIN DRAIN 5-5/8" CHR. STR. REPL.STR.17522 (REF.DRWG.5266)	SYLVAN POOLS		BRZE	308.90	10.0	
4957	ANTI VORTEX FRAME & 5-5/8" DIA. VENT. PLATE 4958 SPECIAL ORDER (REF.DRWG.5415)		152.70	C/P/B	166.15	2.5	
4959	3/4"-10 THREADED EYE 3/4" LONG DISCONTINUED SEE 5504 1-1/2"OD X 7/8" ID. (REF.DRWG.5079)	REF.DRWG.5079		C/P/B		0.3	
4961	5/8"-11 THREADED EYE 3/4" LONG 5959 PATTERN (REF.DRWG.5079)			C/P/B	31.00	0.3	
4962							
4964	ANTI VORTEX FRAME & 6-5/8" DIA. VENT. PLATE 4376 NOT IN PRODUCTION (REF.DRWG.5416)			C/P/B		2.6	
4973-B	EXTEN HANDLE TAPED 1-1/4" DIA.16 FT. LONG BOLTED YMCA SPEC. (SPECIAL ORDER)	NEW		ALUM	211.90	78.0	
=====							
15,130 BOLTS & WING NUTS 1-1/4"ANODIZED ALUM. EXT. HANDLES WITH 15,156 1"-8 MALE & 15,160 1"8 FEMALE INSERT			PACKED 20 PER CARTON				
NBR.	LGTH.	ONE END	TWO ENDS	COMBINATION BOLT & THREAD ONE END	FT OR "MT"	MALE & FEMALE	
4968	6 FT.	45.75	53.30	59.40	57.90	67.95	
4969	8 FT.	57.00	64.50	71.60	68.65	78.65	
4970	10 FT.	65.05	73.55	80.65	77.20	87.40	
4971	12 FT.	72.35	81.15	87.90	84.65	94.70	
4972	16 FT.	92.25	100.70	107.70	104.70	114.80	
=====							
NUMBER	DESCRIPTION	NUMBER	FINISH	LIST EA	FINISH	LIST EA	WGT.
4974-B	EXTEN HANDLE W/HAND GRIP 1-1/4" DIA.16 FT. BOLTED (FOR RESCUE HOOKS) NEW				ALUM	109.55	82.0
4974-MT	EXTEN HANDLE W/HAND GRIP 1-1/4" DIA.16 FT. THREADED WITH 1"-8 THREADED MALE INSERT				ALUM	126.70	22.0
4975	RESCUE POLE CEMENTED RUBBER TIPS 1-1/4" DIA. X 6 FT. NEW				ALUM	59.90	34.0
4976	RESCUE POLE CEMENTED RUBBER TIPS 1-1/4" DIA. X 8 FT.				ALUM	72.00	40.0
4977	RESCUE POLE CEMENTED RUBBER TIPS 1-1/4" DIA X 10 FT.				ALUM	81.70	46.0
4978	RESCUE POLE CEMENTED RUBBER TIPS 1-1/4" DIA X 12 FT.				ALUM	90.70	54.0
4979	RESCUE POLE CEMENTED RUBBER TIPS 1-1/4" DIA X 16 FT.				ALUM	110.25	80.0
=====							
15,130 BOLTS & WING NUTS *1-1/4" DIA. ANODIZED ALUMINUM TELESCOPIC EXTENSION HANDLES							
LENGTH *SEE FOOTNOTE							
NUMBER	DESCRIPTION	LENGTH	BOLTED	THREADED	"MT" OR "FT"	BOLT & THREAD	WGT.
4980	DELUXE MODEL	6 FT. - 12 FT.	108.60	143.45		189.35	70.0
4981	DELUXE MODEL	8 FT. - 16 FT.	124.95	165.00		217.85	85.0
4982	DELUXE MODEL	12 FT. - 18 FT.	134.20	177.20		234.00	106.0
4983-MT	DE LUXE TAPED TELESCOPIC HANDLE 8"-16"MALE THREAD (ONE END ONLY) (YMCA SPECIAL)					ALUM	229.85
4984	ECONOMY MODEL 6 FT.- 12 FT.					DISCONTINUED	
4985	ECONOMY MODEL 8 FT.- 16 FT.					DISCONTINUED	
4986	ECONOMY MODEL 12 FT. - 18 FT.					DISCONTINUED	
4987	FULCRUM END BRACKET 2" PIPE 2.38" 3-5/8" C/L (LESS FASTENERS)					ALUM	79.40
5000-AL	ADJ. END FULCRUM BRACKET 1-1/2" PIPE (1.90")5" C/L (LESS FASTENERS) REF.DRWG.5310					ALUM	76.50
5000-BR	ADJ. END FULCRUM BRACKET 1-1/2" PIPE (1.90")5" C/L (LESS FASTENERS)					BRZE	103.20
5002						B/CHR	135.75
5004-BT	EXTENSION HANDLE TAPED 1-1/4" DIA. 16 FT. BOLTED (SPECIAL ORDER) YMCA SPECIFICATIONS						
5005-B	EXTEN. HANDLE W/HAND GRIP 1-1/4" DIA. 16 FT. BOLTED (FOR RESCUE HOOKS) NEW					ST.ST.	399.40
5005-MT	AS ABOVE WITH 1"-8 THREADED MALE INSERT (FOR RESCUE HOOKS) NEW					ST.ST.	413.75
5006							
5020-AL	FULCRUM END BRACKET 1-1/2" PIPE (1.90") 3-5/8" C/L (LESS FASTENERS) REF.DRWG.5312					ALUM	
5021-AL	FULCRUM END BRACKET 1-1/2" PIPE (1.90") 2" C/L (NON STOCK STD.)					ALUM	
5022-AL	FULCRUM END BRACKET 2" PIPE (2.38") 5-1/2" C/L (LESS FASTENERS) REF.DRWG.5310					ALUM	116.25
5022-BR	AS ABOVE (NON STOCK STD.)					BRZE	196.25
5023-AL	FULCRUM END BRACKET 2" PIPE (2.38") 3-5/8"C/L (LESS FASTENERS) (2) REQUIRED					ALUM	102.70
5023-BR	AS ABOVE (NON STOCK STD.) (2) REQUIRED					BRZE	163.75
5024	FULCRUM END BRACKET 2" PIPE (2.38") 2"C/L (LESS FASTENERS) REF.DRWG.5312					ALUM	
5026	ROUND FRAME & 19" DIAMETER COVER PLATE (5100) NOT IN PRODUCTION					BRZE	40.0
5027-AL	DOUBLE DIVING BOARD FULCRUM 1-1/2" PIPE (1.90") (2) REQUIRED					B/ALUM	108.15
5027-BR	AS ABOVE (2) REQUIRED					BRZE	170.05
5028-A	HINGED LADDER INSERT ASSY ECONOMY 1-1/2 PIPE (1.90") WITH (1)21904 & (1)21905					C/P/B	802.50
5028-B	AS ABOVE WITH(2)21,905 SOCKET INSERT ASSEMBLIES PARTS DRWG 5485-86 & T=31					C/P/B	918.10
5030-BR	SPLIT(2) PC. ELBOW 1-1/2" PIPE (1.90") LESS FASTENERS (2) REQUIRED REF.DRWG.5045					C/P/B	76.20
5031-BR	SPLIT(2) PC. TEE 1-1/2" PIPE (1.90") LESS FASTENERS (2) REQUIRED REF.DRWG.5046					C/P/B	64.65
5033	DUAL PURPOSE SPANNER WRENCH FOR DIVERTER VALVES 5-1/2" LONG SYLVAN POOLS SPECIAL ORDER					B/ALUM	25.00
5034	DUAL PURPOSE SPANNER WRENCH FOR DIVERTER VALVES 4-1/2" LONG SYLVAN POOLS SPECIAL ORDER					B/ALUM	22.30
5035-BR	SPLIT(2) PC. DECK FLANGE 1-1/2" PIPE (1.90") LESS FASTENERS (2) REQUIRED REF.DRWG.5047					C/P/B	82.85
5036-BR	SPLIT(2) PC. DECK FLANGE 2" PIPE (2.375") LESS FASTENERS (2) REQUIRED DRWG. 7217-18					C/P/B	83.20
5038-AL	DOUBLE DIVING BOARD FULCRUM 1-1/2" PIPE (1.90") (2) REQUIRED					B/ALUM	111.70
5038-BRZ	AS ABOVE					BRZE	190.10
5039	ANTI-VORTEX FRAME & 5039-VP 20" DIAMETER PLATE (REF.DRWG.5414)					GL/BRZ	2489.80
5040	HINGED RAILING SOCKET INSERT FOR 1 MET. DIVING STAND (2) REQUIRED NEW					P.O.A.	14.0
5041-BR	DIVING STAND WEDGE ANCHOR ASSY. 1-1/2" PIPE (1.90") LESS 18016 X PIN (REF.DRWG.5306-R)					C/P/B	349.85
5043-BR	18" C/L LADDER TREAD 1-1/2"PIPE LESS FASTENERS NON STOCK STD. USE 15140 BOLT & NUT					BRZE	134.70
5044-BR	18" C/L ADJ. LADDER TREAD 1-1/2"PIPE LESS FASTENERS NON STOCK STD. (REF.DRWG.5305)					BRZE	179.45
* EXTENSION HANDLES ARE SUPPLIED WITH 1"-8 BRASS INSERTS, BOLTS & WING NUTS WHERE REQUIRED - HANDLES & RESCUE POLES HAVE SPECIFIC CARTON QUANTITIES. THERE WILL BE AN \$8.00 NET PACKING CHARGE FOR LESS THAN CARTON QUANTITY							
PAGE 13	*SPECIAL FILL SPOUTS TO ORDER-UNDER 4 UNITS THERE WILL BE A \$25.00 NET LINE ITEM SET UP CHARGE					PAGE 13	
NJ (201) 339-1351-2-3			STANDARD BRONZE COMPANY		NY (212) 267-6738 FAX (201) 339-3492		

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
5045	17-3/4" C/L LADDER TREAD 1-1/2" PIPE LESS FASTENERS	P.O.A.		ST.ST.		2.0
5046-BR	24" C/L ADJ. LADDER TREAD 1-1/2" PIPE LESS FASTENERS	BRZE		C/P/B		7.7
5047-SP	SPLIT(2) PC. TEE 2" PIPE ACROSS X 1-1/2" PIPE VERT.	NEW	P.O.A.	C/P/B		
5048-GS	2-7/8" SQ. RACING LINE CUP ANCHOR ST.ST. CROSS BAR	(3-1/4" DEEP)	(REF.DRWG.5070-R)	SEE ALSO 5062	C/P/B	122.60
						42.0
5049	NUMBER CORRECTION	(SEE NEW.5444)			C/P/B	1.4
5050						
5056	2" MPS X 1-1/2" FPT X 1-1/2" FPT VACUUM RETURN FITTING	2" OF THREAD		GL/BRZ	C/P/B	2.2
5056-RC	AS ABOVE WITH GASKETS, WASHER & LOCK NUT			GL/BRZ	C/P/B	2.4
5057-RG	SEALING GASKET FOR DECK BOX NO.5077-CF COVER PLATE	(1) EACH REQUIRED			RUBBER	P.O.A.
5058	2" MPT X 1-1/2" FPT EXTENSION ADAPTER				BRZE	P.O.A.
5059	2" MPT X 2" FPT EXTENSION ADAPTER				BRZE	P.O.A.
5060-PB	"SUPRE-VAC" 12" VAC HEAD 1-1/2" HOSE BOLTED CONN.	REPL. BRUSH 15075	(PARTS DRWG.6121)	BLUE	130.50	P/ALUM 151.60
5060-PT	"SUPRE-VAC" 12" VAC HEAD 1-1/2" HOSE FEMALE THREAD.	REPL. BUMPER 15074		BLUE	137.55	P/ALUM 156.95
5061-PB	"SUPRE-VAC" 12" VAC HEAD 1-1/4" HOSE BOLTED CONN.			BLUE	130.50	P/ALUM 150.55
5061-PT	"SUPRE-VAC" 12" VAC HEAD 1-1/4" HOSE FEMALE THREAD.	NON STOCK STD	(PARTS DRWG.6121)	BLUE	131.40	P/ALUM 156.95
5062-SP	2-7/8" SQ. RACING LINE CUP ANCHOR ST.ST. CROSS BAR	2-7/8" DEEP	(REF.DRWG.5477)			C/P/B 1.6
5063-GS	RECESSED LADDER STEP 6-1/8" X 15-3/4" X 5-1/2" DEEP	YMCA SPEC.	(DRWG.5317-18-64)			GL/BRZ 732.20
5064	SEALING GASKET FOR 5077-C COVER PLATE					RUBBER P.O.A.
5066-BPL	"TRI-GARD" 11" VAC. HEAD CYO. BOLTED CONN. 15001-PL	PATENTED	(DRWG.No.101)			RUBBER 130.75
5066-BAL	"TRI-GARD" 11" VAC. HEAD ALUM. BOLTED CONN. 15001-AL		(PARTS DRWG.6117)			RUBBER 139.30
5066-TAL	"TRI-GARD" 11" WITH ALUMINUM FEMALE THREAD 15000-AL					RUBBER 138.50
5068	"KLEEN-SWEEP" 10-1/2" VACUUM HEAD 1 1/2" HOSE CONN.	SPECIFY B OR T.	(PARTS DRWG.6125)	SYLVAN POOLS		BL/AL 255.75
5069	"KLEEN-SWEEP" 15-3/4" JUMBO VAC. HEAD 1-1/2" CONN.	WHEEL ASSY.15252-3	(PARTS DRWG.6126)	SYLVAN POOLS		BL/AL 414.10
5075	GROUNDING CLAMP ASSY. FITS 1" AND 1-1/2" PIPE	NON STOCK STD				BRASS 0.2
5077-1	DECK BOX 3/4" FPT (1) S/O & (1) B/O	NON STOCK STD.	(REF.DRWG.5191)	GL/BRZ		C/P/B 4.2
5077-2	DECK BOX 3/4" FPT (2) S/O & (1) B/O	NON STOCK STD.	(REF.DRWG.5191)	GL/BRZ	202.30	C/P/B 221.05
5077-3	DECK BOX 1" FPT (2) S/O & (1) B/O SPECIAL ORDER	USED 5077-1 PATTERN		BRZE	205.60	C/P/B 233.10
5077-CP	COVER PLATE FOR 5077-1-2-3 DECK BOXES	USE 5057 GASKET	(1) EACH REQUIRED	GL/BRZ	55.60	C/P/B 60.65
5078	JUNCTION BOX 3/4" FPT (3) B/O	NON STOCK STD.	(REF.DRWG.5207)			BRZE 345.00
5079	RECESSED LADDER STEP 5063 INSIDE POLISHED	(REF.DRWG.51200)		(SEE 5063)		DISCONTINUED 17.0
5080	SAFETY LANE ASSEMBLIES 3/8" ROPE TO ORDER	INFORMATION REQUIRED				POLY P.O.A.
5081	SAFETY LANE ASSEMBLIES 1/2" ROPE TO ORDER					POLY P.O.A.
5082	SAFETY LANE ASSEMBLIES 3/8" ROPE TO ORDER					POLY P.O.A.
5083	SAFETY LANE ASSEMBLIES 1/2" ROPE TO ORDER					POLY P.O.A.
5084-SP	PRACTICE RACING LANES 1/2" ROPE TO ORDER	YMCA SPEC.	(INFORMATION REQUIRED)			DISCONTINUED
5085	JUNCTION BOX-STARTING PLATFORMS & J.T.S. SYSTEMS	(SPECIAL TO ORDER)	(REF.DRWG.5449)	NEW		GL/BRZ 966.90
5086	10" X 10" X 1-1/4" DECK LEVEL CORNER STRAINER	(SPECIAL ORDER)	(REF.DRWG.5136)			GL/BRZ 611.90
5087	6-1/8" X 20-1/2" X 1-1/4" DECK LEVER STRAIGHT STRAINER	SPECIAL ORDER	(REF.DRWG.5135)			GL/BRZ 566.65
5091-92	SAFETY LANE ASSEMBLIES 5/8" OR 3/4" ROPE TO ORDER		INFO. REQUIRED			P.O.A.
5093	3-1/2" SIZE COPING COVER PLATE	SPECIAL ORDER	REF.DRWG.5326	WH/AL		P/ALUM
5094-AL	ADJ. FULCRUM BRACKET OVER & UNDER 1-1/2" PIPE	SPECIAL ORDER	REF.DRWG.5335	(2) REQUIRED		B/ALUM 75.50
5094-BR	AS ABOVE	SPECIAL ORDER		(2) REQUIRED		B/BRZ 114.35
5095	CORNER COVER PLATE 90' OUTSIDE BULL NOSE	SPECIAL ORDER	8" SIZE	WH/AL		P/ALUM 115.65
5096-SP	DOUBLE WINTERIZING PLUG ASSEMBLIES TO ORDER					RUBBER P.O.A.
5097	COPING COVER PLATE 140' REVERSED ANGLE BULL NOSE 9"			WH/AL		P/ALUM P.O.A.
5098	COPING COVER PLATE 140' INSIDE ANGLE BULL NOSE 9"			WH/AL		P/ALUM P.O.A.
5099	COPING COVER PLATE 135' INSIDE ANGLE BULL NOSE 8"			WH/AL		P/ALUM P.O.A.
5100	19" DIAMETER STRAINER GRATE (FOR 5026 ASSEMBLY)	(REF.DRWG.5164)		GL/BRZ		C/P/B P.O.A.
5116-ALA	"HERCULEAN" 18" VAC. HEAD 1-1/2" HOSE SWIVEL THREADED	OR BOLTED HANDLE	(PARTS DRWG.6101)			P/ALUM 436.05
5116-ALB	"HERCULEAN" 18" VAC. HEAD 2" HOSE SWIVEL THREADED	OR BOLTED HANDLE	(REPL. BRUSH ASSY.15013)			P/ALUM 436.05
5116-BRA	"HERCULEAN" 18" VAC. HEAD 1-1/2" HOSE SWIVEL THREADED	OR BOLTED HANDLE	REPL. WHEELS 15015-15016			C/P/B 549.95
5116-BRB	"HERCULEAN" 18" VAC. HEAD 2" HOSE SWIVEL THREADED	OR BOLTED HANDLE	TOW MODEL CONVERTER.15290-15295			C/P/B 549.95
5117-AL	"VAC. MASTER" 13" VAC. HEAD 1-1/2" HOSE SWIVEL THREADED	OR BOLTED HANDLE	(PARTS DRWG.6102)			P/ALUM 361.80
5117-BR	"VAC. MASTER" 13" VAC. HEAD 1-1/2" HOSE SWIVEL THREADED	OR BOLTED HANDLE	(REPL. BRUSH ASSY.15122)			C/P/B 466.65
5119	"SUPERIOR" 10-3/4" VAC. HEAD 1-1/4" X 1-1/2" HOSE CONN.		(PARTS DRWG.6103)			C/P/B 228.35
5120	STANCHION ASSY. PLAIN CAP-2 SIDE EYES 1-1/4" PIPE	ORIG. 5859	(REF.DRWG.5173)	AS REQUIRED		ST.ST.
5121	STANCHION ASSY. PLAIN CAP-2 SIDE EYES 1-1/2" PIPE	ORIG. 5872	(REF.DRWG.5493)	AS REQUIRED		ST.ST.
5122-BR	26" C/L LADDER STEP LESS FASTENERS		(REF.DRWG.5218)	BRZE	211.80	C/P/B 250.80
5123-BR	26" C/L LADDER STEP 15 DEGREE ANGLE LESS FASTENERS		(REF.DRWG.5218)	BRZE	216.60	C/P/B 256.15
5125	1" FPT DIRECTIONAL FLOW BOTTOM INLET SPECIFY WALL	(SPEC.180'OR 360')	(CAP ASSY.15578)	PATENTED		C/P/B
5126						
5128	GRAB BAR END POST 1-1/4" TUBE - 7/16" -14 THREAD.		(REF.DRWG.5405)			C/P/B
5129	GRAB BAR CENTER POST 1-1/4" TUBE - 7/16" -14 THREAD.		(REF.DRWG.5405)			C/P/B
5161	STANCHION ASSY. PLAIN CAP 2 SIDE EYES 2" TUBE (2.00")		(REF.DRWG.5349)	AS REQUIRED		ST.ST.
5164-SP	1-1/2" X 1-1/2" FPS DRAIN SUMP 8" STRAINER (17521)	(SPECIFY WALL)	(SPECIAL ORDER ONLY)			DISCONTINUED
5166	1/2"-13 THREADED EYE 1-3/4" LONG	NEW	(1-3/4" OD.x 1" ID)			C/P/B 31.10
5167	1/2"-13 THREADED EYE 1-3/8" LONG	(1" DIA. FLANGE)	(1-3/8" OD.)			C/P/B 42.35
5190	"ROTO-VAC" 15-5/8" DE-LUXE JUMBO 1-1/2" HOSE CONN.	(REPL. BRUSH 15113)	(PARTS DRWG.6115)	(SPECIFY B OR T)		BL/AL 489.60
5192	FLANGED LOCK NUT 1-1/4" FPS PIPE	SPECIAL ORDER				BR 8.20
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED					
	*PARTS LISTS AVAILABLE ON ALL VACUUM CLEANER ASSEMBLIES - DRAWING NUMBERS AS INDICATED					
PAGE 14	**FOUNTAIN - POOL & SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL					PAGE 14

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.
5193	FLANGED LOCK NUT 1-1/2" FPS PIPE	SPECIAL ORDER	P.O.A.			BR		0.2
5194	FLANGED LOCK NUT 2" FPS PIPE	SPECIAL ORDER	P.O.A.			BR		0.3
5195	1-1/2" MPT X 1/2" FPT INTAKE HYDRO THERAPY BODY	SPECIAL ORDER	PARTS DRWG.6179	LIMITED SUPPLY		PVC		
5204-PBC	"VAC-EZE" 9" VAC. HEAD CYC. BOLTED HANDLE 15108-PL	PATENTED	PARTS DRWG.6183			RUBBER	75.10	1.0
5204-PBA	"VAC-EZE" 9" VAC. HEAD ALUM. BOLT. HANDLE 15108-AL	REPL. BRUSH 15071				RUBBER	82.35	1.2
5204-PTA	"VAC-EZE" 9" VAC. HEAD ALUM FEM.THREAD.CONN.15107-AL					RUBBER	87.35	1.1
5207	2-1/2" FPT X 2-1/2" MPT INLET FITTING WALLED POOLS	(SPECIFY WALL)	(USE 5676 TEST PLUG)	(REF.DRWG.5210)		C/P/B	275.90	3.4
5208	2-1/2" MPT WATER BALANCING FITTING WALLED POOLS	(SPECIFY WALL)	(USE 5676 TEST PLUG)	(REF.DRWG.5246)		C/P/B	248.25	4.4
5210	2" FPS HEAVY DUTY LOCK NUT WITH GROUND SCREW	SPECIAL ORDER				BRZE		0.6
5212	1-1/2" FPT S/O DRAIN SUMP 3-9/16" DIA. STR. (17555)	(SPECIFY WALL)	(REF.DRWG.5122)			C/P/B	418.25	7.0
5213	1-1/2" FPT ANTI-VORTEX SUMP 6-1/2" DIAPLATE (17552)	(SPECIFY WALL)	(REF.DRWG.5244)			GL/BRZ	746.35	7.4
5216-GS	3" DIA. RACING LINE CUP ANCHOR WITH CROSS BAR	(3-5/8"DEEP)				C/P/B	58.45	1.3
5217	3/4" ROPE HOOK TAPERED STYLE	(HEAT SEAL TYPE)				C/P/B	40.85	0.4
5220	GRAB RAIL END POST 4 HOLE MOUNT 1-1/2" PIPE 1.90"	3" C/L	SPECIAL ORDER	(REF.DRWG.5386)		C/P/B	229.50	2.4
5221	GRAB RAIL CENTER POST 4 HOLE MOUNT 1-1/2" PIPE	3" C/L		(REF.DRWG.5386)		C/P/B	241.85	2.5
5222	9-1/4" X 9-1/2" "ELIZABETHAN" MASK FONT 2-1/4"PROJ.	3/4" HOLE	NON STOCK STD			OK/BRZ	622.15	10.0
5224	GRAB RAIL CENTER POST 4 HOLE MOUNT 1-1/4" TUBE	2-1/2" C/L		(REF.DRWG.5386)		C/P/B	125.55	
5225	GRAB RAIL END POST 4 HOLE MOUNT 1-1/4" TUBE (1.25")	2-1/2" C/L		(REF.DRWG.5386)		C/P/B	122.35	
5228	WALL DECK MOUNT GRAB RAIL ASSY. 1-1/2" PIPE (1.90")	(MADE TO ORDER)	(REF.DRWG.5391)			P/BRZ		ST.ST.
5229	4-7/8" I/D MANOFF DRAIN 4-3/4" DIA STRAINER	(REP.STR.18046)	(REF.DRWG.5029)		161.70	C/P/B	188.55	6.8
5230-SD	DECK DRAIN 8" DIA STRAINER SCREW DOWN 5-1/2" HIGH	(REP.STR.17535)	(REF.DRWG.5105)		389.05	C/P/B	413.90	11.0
5231	HAND GRIP SUPPORT TOWEL BAR ASSY. 1" TUBE (1.00")	6182-6183	(REF.DRWG.5391)	*SEE FOOTNOTE		ST.ST.		0.3
5232	HAND GRIP SUPPORT TOWEL BAR ASSY. 1-1/4" TUBE (1.25")	6184-6185	(REF.DRWG.5391-5505)			ST.ST.		
5233	HAND GRIP SUPPORT TOWEL BAR ASSY. 1-1/2" PIPE (1.90")	6186-6187	(REF.DRWG.5391)			ST.ST.		
5234-GS	3" FPT GUTTER DRAIN 4" X 12"FLUSH STRAINER	(REP.STR.15760)	(REF.DRWG.5472)		492.95	C/P/B	520.95	9.1
5235	"SCOOP-MASTER" SR.30" WIDE 1-1/4"-1-1/2" DIA. BOLTED	(REP. BAG 15733)	(REPL. SCRAPER 17532)			ALUM	121.00	1.8
5237-SD	4-5/8" I/D VALVE ACCESS FRAME & COVER PLATE 18038				177.20	C/P/B	206.70	4.7
5240-GS	3" FPT NO LEAK FLANGE (WATER STOP)		(REF.DRWG.5022)			BRZE	407.05	4.9
5241	PERSONALIZED BUTT PLATE ASSEMBLY WITH FASTENERS	4411 BUTT PLATE	(SPECIAL TO ORDER)	INFO. REQUIRED		C/P/B		
5242	UPRIGHT JUNCTION BOX(2) WAY 3/4" FPT		(REF.DRWG.5208)			BRZE	153.45	4.2
5243	UPRIGHT JUNCTION BOX (3) WAY 3/4" FPT		(REF.DRWG.5209)			BRZE	306.10	6.0
5244-SP	UPRIGHT JUNCTION BOX (3) WAY 1" FPT		(REF.DRWG.5209)			BRZE	352.20	7.3
5245-SD	11" DIA. REPLACEMENT STRAINER PLATE	FOR 6628-SD ASSY.	(REF.DRWG.5041)		214.70	C/P/B	272.45	3.4
5248-GS	2" FPT GUTTER DRAIN 2-3/4" X 10" STR. PLATE 18050	(DRWG. NO 5118)			215.05	C/P/B	231.20	4.4
5249-GS	2-1/2" MPT. GUTTER DRAIN 2-3/4" X 10" STR. PLATE 18050	(DRWG. NO 5118)			234.10	C/P/B	251.25	4.4
5276-AT	POOL MAGNET THREADED HANDLE CONN. 1"-8 FEM. THREAD.	YMCA SPEC.	LESS FASTENERS			ALUM	29.40	0.4
5276-BT	POOL MAGNET THREADED HANDLE CONNECTOR 1"-8 FEMALE					BR	33.10	0.6
5277-ALB	POOL MAGNET1-1/4" BOLTED HANDLE CONN.	YMCA SPEC.				ALUM	39.10	0.4
5277-BRB	POOL MAGNET1-1/4" BOLTED HANDLE CONN.					BR	44.25	0.8
5279-FT	" SCOOP-MASTER" SR. 30" WIDE 1"-8 FEM. THREADED CONN.	(REPL. BAG 15733)	(REPL. HANDLE 15,299)			ALUM	149.90	2.2
5300	1-1/2" FPT VENTURI NOZZLE 10" LONG	NON STOCK STD	(DRWGS.5006-5149)			BRZE	120.25	2.2
5302	3/4" MPT VENTURI NOZZLE 4-1/4" LONG	NON STOCK STD				BRZE	48.75	1.2
5303	1-1/2" MPT X 1-1/2" INSERT EXTENSION ADAPTER ELBOW	SPECIAL ORDER	(REF.DRWG.5091)			BRZE		8.0
5304	1-1/2" MPT X 1-1/2" INSERT EXTENSION ADAPTER TEE	SPECIAL ORDER	(REF.DRWG.5092)			BRZE		8.0
5306	3/4" MPT VENTURI NOZZLE	NON STOCK STD				BRZE	57.65	1.0
5308-11	FILTER MANIFOLDS	DISCONTINUED				C/IRON		----
5314	SKIMMER ORIFICE FORMING TOOL	SPECIAL ORDER	(REF.DRWG.5323)	(DRWG. REQUIRED)		ALUM	P.O.A.	2.5
5316	8" X 10" RECTANGULAR FACEPLATE FOR 4861 SKIMMER	SPECIAL ORDER				GL/BRZ		
5323-SP	ADJUSTABLE WEIR FACEPLATE FOR STEEL WALLED POOLS	SPECIAL ORDER	(REF.DRWG.5088)			GL/BRZ		5.9
5329	9-1/4" DIA. SKIMMER COVER PLATE	SPECIAL ORDER				GL/BRZ		4.2
5335	1-1/2" FPT GATE VALVE OTHER SIZES AVAILABLE		P.O.A.			BRASS		
5336	2" FPT GATE VALVE		P.O.A.			BRASS		
5345-SD	7-5/16" I/D VALVE ACCESS COLLAR & COVER PLATE 18039	SPECIAL ORDER				C/P/B		5.6
5346	1/2"-13 THREAD QUAD NUT	SPECIAL ORDER				BRZE		0.4
5349	FRAME & 7-1/4" DIA STRAINER GRATE (19015) 2" HIGH		(REF.DRWG.5395)		273.60	C/P/B	332.30	4.5
5354-1	HANDLE ADAPTER QUICK SET 1-1/8" DIA. BOLTED	WITH BOLTS & NUTS				ALUM	15.80	0.3
5365-GS	3" FPT GUTTER DRAIN 3-3/4"X 11-3/4"RECESSED STRAINER	REPL. STR. 15552	(REF.DRWG.5471)			GL/BRZ	537.30	8.1
5373	1" DIA GRAB RAIL CENTER BRACKET 2-3/4"PROJ.	(3) HOLE MOUNT	ORIG. WORLD WAR 1	SPECIAL ORDER		C/P/B	101.20	0.6
5374	1" DIA GRAB RAIL CENTER BRACKET 3-3/4"PROJ.	(3) HOLE MOUNT	(ELCO "PT" BOATS)	(REF.DRWG.5143)		C/P/B	-----	
5375	1" DIA GRAB RAIL CENTER POST 3/8"-16 THREAD	SPECIAL ORDER	(REF.DRWG.5141)		1-5/8" C/L	C/P/B	78.70	0.5
5376	1" DIA GRAB RAIL END POST 3/8"-16 THREAD	SPECIAL ORDER	(REF.DRWG.5141)		1-5/8" C/L	C/P/B	86.25	0.7
5377	GRAB RAIL END POST 1-1/2" PIPE 7/16"-14 THREAD.	SPECIAL ORDER			2-1/4" C/L	C/P/B	82.35	1.1
5378	GRAB RAIL CENTER POST 1-1/2" PIPE 7/16"-14 THREAD	SPECIAL ORDER	(REF.DRWG.5142)		2-1/4" C/L	C/P/B	94.90	1.1
5379-SD	FRAME & 12" SQ. STRAINER 15348(2) HOLE MOUNT	1-1/4" HIGH FRAME (DRWG. 5183-84)			579.85	C/P/B	695.85	11.0
5382	2-1/8"-11 THREAD HEXAGON NUT		P.O.A.			BR.		0.2
5385	6" LONG TENSION SPRING					ST.ST.	18.35	0.4
5386	4" LONG PELICAN HOOK					BR	24.30	0.4
5387	TURNBUCKLE (2) EYES		(REF.DRWG.5276)	SPECIAL ORDER		BR	41.90	0.4
5388	TURNBUCKLE (1) HOOK & (1) EYE		(REF.DRWG.5277)	REF.DRWG.5143		BR	44.00	0.4
5393	HANDLE ADAPTER QUICK SET 1-1/8" DIA. 1"-8 MALE CONN.					ALUM	26.45	0.7
	WALL MOUNTED HAND GRIP SUPPORT BAR ASSEMBLIES AVAILABLE IN VARIOUS COMBINATIONS - INFORMATION ON REQUEST							
	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT ASSEMBLIES - DRAWING NUMBERS AS INDICATED							
PAGE 15	*FONTS ARE AVAILABLE IN A VARIETY OF MATERIALS & FINISHES - INFORMATION ON REQUEST							PAGE 15

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.																																																
5397	TURNBUCKLE WITH(2) HOOKS	REF.DRWG.5277		BRZE	46.90	0.4																																																
5417	SMALL OVAL WALL EYE	SPECIAL ORDER		C/P/B		0.1																																																
5418	CURVED OVAL ROPE EYE 1/2" RADIUS	DISCONTINUED	SEE 4177-1" RADIUS	C/P/B		0.2																																																
5419-GS	4" SQUARE RACING SAFETY LINE CUP ANCHOR 5/8"-11 EYE	15162-TE	4-3/4" DEEP	YMCA SPEC.	167.90	2.5																																																
5419-SE	AS ABOVE WITH SECURED EYE	SPECIAL ORDER	DRWG.5337-5255	C/P/B		2.5																																																
5426-GS	4" FPT NO LEAK FLANGE WATER STOP	NEW	REF.DRWG.5022-R		BRZE	491.30 8.3																																																
5428	DIVING STAND ANCHOR 3/8"-16 WITH PLUG 21900	REF.DRWG.5329		C/P/B	32.75	0.5																																																
5429	WING "T" BOLT FOR ABOVE 3/8"-16 THREAD.			C/P/B	42.50	0.3																																																
5430	ANTI VORTEX FRAME & No.5430 VP 7" SQ. VENTURI PLATE	DRWG.5113-14-15	No.4148-F FRAME	GL/BRZ	290.35	C/P/B 331.45 4.9																																																
5431	ANTI VORTEX FRAME & No.5431-VP 9" SQ. VENTURI PLATE			GL/BRZ	380.70	C/P/B 438.50 5.8																																																
5432	ANTI VORTEX FRAME & No.5432-VP 11" SQ. VENTURI PLATE	DRWG.5113-14-15		GL/BRZ	733.00	C/P/B 810.40 14.6																																																
5433	ANTI VORTEX FRAME & No.5433-VP 13" SQ. VENTURI PLATE	DRWG.5113-14-15		GL/BRZ	959.20	C/P/B 1084.00 19.5																																																
5434	ANTI VORTEX FRAME & No.5434-VP 16" SQ. VENTURI PLATE			GL/BRZ	1351.20	C/P/B 29.0																																																
5435	ANTI VORTEX FRAME & No.5435-VP 19" SQ. VENTURI PLATE	DRWG.5113-14-15		GL/BRZ	2133.40	C/P/B 2530.25 49.0																																																
5436-AL	HANDLE ADAPTER 1-1/4" BOLTED TO 1"-8 MALE CONN.	WITH BOLTS & W/NUTS		ALUM	31.75	0.7																																																
5436-BR	AS ABOVE WITH BOLTS & WING NUTS	15130		BR	37.00																																																	
5439-SD.	FRAME & 12" SQ. STRAINER GRATE 15348 2 HOLE MOUNT	3/4" HIGH FRAME	REF.DRWG.5119	GL/BRZ	629.95	C/P/B 689.50 11.0																																																
5444-BR	SPLIT TOP EARED TEE 2 PC 1-1/2" PIPE (1.90")	LESS FASTENERS	(2) REQUIRED	C/P/B	68.15	1.4																																																
5446	FRONT FULCRUM BRACKET RADIUS TYPE 1-1/2" PIPE (1.90")	LESS FASTENERS	REF.DRWG.5333	B/ALUM	78.70	0.9																																																
5447	REAR FULCRUM BRACKET RADIUS TYPE 1-1/2" PIPE (1.90")	LESS FASTENERS	REF.DRWG.5334	B/ALUM	77.35	0.8																																																
5449	ESCUTCHEON PLATE OVERSIZED 1-1/2" PIPE (1.90")	FOR 4028 ANCHOR	REF.DRWG.5129-5144		C/P/B	62.15 0.5																																																
5450	5" ROUND ESCUTCHEON PLATE 1-1/2" PIPE (1.90")	REF.DRWG.5145	REPLACES 4193	ST.ST.	18.85	0.3																																																
5451	ESCUTCHEON PLATE 1-1/2" PIPE (1.90")	7/8" INSIDE DEPTH	REF.DRWG.5129	C/P/B	63.80	0.9																																																
5452	STARTING BLOCK BASE 1-1/2" PIPE (1.90")	SPECIAL ORDER	AS REQUIRED	C/P/B		6.5																																																
5453	SPLIT TEE(2) PC 1-1/2" PIPE (1.90")	LESS FASTENERS	(2) REQUIRED	C/P/B	76.20	1.4																																																
5454-GS	4" SQ. RACING SAFETY LINE CUP ANCHOR ST.ST. CROSS BAR	4-3/4" DEEP	YMCA SPEC.	DRWG.5337-5255	C/P/B	157.20 2.5																																																
5458	WINTERIZING PLUGS WITH EXTENDED NECKS	PRICES ON REQUEST	COMPLETE SIZE RANGE	RUBBER	P.O.A.																																																	
5459	ANTI-VORTEX FRAME & 13" SQ. VENTURI PLATE 5433-VP	1-1/4" HIGH FRAME	REF.DRWG.5131	GL/BRZ	969.80	C/P/B 1110.55 21.0																																																
5460	ESCUTCHEON PLATE 1-1/2" PIPE (1.90")	7/8" INSIDE DEPTH	MODERN SWIM POOL	C/P/B	74.70	0.9																																																
5488-A-B	BACKSTROKE/VOLLEY BALL STANCHION 2" TUBE (2.00")	P.O.A.	REF. DRWG. 55491	SPECIFY A OR B	BRASS																																																	
5489-A-B	BACKSTROKE/VOLLEY BALL STANCHION 1-1/4" PIPE (1.66")	REF. DRWG. 5491		SPECIFY A OR B	ST.ST.																																																	
5491	RECTANGULAR WALL ROPE EYE	SPECIAL ORDER		C/P/B		1.5																																																
5492-A-B	BACKSTROKE STANCHION 1" TUBE SPEAKER HOOK 7 FT.	QUICK RELEASE	USE 3344 BELL ESC.	SPECIFY A OR B	ST.ST.	564.95																																																
5494-A-B	BACKSTROKE STANCHION 1-1/2" PIPE SPEAKER HOOK 7 FT.			SPECIFY A OR B	ST.ST.																																																	
5502	FEMALE LADDER BUMPER 1-1/2" PIPE (1.90")			RUBBER	5.95	0.3																																																
5503	MALE LADDER BUMPER 1-1/2" PIPE (1.90")			RUBBER	5.95	0.3																																																
5504	3/4"-10 THREADED ROPE EYE 7/8" LONG			C/P/B	29.15																																																	
5505	3/8"-16 FEMALE THREAD ROPE EYE			C/P/B	49.70																																																	
5506	5/8"-11 THREADED ROPE EYE 7/8" LONG	SPECIAL ORDER	1-3/4" OD.X 1" ID.	C/P/B	33.40	0.4																																																
15130	BOBOLTS & W/NUTS 1-1/4" DIA. ST. ST. EXT. HANDLES 15156	1"8 MALE & 15160 FEMALE INSERTS		PACKED THREADED	20 PER CARTON																																																	
<table border="1"> <thead> <tr> <th>NBR LGTH</th> <th>ONE END</th> <th>TWO ENDS</th> <th>COMBINATION</th> <th>FT OR</th> <th>"MFT"</th> <th>MALE & FEMALE</th> <th>WGT.</th> </tr> </thead> <tbody> <tr> <td>5484 6FT</td> <td>117.95</td> <td>121.25</td> <td>BOLT & THREAD ONE END</td> <td>*MT*</td> <td>134.15</td> <td></td> <td>76.0</td> </tr> <tr> <td>5485 8FT</td> <td>147.70</td> <td>156.30</td> <td></td> <td></td> <td>162.25</td> <td></td> <td>96.0</td> </tr> <tr> <td>5485-SP 10FT</td> <td>180.55</td> <td>189.00</td> <td></td> <td></td> <td>193.55</td> <td></td> <td>106.0</td> </tr> <tr> <td>5486 12FT</td> <td>213.10</td> <td>221.90</td> <td></td> <td></td> <td>219.80</td> <td></td> <td>136.0</td> </tr> <tr> <td>5487 16FT</td> <td>344.70</td> <td>353.40</td> <td></td> <td></td> <td>350.00</td> <td></td> <td>170.0</td> </tr> </tbody> </table>							NBR LGTH	ONE END	TWO ENDS	COMBINATION	FT OR	"MFT"	MALE & FEMALE	WGT.	5484 6FT	117.95	121.25	BOLT & THREAD ONE END	*MT*	134.15		76.0	5485 8FT	147.70	156.30			162.25		96.0	5485-SP 10FT	180.55	189.00			193.55		106.0	5486 12FT	213.10	221.90			219.80		136.0	5487 16FT	344.70	353.40			350.00		170.0
NBR LGTH	ONE END	TWO ENDS	COMBINATION	FT OR	"MFT"	MALE & FEMALE	WGT.																																															
5484 6FT	117.95	121.25	BOLT & THREAD ONE END	*MT*	134.15		76.0																																															
5485 8FT	147.70	156.30			162.25		96.0																																															
5485-SP 10FT	180.55	189.00			193.55		106.0																																															
5486 12FT	213.10	221.90			219.80		136.0																																															
5487 16FT	344.70	353.40			350.00		170.0																																															
5511	10-3/8" X 13-5/8" "DOLPHIN" FONT 2-1/2" PROJ.	3/4" HOLE	NON STOCK STD.	VERDI	OX/BRZ	429.35	7.0																																															
5518	1-1/8" DIA CAP FOR EXTENSION HANDLES		PRICED PER DOZEN		RUBBER	40.85	0.1																																															
5519	1-1/4" DIA CAP FOR EXTENSION HANDLES		PRICED PER DOZEN		RUBBER	40.85	0.1																																															
5523	HANDLE ADAPTER QUICK SET 1-1/8" DIA. 1"-8 FEM. THREAD.				ALUM	25.70	0.7																																															
5525-A B	QUICK RELEASE AERIAL BACKSTROKE STAN 1" TUBE (1.00")	7 FT ABOVE DECK	REF.DRWG.5491	SPECIFY A OR B	ST.ST.	552.05																																																
5527-A B	AS ABOVE 1-1/2" PIPE (1.90")	7 FT ABOVE DECK	REF.DRWG.5491	SPECIFY A OR B	ST.ST.	492.90																																																
5530	1-1/8" DIA CAP FOR EXTENSION HANDLES		REF.DRWG.5491	PRICED PER DZ.	PLAST	34.50																																																
5531	1-1/4" DIA CAP FOR EXTENSION HANDLES			PRICED PER DOZEN	PLAST	34.50	3.0																																															
5535	1-1/2" PIPE CLOSE NIPPLES REPLACEMENT PART	REPL. FOR 4391-4394			BRASS																																																	
5536	2" PIPE CLOSE NIPPLES				BRASS																																																	
5537-SP	MID-POINT AERIAL ROPE ASSEM. FOR 50 METER POOLS	DRWG'S 5481-83	USS LONG COURSE SPECS.		P.O.A.																																																	
5540	BOTTOM REINFORCING PLATE FOR 777 WOOD DECK SOCKET	NON STOCK STD.		ALUM	10.60	BRZE	15.45 0.4																																															
5549	2" MPT. X 1-1/2" MPS PUMP ADAPTER		P.O.A.		BRZE		0.9																																															
5550	1-1/2" MPT. X 1-1/2" MPS PUMP ADAPTER		USED WY 15951 ASSY.	TUEC	BRZE	67.85	0.7																																															
5551	2" MPT. X 2" MPS PUMP ADAPTER			TUEC	BRZE	70.20	1.0																																															
5556	3" X 5" FLOAT "TWIST-LOCK" 1/2" ROPE	DISCONTINUED					1.0																																															
5557	5" X 9" FLOAT "TWIST-LOCK" 3/4" ROPE	DISCONTINUED					1.0																																															
5562	FILL SPOUT SUPPORT POST 1-1/2" OR 2" PIPE	SPECIAL ORDER	REF. DRWG. 5248	INDIANA STD.	C/P/B	215.80																																																
5563	1-1/2" FPT X 1-1/2" FPS ANTI-VORTEX SUMP 5-5/8" DIA	4958 VENTURI PLATE	REF. DRWG. 5265		C/P/B	344.70	10.0																																															
5564	1-1/2" MALE X 1-1/2" FPS ANTI-VORTEX SUMP 5-5/8" DIA		REF. DRWG. 5264		C/P/B	330.60	10.0																																															
5571	WINTERIZING PLUGS WITH OVERSIZED WASHERS	COMPLETE SIZE RANGE	P.O.A.		RUBBER	P.O.A.	10.0																																															
5598	3/8"-16 WALL ANCHOR FOR 4857-5736 & 6182 SERIES ASSY.				BRZE																																																	
*WALL MOUNTED HAND GRIP SUPPORT BAR ASSEMBLIES AVAILABLE IN VARIOUS COMBINATIONS - INFORMATION ON REQUEST																																																						
*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT ASSEMBLIES - DRAWING NUMBERS AS INDICATED																																																						
PAGE 16 *BROKEN CARTON PACKING CHARGE IF LESS THAN 20 HANDLES-\$8.00 LOT NET																																																						
PAGE 16																																																						
NJ (201) 339-1351-2-3			STANDARD BRONZE COMPANY		NY (212) 267-6738 FAX (201) 339-3492																																																	

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
5599	3/8"-11 THREAD STUD (PARTIALLY THREADED)	REPLACEMENT PART FOR TOWEL BAR POST BRACKETS		ST.ST.		0.6
5619	3/8"-16 THREAD. BACKSTROKE WALL HOOK 10-1/4" LONG	YMCA SPEC.	SPECIAL ORDER	AS REQUIRED		
5630	BACKSTROKE STANCHION 1" TUBE (1.00")X.083"WALL	7 FT ABOVE DECK	YMCA SPEC	REF.DRWG.5491	ST.ST.	480.05 0.6
5643	7/16-14 THREADED EYE 1-3/4" LONG	1-1/2" DIAFLANGE	4316-TE	(2) PC ASSY.	C/P/B	29.00 0.4
5645	1" MPS HEAVY DUTY WALL ANCHOR STRAIGHT STYLE	SPECIAL ORDER	REF. DRWG. 5138	BRZ	164.40	178.45 3.5
5646	1" MPS HEAVY DUTY WALL ANCHOR ANGLE STYLE	SPECIAL ORDER	REF.DRWG.5139	BRZ	174.00	C/P/B 188.40 3.7
5647-GS	DECK LEVEL RACING LANE WALL SOCKET KEY HOLE MOUNT	SPECIAL ORDER	REF.DRWG.5141-42	BRZ	164.40	ST.ST. 178.35 8.2
5648-GS	VERTICAL GRAB BAR FOR ABOVE	SPECIAL ORDER	REF.DRWG.5141-42	BRZ	174.00	C/P/B 188.40 8.4
5650	ROBE/TOWEL HOOK ONLY REPLACEMENT PART 5736 ASSY.	YMCA SPEC	REF.DRWG.5080			C/P/B 93.90 0.8
5654	BLEACHER SOCKET WALL INSERT	YMCA SPEC	REF.DRWG. 5390			C/P/B 135.25 3.0
5655	STANCHION ASSEMBLY TOP EYE 1" TUBE (1.00)X .083"WALL	7 FT ABOVE DECK	YMCA SPEC.	REF.DRWG.5459	ST.ST.	10.0
5656	ANCHOR ASSEMBLY STARTING BLOCK LESS PLUG 17007	YMCA SPEC	REF.DRWG.5352	P/BRZ	363.75	C/P/B 390.95 5.0
5657	DECK SOCKET ASSEMBLY RACING LANES 4247 THREADED EYE	YMCA SPEC	REF.DRWG.5352	P/BRZ	198.70	C/P/B 214.95 3.5
5658	ROBE TOWEL HOOK (3) HOLE SURFACE MOUNT	YMCA SPEC		REF.DRWG.5459	C/P/B	83.10 0.8
5659	WALL BRACKET FOR 3/4" PIPE OR 1" TUBE (1.00")	SPECIFY	REF.DRWG.5359	P/BRZ		ALUM 57.50 0.7
5667	BLEACHER BRACKET GALV. OR ST.ST. BY OTHERS YMCA SPEC INF ON REQUEST			GAL/ST	201.55	ST.ST. 214.95 10.0
5669	BLEACHER/SOCKET SURFACE(4) HOLE WALL MOUNT	YMCA SPEC	REF.DRWG.5390	NEW		C/P/B 81.95 1.3
5672-BP	BACK UP PLATE FOR ABOVE (4) HOLE MOUNT		REF.DRWG.5042	BRZE	37.45	C/P/B 42.60 0.9
5676	HEAVY DUTY TEST PLUG FOR 2-1/2" MPT GUTTER DRAINS	SPECIAL ORDER	NEW			RUBBER 82.75 1.1
5699-A B	BACKSTROKE STANCH. SPEAKER HOOK 1" TUBE (1.00") .083"	7 FT. ABOVE DECK	REF.DRWG.5505			SPECIFY A OR B ST.ST. 10.0
5705	"POOL-SWEEP" HOSE INSERT ASSEMBLY 1-1/2" FPT	4274-SP.X 4749	NEW	SPECIAL ORDER		C/P/B 1.1
5706	5-3/4" SQUARE DECK DRAIN PLATE CONCAVE CENTER	SPECIAL ORDER				DISCONTINUED 1.2
5707	7-7/8" SQUARE DECK DRAIN PLATE CONCAVE CENTER	SPECIAL ORDER				DISCONTINUED 2.1
5708	BACKSTROKE STANCHION ASSEMBLY 1" TUBE X 083" WALL	7 FT. ABOVE DECK	REF DRWG.5491			ST.ST. 379.20
5709	1-1/4" MPS SPANNER PLUG ADAPTER	USE 5790 WRENCH		P/BRZ		C/P/B
5710	STANCHION ASSEMBLY PLAIN CAP WITH SIDE EYE 2" TUBE	SPECIAL ORDER	REF.DRWG.5492	AS REQUIRED		BRASS
5713-A	4" SQUARE POOL MARKER (CENTER LINE OF POOL)	SPECIAL ORDER				P/BR 1.4
5713-B	4" SQUARE POOL MARKER (BULK HEAD FOR LIFTING)	SPECIAL ORDER				P/BR 1.4
5713-C	4" SQUARE POOL MARKER (WATER POLO)	SPECIAL ORDER				P/BR 1.4
5713-E-F	4" SQUARE POOL MARKER (25 YARD SOUTH OR NORTH)					P/BR 1.4
5713-G	4" SQUARE POOL MARKER (25 YARD CENTER)	P.O.A.				P/BR 1.4
5714-AL	FULCRUM END PLUG EXPANDABLE 2" PIPE (2.38")	P.O.A.				ALUM 1.4
5715-AL	FULCRUM END PLUG EXPANDABLE 1-1/2" PIPE (1.90")	SPECIAL ORDER				ALUM 19.55
5716-AL	FULCRUM END PLUG EXPANDABLE 1-1/4" PIPE (1.66")	SPECIAL ORDER				ALUM 19.55 0.5
5717	1-1/2" MPS SPANNER PLUG ADAPTER	USE 5792 WRENCH				C/P/B 51.25 0.4
5717-SP	1-1/2" MPS SPANNER PLUG ADAPTER WITH "O" RING SEAL		REF.DRWG.5448			NEW C/P/B 57.20 0.5
5718	2" MPS SPANNER PLUG ADAPTER 664					NEW C/P/B 66.20
5718-SP	2" MPS SPANNER PLUG ADAPTER WITH "O" RING SEAL 664	USE 5792 WRENCH				NEW C/P/B 73.75 0.6
5719	2-1/2" MPS SPANNER PLUG ADAPTER 665	USE 5791 WRENCH	REF.DRWG.5448			C/P/B 88.80
5720-BR	WEDGE ANCHOR ASSY 1-1/2" PIPE 1.90" 4-1/8" HIGH	ORIG 4220-N	15404 WEDGE ASSY	DRWG.5302		BR 60.00 2.2
5721-AL	WEDGE ANCHOR ASSY.1-1/2" PIPE (1.90")4" HIGH	DIE CAST ASSY. 15404 WEDGE ASSY				ALUM 32.00
5725	CENTER POST 1-1/4" PIPE (1.66")					ALUM 0.9
5731 A-B	AERIAL CABLE BACKSTROKE STANCHION 1-1/4" PIPE (1.66")	7 FT. ABOVE DECK	REF.DRWG.5493			SPECIFY A OR B ST.ST.
5734	AERIAL CABLE ASSEMBLIES FOR IRREGULAR SHAPED POOLS.	DRWG. REQUIRED	REF.DRWG.5459			SPECIFY A-B-C-D ST.ST. P.O.A.
5734-CSP	AS ABOVE WITH (1) CABLE CLAMP &(2) RED PENNANTS	YMCA SPEC.	REF.DRWG.5360			SPECIAL ORDER ST.ST. P.O.A.
5736	ROBE TOWEL HOOK COMPLETE WITH WALL ANCHOR	YMCA SPEC.	REF.DRWG.5080	REP.5650		C/P/B 144.60 1.5
5737	1-1/2" MPS ADJ. FLANGED INLET ADAPTER					C/P/B 84.75
5738	2" MPS ADJ. FLANGED INLET ADAPTER	NOT AVAILABLE				SEE 4530 ASSEMBLY 2.0
5739	2-1/2" MPS ADJ. FLANGED INLET ADAPTER	NOT AVAILABLE				C/P/B 2.0
5740-A	SPLASH CURTAIN CENTER STANCH. 1" TUBE (1.00")24" HIGH	YMCA SPEC.	REF.DRWG.5492-7261	REF.DRWG.5492		ST.ST. 293.70
5740-B	SPLASH CURTAIN CENTER STANCH. 1" TUBE (1.00")36" HIGH		USE 4344 BELL ESC.	DRWG.5492-7261		ST.ST. 312.10
5743	AERIAL CABLE STANCHION 1" TUBE (1.00") .083"WALL	7 FT. ABOVE DECK				ST.ST. 390.65
5744	CROWD CONTROL DOUBLE CENTER STANCHION 1" TUBE (1.00")	SPECIAL TO ORDER	REF.DRWG.5492-7262			AS REQUIRED ST.ST.
5745-A B	VOLLEY BALL STANCHION 1" TUBE (1.00") .083 WALL	5 FT. ABOVE DECK	DRWG.5348-5492-7263			SPECIFY A OR B ST.ST.
5746-A	FALSE START RECALL STAN. 1" TUBE (1.00") 3'5"	YMCA SPEC.	REF.DRWG.5345-58			ST.ST. 359.05
5746-B	FALSE START RECALL STAN. 1" TUBE (1.00")3'11"	(1)RH &(1) LH REQ.	USE 4344 BELL ESC.	REF.DRWG.5345		ST.ST. 397.50
5747-A	SPLASH CURTAIN END STANCH. 1" TUBE (1.00") 24"	YMCA SPEC.	REF.DRWG.5492-7263			SEE FOOTNOTE ST.ST. 359.80
5747-B	SPLASH CURTAIN END STANCH. 1" TUBE (1.00") 36"	(1)RH &(1) LH REQ.	USE 4344 BELL ESC.	REF.DRWG.5492		ST.ST. 384.55
5748-A-B	VOLLEY BALL STANCHION 1" TUBE (1.00") .083"WALL	5 FT ABOVE DECK	REF.DRWG.5350			SEE FOOTNOTE ST.ST.
5749	STANCHION ASSY PLAIN CAP(2) SIDE EYES 1" TUBE (1.00")		REF.DRWG.5349			SPECIFY A OR B ST.ST.
5750	STANCHION ASSY. PLAIN CAP (1) SIDE EYE 1" TUBE (1.00")		REF.DRWG.5349			AS REQUIRED ST.ST.
5751	1/4" DIA. SOLID BRAIDED NYLON ROPE 1000 FT. ROLL					NYLON P.O.A.
5752-A B	AERIAL CABLE BACKSTROKE STANCHION 1-1/2" PIPE (1.90")	7 FT. ABOVE DECK	REF.DRWG.5505			SPECIFY A OR B ST.ST. 19.0
5753	3/8" DIA. SOLID BRAIDED NYLON ROPE 1000 FT. ROLL		REF.DRWG.5505			ST.ST. P.O.A. 9.0
5754	GRAB BAR CENTER POST 1-1/4" TUBE - 7/16"-14 THREAD.					
5755	3/8" DIA. SOLID BRAIDED NYLON ROPE 1000 FT. ROLL					NYLON P.O.A. 39.0
5756	7-1/2" O/A POWDER SCOOP					B/ALUM P.O.A. 0.3
5757	9-1/2" O/A POWDER SCOOP					B/ALUM P.O.A. 1.1
5758	9-1/4" O/A POWDER SCOOP					B/ALUM P.O.A. 1.8
5763	CABLE CLAMP EYE FOR AERIAL CABLE ASSEMBLIES					ST.ST. 98.20
*EXTENSION HANDLES ARE SUPPLIED WITH 1"-8 BRASS INSERTS, BOLTS & WING NUTS WHERE REQUIRED - HANDLES & RESCUE POLES						
HAVE SPECIFIC CARTON QUANTITIES, THERE WILL BE A \$ 7.50 NET PACKING AND HANDLING CHARGE, FOR LESS THAN CARTON LOT						
*STANCHION ASSEMBLIES: INDICATE-DECK TO WATER LEVEL, HGT. ABOVE DECK & DEPTH OF SOCKET						
PAGE 17	*FOUNTAIN - POOL & SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL					PAGE 17
NJ (201) 339-1351-2-3			STANDARD BRONZE COMPANY		NY (212) 267-6738 FAX (201) 339-3492	

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
5764						
5767-A-D	"COMPETITOR" RACING LANE ASSEMBLIES 60-75 FT. & 25 & 50 METER LENGTHS				MO PLAS	54.0
5769-A	"COMPETITOR" STOR-LANE REEL				ALUM	125.0
5769-B	"COMPETITOR" STOR-LANE REEL COVER FOR ABOVE				VINYL	14.0
5770						
5771	3/16" DIA VINYL COVERED CABLE FOR AERIAL CABLE/RACING LANE ASSEMBLIES				ST.ST.	1.25 FT.
5772	HVY. DUTY DIVING STAND ANCHOR 1-1/2" PIPE (1.90") NO. 15546 TOP FLANGE				S/CHR	395.90
5773	200 FT. COIL CONSERVALLOY RIBBON ANODE MIN. ORDER 100				MAGN.	P.O.A.
5774-BR	4" FPT X 2" FPS MAIN DRAIN SUMP 12" SQ. STR. GRATE				C/P/B	4353.35
5776-BR	4" FPT X 2" FPS ANTI VORTEX SUMP 12" SQ. VENTURI PLATE		4096.75		BRZE	4667.65
5777	ANTI VORTEX FRAME AND 9" DIA. VENTURI PLATE	5787 VENT PLATE		REF.DRWG.5412	GL/BRZ	374.35
5778	9-3/8" SQUARE DECK DRAIN PLATE CONCAVE CENTER				DISCONTINUED	
5779	11-3/8" SQUARE DECK DRAIN PLATE CONCAVE CENTER				DISCONTINUED	
5780	3" DIA RACING LINE CUP ANCHOR WITH CROSS BAR					
5781	ANTI-VORTEX FRAME & 9" DIAMETER VENTURI PLATE	2" HGT. ADJUSTMENT		REF.DRWG.5411	GL/BRZ	403.20
5784-A-D	"COMPETITOR" RACING LANES WITH DISCONNECT ADAPTERS.				BRZE	548.30
5786	ANTI-VORTEX FRAME & 5788 11-3/4" DIA. VENTURI PLATE	FOR 75 FT. & 25 METER LANES			B/CHR	P.O.A.
5787	9" DIAMETER VENTURI PLATE	NEW		REF.DRWG.5413	C/P/B	620.70
5788	11-3/4" DIA. ANTI VORTEX PLATE (5786 ASSY.)	REF.DRWG.5413		LESS SCREWS	C/P/B	253.75
5789	ROUND FRAME & 8" DIA. STRAINER GRATE SCREW DOWN	REF.DRWG.5252		8-5/8" I/D, 2" HIGH	C/P/B	371.30
5790	SPANNER WRENCH FOR 3909-4036-4037-4038 PLUGS			3/4" CENTERS	BR	17.80
5791	SPANNER WRENCH FITS 5719,6764-65 & 17524 PLUGS			1-9/16" CENTERS	BR	17.80
5792	SPANNER WRENCH FOR 5717-5718-5795-17524 PLUGS	REF.DRWG.5216			BR	17.80
5793	"COMPETITOR" MULTIPLE DOUBLE TRIPLE LANE BRACKETS				PRICED PER PAIR	ST.ST.
5794-R	6" TGH COMPR. BUCK ANCHOR 1-1/2" PIPE LESS PLUG	USE 5795 PLUG		REF.DRWG.5216	BRZE	175.85
5795	2" MPS SPANNER PLUG 1-1/2" PIPE BUCK SLIP ANCHORS	USE 5792 WRENCH		USE 4187 BELL ESC.	BRZE	51.30
5795-A	2" MPS SPANNER PLUG 1-1/2" PIPE BUCK ANCHOR				GL/BRZ	
5796	4" HIGH COMPR. BUCK ANCHOR 1-1/2" PIPE LESS PLUG	USE 5795 PLUG		REF.DRWG.5354	BRZE	134.90
5797	SPANNER PLUG 1-1/4" PIPE BUCK/SLIP ANCHOR. 2"-14 THREAD.	USE 5791 WRENCH		USE 4021 BELL ESC.	BRZE	56.15
5798	4" HIGH COMPR. BUCK ANCHOR 1-1/4" PIPE LESS PLUG	USE 5797 PLUG		REF.DRWG.5353	BRZE	151.00
5799	"COMPETITOR" DIVIDERS FOR MULTIPLE LANE BRACKETS			AS REQUIRED		
5800					PLAST	P.O.A.
5832	WATER LEVEL CONTROL ASSEMBLY 1" PIPE CONN.	NEW.				
5833-SD	VALVE ACCESS FRAME & 10" SQUARE PLATE 19040-B	(4) HOLE MOUNT		REF.DRWG.5452	GL/BRZ	471.40
5839	4" DIA ROUND DECK ANCHOR 1" TUBE (1.00)			P.O.A.	WH/LAL	
5840	BELL ESCUTCHEON FOR 2" PIPE (2.375")	4-3/8" O/D			C/P/B	94.40
5841	ANTI VORTEX PLATE & 5-1/8" DIA. STR. GRATE ASSY.	SPECIAL ORDER		REF.DRWG.5094	GL/BRZ	
5842	ANTI VORTEX PLATE & 5-3/8" DIA. STR. GRATE ASSY.	SPECIAL ORDER		REF.DRWG.5094	GL/BRZ	
5843	ANTI VORTEX PLATE & 6" DIA. STR. GRATE ASSY.	SPECIAL ORDER		DROP IN	GL/BRZ	
5844	ANTI VORTEX PLATE & 7-1/2" DIA. STR. GRATE ASSY.	SPECIAL ORDER		REF.DRWG.5094	GL/BRZ	
5845	ANTI VORTEX PLATE & 8" DIA. STR. GRATE ASSY.	SPECIAL ORDER		DROP IN	GL/BRZ	353.60
5846	ANTI VORTEX PLATE & 9" DIA. STR. GRATE ASSY.	SPECIAL ORDER		REF.DRWG.5094	GL/BRZ	
5847	ANTI VORTEX PLATE & 8-1/4" DIA. STR. GRATE ASSY.	FITS JOSAM		DROP IN	GL/BRZ	
5848	3/4" MPT. VENTURI NOZZLE 4-1/4" LONG					
5850	1" MPS AIM FLOW ADAPTER 3/4" DIA CENTER HOLE	FITS JOSAM		DROP IN		
5850-SP	AS ABOVE SPECIALS TO ORDER	SPECIFY HOLE			C/P/B	0.3
5851	1-1/4" MPS AIM FLOW ADAPTER ROUND HOLE	NOT AVAILABLE				
5852-A	1-1/2" MPS AIM FLOW ADAPTER 1" DIA CENTER HOLE STANDARD				C/P/B	65.60
5852-B	AS ABOVE					
5855	SKIMMER COVER PLATE 9-3/4" DIA. FOR 7624-SD.SKIMMER.	FOR PAC-FAB SKIMMERS			218.40	GL/BRZ
5856	9" HIGH COMPR. BUCK ANCHOR 1-1/2" PIPE LESS PLUG	NOT AVAILABLE		REF.DRWG.5341	BRZE	
5857	2" FPT RECIRCULATING WALL INLET 4-3/4" SQ. 9" LONG	REP. PLATE 15557-FP		DRWG.5133-R	YMCA SPEC.	712.05
5858	3" FPT RECIRCULATING WALL INLET 6" SQUARE 9" LONG	REPL. PLATE 15603		REF.DRWG.5133-R	YMCA SPEC.	909.70
5859 A-B	POST GRAB STANCHION 2" TUBE (2.00") 30" OR 36" HIGH	SPECIAL ORDER		REF.DRWG.5492	SPECIFY A OR B	P/BRASS
5860	STANCHION ASSEMBLY TOP EYE 1-1/4" PIPE (1.66")	SPECIFY HGT.		REF.DRWG.5493	AS REQUIRED	ST.ST.
5861	AERIAL CABLE STANCHION 1-1/4" PIPE (1.66")	7 FT ABOVE DECK		SPECIFY A OR B	REF.DRWG.5493	ST.ST.
5862	AERIAL CABLE STANCHION 1-1/4" PIPE (1.66")	7 FT ABOVE DECK		SPECIFY A OR B	REF.DRWG.5493	ST.ST.
5863	BACKSTROKE STANCHION 1-1/4" PIPE (1.66")	7 FT ABOVE DECK		REF.DRWG.5491		ST.ST.
5864-A	SPLASH CURTAIN CENTER STANCH. 1-1/4" PIPE (1.66") .065"	WALL 24" HIGH		REF.DRWG.5492	AS REQUIRED	ST.ST.
5864-B	SPLASH CURTAIN CENTER STANCH. 1-1/4" PIPE (1.66") .065"	WALL 36" HIGH		REF.DRWG.5492	AS REQUIRED	ST.ST.
5865	STANCHION ASSEMBLY PLAIN CAP SIDE EYE 1-1/4" PIPE (1.66")	OLD 5926		REF.DRWG.5492	AS REQUIRED	ST.ST.
5867	CROWD CONTROL DOUBLE CENTER STANCH. 1-1/4" PIPE (1.66")	(1.66") SPEC. ORDER		REF.DRWG.5492	AS REQUIRED	ST.ST.
5868-A B	CROWD CONTROL DOUBLE END STANCH. 1-1/4" PIPE (1.66")	24" HIGH SPEC. ORDER		DRWG.5174-5492	SPECIFY A OR B	ST.ST.
5869-A	SPLASH CURTAIN END STANCH. 1-1/4" PIPE (1.66") .065"	WALL 24" HIGH		(1) RH & (1) LH REQ.	DRWG.5206	ST.ST.
5869-B	SPLASH CURTAIN END STANCH. 1-1/4" PIPE (1.66") .065"	WALL 36" HIGH				ST.ST.
5870-A	FALSE START RECALL STANCHION 1-1/4" PIPE (1.66") .065"	WALL 3'5" DRG.5206		(1) RH & (1) LH. REQ	REF.DRWG.5054	ST.ST.
5870-B	FALSE START RECALL STAN. 1-1/4" PIPE (1.66") .065"	WALL 3'11"		REF.DRWG.5493		ST.ST.
5872	6" LONG TENSION SPRING					
5874	ANTI-VORTEX SUMP 9" DIAPLATE 1-1/2" FPT X 1-1/2" FPS	REF.DRWG.5132			GL/BRZ	774.20
5875	ANTI-VORTEX SUMP 9" DIA. PLATE 2" FPT X 1-1/2" FPS	ALL WITH 5781 ANTI-VORTEX ASSY.			GL/BRZ	826.70
*REF. DRWG 5359FOR REQ. INFO. TO INSURE CORRECT BACKSTROKE, FALSE START, SPLASH CURTAIN AND STANCHION ASSEMBLIES						
*AERIAL CABLE, STANCHIONS & PENNANT ASSEMBLIES - DRAWINGS REQUIRED TO INSURE PROPER INSTALLATION						
*STANCHION ASSEMBLIES: INDICATE DECK TO WATER LEVEL, HGT. ABOVE DECK & DEPTH OF SOCKET.						
*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT ASSEMBLIES - DRAWING NUMBERS AS INDICATED						
PAGE 18						PAGE 18
NJ (201) 339-1351-2-3			STANDARD BRONZE COMPANY			NY (212) 267-6738 FAX (201) 339-3492

NAME	DESCRIPTION		FINISH	LIST EA	FINISH	LIST EA	WGT.
5876	2" FPT X 2" FPS ANTI-VORTEX SUMP 9"DIA PLATE	FRAME & PLATE ASSY.	GL/BRZ	820.55	C/P/B	891.90	27.0
5877	1-1/2" FPT X 2" MPS ANTI-VORTEX SUMP 9"DIA PLATE	1-1/4" COLLAR ADJUSTMENT	GL/BRZ	890.50	C/P/B	963.40	27.0
5878	3" FPT X 2" FPS ANTI-VORTEX SUMP 9" DIA PLATE	REF DRWG 5132	GL/BRZ	956.65	C/P/B	1028.45	29.0
5881	STANCHION ASSEMBLY TOP EYE 2" TUBE 2.00"	REF.DRWG.5493	REF.DRWG.5222		BRASS		
5882	STANCHION ASSY. PLAIN CAP SIDE EYE 1-1/2" PIPE 1.90		REF.DRWG.5492		ST.ST.	118.15	
5889-A-B	POST GRAB STANCH. 1-1/4" PIPE .065" 30" OR 36" HIGH	DRWGS.5163-5492	SPECIFY A OR B		AS REQUIRED	ST.ST.	
5890-A-B	POST GRAB STANCH. 1-1/2" PIPE .065" 30" OR 36" HIGH	DRWGS.5061-5216	AS REQUIRED		ST.ST.		
5892	CROWD CONTROL DOUBLE CENTER STANCH. 1-1/2" PIPE	SPECIAL ORDER	REF.DRWG.5492		AS REQUIRED	ST.ST.	
5893	STANCHION ASSEMBLY TOP EYE 1-1/2" PIPE .065"	7 FT. ABOVE DECK	REF.DRWG.5493		AS REQUIRED	ST.ST.	
5894-A	SPLASH CURTAIN CENTER STANCHION 1-1/2" PIPE .065"	24" ABOVE DECK	REF.DRWG.5492		AS REQUIRED	ST.ST.	
5894-B	SPLASH CURTAIN CENTER STANCHION 1-1/2" PIPE .065"	36" ABOVE DECK	REF.DRWG.5492		AS REQUIRED	ST.ST.	
5895	AERIAL CABLE STANCHION 1-1/2" PIPE .065"	7 FT. ABOVE DECK	REF.DRWG.5493		SPECIFY A OR B	ST.ST.	
5896-A B	SINGLE LINE END STANCHION 1-1/2" PIPE.065	5 FT. ABOVE DECK	DRWG.5174-5492		SPECIFY A OR B	ST.ST.	
5897-A	SPLASH CURTAIN END STANCH.1-1/2" PIPE.065" WALL 24" H.	REF.DRWG.5206	(1) RH & (1) LH REQUIRED			ST.ST.	
5897-B	SPLASH CURTAIN END STANCH.1-1/2"PIPE.065" Wall 36" H.		*SEE FOOTNOTE		ST.ST.		0.1
5908	19" DIA LIFE PRESERVER RING BUOY USCG APPROVED	WHITE ONLY				145.10	2.5
5909	20" DIA. LIE PRESERVER RING BUOY USCG APPROVED	INTERNATIONAL ORANGE				165.45	4.5
5910	18" LIFE RING BUOY OUT OF PRODUCTION						
5911	24" DIALIFE PRESERVER RING BUOY USCG APPROVED	INTERNATIONAL ORANGE				183.00	5.0
5912	30" DIA LIFE PRESERVER RING BUOY USCG APPROVED	INTERNATIONAL ORANGE				255.00	6.0
5913							
5914	STANCHION ASSEMBLY TOP EYE 1-1/4" PIPE (1.66")	REMOVABLE EYE	SPECIFY THREADED EYE	REF.DRWG.5493	ST.ST.		
5915	THROW ROPE ASSY. FOR LIFE RING BUOY 30 FT.				POLY	40.10	
5916	THROW ROPE ASSY. FOR LIFE RING BUOY 60 FT.				POLY	55.10	
5930	13" LONG HEAVY DUTY SPRING FOR RACING LANES				ST.ST.	66.00	1.1
5937	5/16"-18 WEDGE ANCHOR EXTENSION FOR 5979 ANCHOR	WY BOLT & WASHER	SPECIAL ORDER		BR	42.45	0.9
5939	"COMPETITOR" TAKE UP REEL FOR RACING LANES	USE 6432 WRENCH			ST. ST.	P.O.A.	1.2
5945	STANCHION ASSEMBLY TOP EYE 2" TUBE (2.00")	REMOVABLE EYE	SPECIFY THREADED EYE	REF.DRWG.5493	P/BR		
5946-A B	CROWD CONTROL DOUBLE CENTER STANCHION 2" TUBE (2.00")	SPECIFY HEIGHT	REF.DRWG.5492		AS REQUIRED	P/BR	
5947-A B	SINGLE LINE END STANCHION 2" TUBE (2.00")	SPECIFY HEIGHT	REF.DRWG.5492		SPECIFY A OR B	P/BR	
5948	"STORELANE" BENCH RACING LANES NO BOTTOM PANELS	P.O.A.					111.0
5949	"STORELANE" BENCH RACING LANES WITH BOTTOM PANELS	P.O.A.					131.0
5951	ESCUTCHEON PLATE 1-1/2" PIPE (1.90") 5" DIAMETER	NEW	P.O.A.	P/BRZ	81.70	C/P/B	93.90
5951-SP	ESCUTCHEON PLATE 2" TUBE (2.00) 5" DIAMETER		SPECIAL ORDER			C/P/B	
5952	STANCHION ASSY. PLAIN CAP W/THREAD. EYE 1" TUBE (1.00")	REMOVABLE EYE	SPECIFY THREADED EYE	REF.DRWG.5493	BRASS		
5954	BACKSTROKE STANCH. SPEAKER HOOK 1-1/4" PIPE (1.66")	7 FT. ABOVE DECK	(1) RH & (1) LH REQ.	REF.DRWG.5491	ST.ST.		
5955-BR	ANTI-VORTEX SUMP 6-5/8" DIA. 1-1/2" FPT X 1" FPS	SPECIFY WALL	REF.DRWG.5243		GL/BRZ	528.05	
5956-BR	ANTI-VORTEX SUMP 6-5/8" DIA.METER 2" MPT.X 1" FPS	SPECIFY WALL	REF.DRWG.5243		GL/BRZ	531.70	10.3
5959-B	EXTEN. HANDLE 1-1/4" DIA.16 FT. BOLTED CONN.	FOR RESCUE HOOKS			ST. ST.	401.75	80.0
5959-MT	EXTEN HANDLE 1-1/4" DIA16 FT. 1"-8 MALE THREAD	FOR RESCUE HOOKS	REF.DRWG.5024		ST. ST.	416.85	85.0
5960-B	RESCUE HOOK SHEPHERDS CROOK 1-1/4" BOLTED CONN.	LESS BOLTS & NUTS	PENN STATE STDS.		BRASS	106.45	
5965-A	RUBBER LINED 1-1/2" DISCHARGE HOSE 25 FT. MIN.	TUEC ORIG.				204.95	1.9
5965-B	RUBBER LINED 1-1/2" DISCHARGE HOSE 50 FT.	REF.DRWG.5282				359.25	8.0
5966-A	RUBBER LINED 2" DISCHARGE HOSE 25 FT. MIN.	TUEC ORIG.				257.10	15.0
5966-B	RUBBER LINED 2" DISCHARGE HOSE 50 FT.					483.40	
5967							
5969-FT	RESCUE HOOK SHEPHERDS CROOK 1"-8 FEMALE THREAD		PENN STATE STD.		BRASS	96.75	1.9
5970	10" X 15" "ITALIAN CLASSIC" FONT 1-1/2" PROJ.	11/16" HOLE	NON STOCK STD.	VERDI	OX/BRZ	627.20	11.0
5978	HVY. DUTY FRAME & 12" X 24" STRAINER GRATE 1" HIGH	(1) 7152-SP STR.	REF.DRWG.5440	C/P/BZ 146	GL/BRZ	2741.50	23.0
5979	DIVING STAND WEDGE ANCHOR 1-1/2" PIPE 5937-EXTENTION	15404 WEDGE ASSY.	REF.DRWG.5219		BR	110.85	2.8
5980	1/2"-13 THREAD WALL ANCHOR	NON STOCK STD.			BRZE	25.35	0.5
5981-SP	7/16"-14 THREAD WALL ANCHOR				BRZE	25.35	0.5
5982-SP	3/8"-16 THREAD WALL/DECK ANCHOR				BRZE	25.35	0.5
5983-DAL	RD. DECK ANCHOR 1-1/2" TUBE (1.50") 3/8" SQ. HOLE	OLD 758	REF.DRWG.5371	ALUM	22.90	WH/AL	27.15
5983-BR	RD. DECK ANCHOR 1-1/2" TUBE (1.50") 1/2" RD. HOLE	OLD 758	REF.DRWG.5048	BRZE	42.35	C/P/B	52.35
5984-DAL	RD DECK ANCHOR 1-5/8" TUBE (1.625") 3/8" SQ. HOLE		REF.DRWG.5371	ALUM		WH/ALUM	0.2
5984-BR	RD DECK ANCHOR 1-5/8" TUBE (1.625") 1/2" RD. HOLE	SPECIAL ORDER	DRWG.5048			C/P/B	1.4
5985	1-1/2" MPT PIPE PLUG WITH SQUARE HEAD	SPECIAL ORDER	SPECIFY TYPE			BRZE	
5986	2" MPT X 1-1/2" FPT REDUCING BUSHING					BRZE	40.25
5987-DAL	RD. DECK ANCHOR 1-1/4" PIPE (1.66") 3/8" SQ. HOLE	SPECIAL ORDER	REF.DRWG.5371	ALUM		WH/ALUM	
5987-BR	RD. DECK ANCHOR 1-1/4" PIPE (1.66") 3/8" SQ. HOLE	SPECIAL ORDER		B/BRZ		C/P/B	
5988							
5990-A	"ATLANTIAN" 20" VAC. 1-1/2" HOSE 1-1/4" BOLTED CONN.	HAND - TOW MODEL	DRWG. NO. T-16			BRZE	1343.45
5990-B	"ATLANTIAN" 20" VAC. 2" HOSE 1-1/4" BOLTED CONN.	HAND - TOW MODEL	PARTS DRWG.6185			BRZE	1343.45
5990-C	"ATLANTIAN" 20" VAC. 1-1/2" HOSE 1-1/2" BOLTED CONN.	HAND - TOW MODEL	REPL. BRUSH 15750			BRZE	1343.45
5990-D	"ATLANTIAN" 20" VAC. 2" HOSE 1-1/2" BOLTED CONN.	HAND - TOW MODEL	REPL. WHEEL ASSY.15015-15335			BRZE	1343.45
5990-E	"ATLANTIAN" 20" VAC.1-1/2" HOSE 1"-8 FEMALE THREAD	HAND - TOW MODEL	REPL. WHEEL ASSY.15015-15335			BRZE	1343.45
5990-F	"ATLANTIAN" 20" VAC. 2" HOSE 1"-8 FEMALE THREAD	HAND - TOW MODEL	TOW CONVERSION 2 15832 & 15834			BRZE	1343.45
5998	DIVING STAND SHOE SPECIAL ORDER	NEW	REF.DRWG.5204	ALUM			
*REF. DRWG 5359FOR REQ. INFO. TO INSURE CORRECT BACKSTROKE, FALSE START, SPLASH CURTAIN AND STANCHION ASSEMBLIES							
STANCHION ASSEMBLIES: FOR COMPLETE CURRENT LISTINGS REFER TO DRAWING NO'S 5491-2-3							
PAGE 19	*INLET ADAPTERS AVAILABLE WITH SPECIAL MACHINING - INFORMATION ON REQUEST						PAGE 19
NJ (201) 339-1351-2-3		STANDARD BRONZE COMPANY		NY (212) 267-6738		FAX (201) 339-3492	

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
5999	BACK STANCH. (SPEAKER HOOK)1" TUBE 7 FT. ABOVE DECK	YMCA SPEC.	(1) RH & (1) LH REQ	REF.DRWG.5491	ST.ST.	
6002	MULTI ASSY. FRAME & 18" X 36" STRAINER GRATE 1" HIGH	2 7154-SP.STR.		7142-FR	GL/BRZ	4582.10 62.0
6010	STANCHION ASSY PLAIN CAP WITH THREADED EYE 1-1/4" PIPE	ORIG. 5871	SPECIFY THREADED EYE	REF.DRWG.5173	ST.ST.	
6014	BACKSTROKE QUICK RELEASE STANCHION 1" TUBE (1.00")	.083 WALL 7' ABOVE DECK	YMCA SPEC.	REF.DRWG.5492	ST.ST.	
6028	3/8"-16 THREAD TAPERED WEDGE ASSEMBLY	SPECIAL ORDER	REF.DRWG.5366-5430	DESCRIPTION	BRZE	
6033	7-5/8" X 11-7/8" LIONS HEAD FONT 3-3/4" PROJ.	NON STOCK STD		VERDI	OX/BRZ	506.85 7.5
6034	MAIN DRAIN SUMP 1-1/2" FPT X 1" FPS 3-9/16" STRAINER	FOR WALLED POOLS	REF.DRWG.5245		C/P/B	10.0
6035	MAIN DRAIN SUMP 2" FPT X 1" FPS 3-9/16" STRAINER	FOR WALLED POOLS	SPECIFY WALL		C/P/B	10.0
6036	FULCRUM END PLUG FOR 1-1/4" PIPE (1.66")	SPECIAL ORDER		B/ALUM	BRZE	
6037	FULCRUM END PLUG FOR 1-1/2" PIPE (1.90")	SPECIAL ORDER		B/ALUM	BRZE	
6040-PBA	"SPREDI-VAC" 12" BOLTED ALUM. HANDLE CONN.15108-AL				RUBBER	93.90
6040-PBC	"SPREDI-VAC" 12" BOLTED CYC. HANDLE CONN.15108-PL	PATENTED	PARTS DRWG.6184		RUBBER	88.20 1.5
6040-PTA	"SPREDI-VAC" 12" FEMALE ALUM. THREAD CONN.15107-AL.	SPECIAL ORDER	REPL. BRUSH 15297		RUBBER	99.25 1.5
6041	AERIAL CABLE STAN. QUICK RELEASE 1" TUBE (1.00") .083"	WALL 7' ABOVE DECK	REF. DRWG. 5492	SPECIFY A OR B	ST.ST.	2.0
6048	AERIAL CABLE STAN. QUICK RELEASE 1-1/4" PIPE (1.66")	7 FT ABOVE DECK	REF. DRWG. 5492	SPECIFY A OR B	ST.ST.	2.0
6049-BR	1-1/2" FPT X 1-1/2" FPS MAIN DRAIN SUMP 8" CHR.STR.	REF.DRWG.5257			BRZE	758.55 24.0
6050-BR	2" FPT X 1-1/2" FPS MAIN DRAIN SUMP 8" CHR.STR.		WITH 5789 ADAPTER		BRZE	780.55 24.0
6051-BR	2" FPT X 2" FPS MAIN DRAIN SUMP 8" CHR.STR.				BRZE	793.15 24.0
6052-BR	2-1/2" FPT X 2" FPS MAIN DRAIN SUMP 8" CHR.STR.		1-1/4" COLLAR ADJUSTMENT		BRZE	931.55 24.0
6053-BR	3" FPT X 2" FPS MAIN DRAIN SUMP 8" CHR. STR.	REF. DRWG 5257			BRZE	999.05 26.0
6054-A-B	AERIAL CABLE STAN. QUICK RELEASE 1-1/2" PIPE (1.90")	7 FT ABOVE DECK	REF.DRWG.5492	SPECIFY A OR B	ST.ST.	
6055	CURVED OVAL ROPE EYE 1-1/4" PIPE (1.66")	SEE 6122-2 ASSEMBLY			C/P/B	20.95 0.3
6056	CURVED OVAL ROPE EYE 1-1/2" PIPE (1.90")	SEE 6123-2 ASSEMBLY			C/P/B	21.50 0.3
6057	BACKSTROKE QUICK RELEASE STAN. 1-1/4" PIPE (1.66")	7 FT ABOVE DECK	REF. DRWG. 5492	(2) REQUIRED	ST.ST.	
6058-SP	POST STYLE GRAB RAIL END ASSEMBLY 1-1/4" TUBE			TO ORDER	C/P/B	
6059-SP	POST STYLE GRAB RAIL CENTER ASSEMBLY 1-1/4" TUBE	WITH THREADED ROD	REF. DRWG. 5405	TO ORDER	C/P/B	
6064						
6066	4" FPT HVY. DUTY MAIN DRAIN 5" RADIUS STRAINER	DISCONTINUED			BRZE	
6067	6" FPT HVY. DUTY MAIN DRAIN 5" RADIUS STRAINER	DISCONTINUED			BRZE	
6071-SP	SAFETY LIFE LINE ASSEMBLIES WITH 3/4" ROPE TO ORDER	INFO. REQUIRED	OLD YMCA SPEC.		POLY	P.O.A.
6074	3-7/8" DIA. STRAINER FOR DECK DRAIN	SPECIAL ORDER		P/BRZ	C/P/B	
6075						
6078	LADDER RUNG ASSEMBLY RECESSED STEPS TO ORDER	YMCA SPEC.	REF.DRWG.5233	BRASS	ST.ST.	P.O.A. 5.4
6079-SP	4" HIGH COMPR. BUCK ANCHOR 2" TUBE (2.00") LESS PLUG	USE 5795 PLUG	USE 4276 BELL ESC	BRZE	162.90	C/P/B 194.95 2.4
6080-GS	6" HIGH COMPR. BUCK ANCHOR 2" TUBE (2.00") LESS PLUG	SPECIAL ORDER ONLY			BRZE	228.70 3.5
6090-GS	1-3/4" TAPER X 2" FPT "TUEC" VAC. FITTING 3-7/8" DEEP	NON STOCK STD.	USE 5795 PLUG	BRZE		C/P/B 2.4
6091-GS	2" TAPER X 2" FPT "TUEC" VAC. FITTING 3-7/8" DEEP	YMCA SPEC.	REF. DRWG 5256	WH/BRZ		C/P/B 345.20 3.5
6093						
6100	22" HIGH "COMPETITOR" STARTING BLOCKS	SPECIFY COLORS			POLY	P.O.A. 40.0
6101	30" HIGH "COMPETITOR" STARTING BLOCKS	SPECIFY COLORS			POLY	P.O.A. 49.0
6109-2	FRAME JOINED IN TANDEM WITH 10" STRAINERS	(2) 4160 STRAINERS		GL/BRZ	C/P/B	P.O.A.
6110-2	FRAME JOINED IN TANDEM & 12" STRAINERS-12" x 24"	(2) 4161 ASSEMBLIES	NEW	GL/BRZ	C/P/B	P.O.A. 49.0
6111	1 1/2" DIA. ANOD. ALUM EXT. HANDLES WY 15346 1"8 MALE & 15347 FEMALE INSERTS		BOLT-WING NUT 15358			10 PER CARTON
	BOLTED			THREADED		
			COMBINATION FT OR		"MFT"	
NBR LGTH	ONE END	TWO ENDS	BOLT & THREAD ONE END	"MT"	MALE & FEMALE	WGT.
6112 6FT.	82.15	85.50	112.95	149.15	128.05	38.0
6113 8FT.	89.95	99.90	131.95	174.25	145.95	48.0
6114 12FT.	126.40	137.85	182.05	240.35	182.90	68.0
15,358 BOLTS & WING NUTS 1-1/2" DIA. HVY DUTY BRASS EXT. HANDLES	ONE END	TWO ENDS	(PACKED 10 PER CTN)		USE 15,954 BOLTED CONNECTOR	
6115 6FT	91.40	97.90	129.20	170.70	137.85	68.0
6116 12FT	165.10	171.45	226.35	298.90	199.95	75.0
6118-AL	TRIPLE HANGER FOR 1-1/4" & 1-1/2" EXTENS. HANDLES	NEW	3-1/4" PROJ.	B/ALUM	42.55	WH/AL 48.75 0.7
6118-BR	TRIPLE HANGER FOR 1-1/4" & 1-1/2" EXTENS. HANDLES	NEW	3-1/4" PROJ.	GL/BRZ	71.60	C/P/B 93.40 0.7
6120-AL	DOUBLE HANGER FOR 1-1/4" & 1-1/2" EXTENS. HANDLES	NEW		B/ALUM	25.00	WH/AL 31.00 2.0
6120-BR	DOUBLE HANGER FOR 1-1/4" & 1-1/2" EXTENS. HANDLES	NEW	3-1/4" PROJ.	P/BRZE	54.05	C/P/B 77.30 0.5
6122-2	CURVED OVAL ROPE EYE ASSY. 1-1/4" PIPE RADIUS	S/M SCREWS	(2) 6055-CE	PRICED PER PAIR		C/P/B 45.40 0.8
6123-2	CURVED OVAL ROPE EYE ASSY. 1-1/2" PIPE RADIUS	S/M SCREWS	(2) 6056-CE	PRICED PER PAIR		C/P/B 45.40 0.8
6124-AL	SINGLE HANGER FOR 1-1/4" & 1-1/2" EXTENS. HANDLES	NEW	3-1/4" PROJ.	B/ALUM	17.55	WH/AL 23.55 0.3
6124-BR	SINGLE HANGER FOR 1-1/4" & 1-1/2" EXTENS. HANDLES	NEW		P/BRZ	31.65	C/P/B 48.45 0.6
6125		NEW				0.6
6126	4" FPT X 6" MPT REDUCING ADAPTER REQ. FOR 6066 ASSY.				BRZE	
6150-AL	HVY. DUTY SINGLE HOOK HANGER FOR RACING LANES	NEW	3-3/4" PROJ.	B/ALUM	25.10	WH/AL 29.70
6150-BR	HVY. DUTY SINGLE HOOK HANGER FOR RACING LANES	NEW	3-3/4" PROJ.	P/BRZE	45.90	C/P/B 55.00
6151-AL	HVY. DUTY DOUBLE HOOK HANGER FOR RACING LANES	NEW	3-3/4" PROJ.	B/ALUM	37.75	WH/AL 44.00
6151-BR	HVY. DUTY DOUBLE HOOK HANGER FOR RACING LANES	NEW		P/BRZE	77.40	C/P/B 87.45 0.5
6159	TUEC BRASS HANDLE 1-1/2" DIA. 6 FT. WY. CLAMP & W NUT	TUEC 609-A	STARTER HANDLE	(1) REQUIRED	BRASS	268.50 7.5
	*REF. DRWG 5359 FOR REQ. INFO. TO INSURE CORRECT BACKSTROKE, FALS CKSTROKE, FALSE START, SPLASH CURTAIN & STANCHION ASSEMBLIES					
	*STANCHION ASSEMBLIES: INDICATE-DECK TO WATER LEVEL, HGT. ABOVE DECK & DEPTH OF SOCKET					
PAGE 20	*POINTS ARE AVAILABLE IN A VARIETY OF MATERIALS & FINISHES - INFORMATION ON REQUEST					PAGE 20
NJ (201) 339-1351-2-3		STANDARD BRONZE COMPANY		NY (212) 267-6738		FAX (201) 339-3492

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.
6160								
6161-BB	EXTENSION HANDLE 1-1/2" DIA X 8 FT. BOLTED(2) ENDS	TUEC 0-811	USE 15954 CONN.			ALUM	108.80	32.0
6162-BB	EXTENSION HANDLE 1-1/2" DIA X 12 FT. BOLTED(2) ENDS	TUEC 0-811	USE 15954 CONN.			ALUM	148.05	46.0
6163	TUEC BRASS HANDLE 1-1/2" DIA. 12 FT. WY. CLAMP & W/NUT	TUEC	STARTER HANDLE	(1) REQUIRED		BRASS	361.35	14.0
6164-FT	18" LONG HVY. DUTY VANED WALL/FLOOR BRUSH 1"-8 FEM. THREAD.					BRZE	368.70	4.0
6165-FT	18" LONG HVY. DUTY VANED WALL/FLOOR BRUSH BOLTED CONN.	TUEC 0-65-A	TUEC ORIG.			BRZE	368.70	4.0
6166	36" LONG COMB. STRAIGHT FLOOR/WALL BRUSH 1-8" FEM. THRD.	REPL BRUSH 4069	NYLON BRISTLES	REF.DRWG.5493		BRZE	288.90	7.7
6169	1-1/2" FPT HAIR & LINT STRAINER	TUEC 0-71	24" ABOVE DECK	REF.DRWG.5492		BRZE	518.35	11.5
6170	2" FPT HAIR & LINT STRAINER	TUEC 0-72				BRZE	518.35	11.3
6171	1-1/2" FPT HAIR & LINT STRAINER	TUEC 0-71	36" ABOVE DECK			ALUM	340.10	4.5
6172	2" FPT HAIR & LINT STRAINER	TUEC 0-72	5 FT. ABOVE DECK	DRWG.5174-5492		ALUM	340.10	4.2
6174	PUMP DISCHARGE ELBOW 45' 1-1/2" MPT. X 1-1/2" HOSE	TUEC ORIG.	REF.DRWG.5206	(1) RH & (1) LH		BRZE	75.20	2.3
6176-3	FRAME JOINED IN TANDEM & 10" STRAINERS 10" X 30"	(3) 4160 ASSEMBLIES				GL/BRZ		28.2
6177-3	FRAME JOINED IN TANDEM & 12" STRAINERS 12" X 36"	(3) 4161 ASSEMBLIES				GL/BRZ		33.6
6179-2	FRAME JOINED IN TANDEM & 15" STRAINERS 15" X 30"	(2) 4162 ASSEMBLIES				GL/BRZ		41.5
6180-3	FRAME JOINED IN TANDEM & 8" STRAINERS 8" X 24"	(3) 4159 ASSEMBLIES		REF.DRWG.5414		GL/BRZ		
6181-2	FRAME JOINED IN TANDEM & 18" STRAINERS 18" X 36"	(2) 4163 ASSEMBLIES		REF.DRWG.5401		GL/BRZ		38.0
6182	GRAB BAR END POST WITH WALL ANCHOR 1" TUBE (1.00")	5231 ASSEMBLY	REF.DRWG.5383-5505	2-1/4" C/L		C/P/B	152.80	2.2
6183	GRAB BAR CENTER POST WY WALL ANCHOR 1" TUBE (1.00")			2-1/4" C/L		C/P/B	157.50	
6184	GRAB BAR END POST WY. WALL ANCHOR 1-1/4" TUBE (1.25")	5232 ASSEMBLY	REF.DRWG.5384-5505	2-1/2" C/L		C/P/B	225.65	
6185	GRAB BAR CENTER POST WALL ANCHOR 1-1/4" TUBE (1.25")			2-1/2" C/L		C/P/B	232.40	
6186	GRAB BAR END POST-WALL ANCHOR 1-1/2" PIPE (1.90")	5233 ASSEMBLY	REF.DRWG.5385-5505	3" C/L		C/P/B	280.70	
6187	GRAB BAR CENTER POST WALL ANCHOR 1-1/2" PIPE (1.90")		REF.DRWG.5391	3" C/L		C/P/B	293.20	
6373	GRAB BAR END POST 1" TUBE (1.00") 3/8" -16 THREAD.	STANCHION ASSY	REF.DRWG.5383	2-1/4" C/L		C/P/B		
6374	GRAB BAR CENTER POST 1" TUBE (1.00") 3/8" -16 THREAD.	STANCHION ASSY	REF.DRWG.5383	2-1/4" C/L		C/P/B		
6375	GRAB BAR END POST 1-1/4" TUBE (1.25") 3/8-16 THREAD	CROWD CNTRL DBL CTR STANCH 2" TUBE 2.00"		2-1/2" C/L		C/P/B		
6376	GRAB BAR CENTER POST 1-1/4" TUBE (1.25") 3/8-16 THREAD		REF.DRWG.5384	2-1/2" C/L		C/P/B		
6377	GRAB BAR END POST 1-1/4" TUBE (1.25") 3/8"-16 THREAD.	*SEE FOOTNOTE	REF.DRWG.5385	3" C/L		C/P/B		
6478	GRAB BAR CENTER POST 1-1/2" PIPE (1.90") 3/8"-16 THREAD.		REF.DRWG.5385	3" C/L		C/P/B		
6432	RATCHET WRENCH FOR "COMPETITOR" 5939 TAKE UP REEL		NEW			ST.ST.	P.O.A.	2.2
6433	SPRING CABLE LOCK FOR "COMPETITOR" RACING LANES							
6534	ANTI VORTEX RETURN INLET USED WY 6548 RETURN ASSY.	SPAS & HOT TUBS	REF.DRWG.5388			C/P/B		0.4
6535	1-1/2" MPT X 3/4" FPT X 1-1/2" MPT HYDRO AIR JET	5/8" DIA. ORIFICE	REF.DRWG.5388-5417			BRZE		1.8
6536-A	1" FPT X 3/8" FPT X 1" MPT HYDRO AIR JET		REF.DRWG.5417-5420			BRZE	92.55	0.8
6536-B	1" SWEAT X 3/8" SWEAT X 1" MPT HYDRO AIR JET					BRZE	88.75	0.8
6537-A	1-1/2" FPT X 3/4" FPT AIR INTAKE HYDRO AIR JET	5/8" DIA. ORIFICE				BRZE	118.50	1.9
6537-B	1-1/2" FPT X 3/4" SWEAT AIR INTAKE HYDRO AIR JET	5/8" DIA. ORIFICE				BRZE	121.10	1.9
6539-AC	1-1/2" SWEAT X 3/4" SWEAT X 1-1/2" FPT HYDRO AIR JET	5/8" DIA. ORIFICE	REF.DRWG.5407			BRZE	130.45	2.3
6539-ADO	AS ABOVE WITH 6543 THREADED REPLACEABLE ORIFICE	7/16" DIA ORIFICE	DRWG.5387-5397			BRZE	176.35	2.3
6540-AC	1-1/2" SWEAT X 3/4" SWEAT X 1-1/2" MPT HYDRO AIR JET	5/8" DIA. ORIFICE	DRWG.5387-5409		REF.DRWG.5282	BRZE	127.00	1.9
6540-ADO	AS ABOVE WITH 6543 THREADED REPLACEABLE ORIFICE	7/16" DIA. ORIFICE			TUEC ORIG.	BRZE	176.35	1.9
6541-AC	DISCONTINUED	5/8" DIA. ORIFICE	DRWG.5387-5410			BRZE	130.45	1.9
6541-BDO	1 1/2" FPT X 3/4" FPT X 1-1/2" MPT HYDRO AIR JET W/6543 ORI	7/16" DIA. ORIFICE	REF.DRWG.5417			BRZE	176.35	1.9
6542-BC	DISCONTINUED	5/8" DIA. ORIFICE	DRWG.5387-5408			BRZE	130.45	2.3
6542-BDO	1-1/2" FPT X 3/4" FPT X 1-1/2" MPT HYDRO AIR JET W/6543 ORIFICE	7/16" DIA. ORIFICE	DRWGS.4397-5403-R		NON STOK STD VERDI	BRZE	176.35	2.3
6543	7/16" DIA REPLACEMENT ORIFICE FOR 6539-6542 ASSEMBLIES					BRASS	7.65	
6548	ANTI-VORTEX RETURN ASSY. 4274-SP.X 6534 1-1/2" FPT	SPAS & HOT TUBS	REF.DRWG.5388	REF.DRWG.5219		C/P/B	101.60	1.2
6556	12" X 20" HVY. DUTY STRAINER GRATE 1" HIGH	NEW	REF.DRWG.5444	C/P/B 1742.75		GL/BRZ	1539.75	
6556-SP	AS ABOVE TO SUIT 6557 ASSY. 7/8" HIGH	NEW	REF.DRWG.5439	C/P/B 1742.75		GL/BRZ	1539.75	16.0
6557	FRAME & 12" X 20" HVY. DUTY STRAINER GRATE 1" HIGH	(1) 6556-SP.STR.	REF.DRWG.5439	6558-FRAME			N/A	20.0
6586	1/2"-13 THREADED ROPE EYE 5/8" LONG	OP-11	1-5/8" OD. X 3/8" ID.			C/P/B	22.45	0.2
6601	1" FPT ADJ. WALL INLET FITTING 2-3/4" DIA	17502-BR.2-1/2"	6600 SERIES			C/P/B	57.15	0.7
6602	1" FPT NON-ADJ. WALL INLET FITTING 2-3/4" DIA	17503-BR.2-1/2"	6600 SERIES	REF.DRWG.5015		C/P/B	49.55	0.7
6603	1-1/2" FPT ADJ. WALL INLET FITTING 2-3/4" DIA	17502-BR.2-1/2"				C/P/B	61.35	0.7
6604	1-1/2" FPT NON-ADJ. WALL INLET FITTING 2-3/4" DIA	17503-BR.2-1/2"	SPECIAL ORDER		SPECIFY TYPE	C/P/B	55.65	0.8
6605	1-1/2" FPT ADJ. WALL INLET FITTING 3-5/16" DIA	17506-S.S.3-1/16"	34869			C/P/B	67.85	1.0
6606	1-1/2" FPT NON-ADJ. WALL INLET FITTING 3-5/16" DIA	17507-S.S.3-1/16"	6600 SERIES			C/P/B	61.35	1.0
6607	1-1/2" FPT ADJ. WALL INLET FITTING 3-5/8" DIA	17510-S.S.3-7/16"		DWG.5016		C/P/B	78.15	1.4
6608	1-1/2" FPT NON-ADJ. WALL INLET FITTING 3-5/8" DIA	17511-S.S.3-7/16"	ADJ. AND NON-ADJ.	DWG.5015		C/P/B	70.70	1.4
6609	1-1/2" MPT ADJ. WALL INLET FITTING 3-5/8" DIA	17510-S.S.3-7/16"	INLETS ARE COMPLETE			C/P/B	85.45	1.4
6610	1-1/2" MPT NON-ADJ. WALL INLET FITTING 3-5/8" DIA	17511-S.S.3-7/16"	WITH GROUND SCREWS			C/P/B	82.25	1.4
6611	2" FPT ADJ. WALL INLET FITTING 3-5/8" DIA	17510-S.S.3-7/16"				C/P/B	90.50	1.4
6612	2" FPT NON-ADJ. WALL INLET FITTING 3-5/8" DIA	17511-S.S.3-7/16"		DWG.5015		C/P/B	80.55	1.4
6613	2" MPT ADJ. WALL INLET FITTING 3-5/8" DIA	17510-S.S.3-7/16"		DWG.5016		C/P/B	95.10	1.4
6614	2" MPT NON-ADJ. WALL INLET FITTING 3-5/8" DIA	17511-S.S.3-7/16"				C/P/B	85.45	1.4
6615	1-1/2" FPT ADJ. WALL INLET FITTING 2-7/8" SQUARE	17502-BR.2-1/2"	REF.DRWG.5026			C/P/B	82.25	1.0
6616	1-1/2" FPT NON-ADJ. WALL INLET FITTING 2-7/8" SQUARE	17503-BR.2-1/2"	NEW			C/P/B	71.30	1.4
6617	1-1/2" FPT ADJ. WALL INLET FITTING 3-7/8" SQUARE	17506-S.S.3-1/16"	REF.DRWG.5025			C/P/B	98.95	1.4
6618	1-1/2" FPT NON-ADJ. WALL INLET FITTING 3-7/8" SQUARE	17507-S.S.3-1/16"	YMCA SPEC.			C/P/B	90.65	1.4
	*EXTENSION HANDLES ARE SUPPLIED WITH 1"-8 BRASS INSERTS, BOLTS & NUTS WHERE REQUIRED			HANDLES & RESCUE POLES				
	HAVE SPECIFIC CARTON QUANTITIES, THERE WILL BE A \$ 7.50 NET PACKING AND HANDLING CHARGE FOR LESS THAN CARTON LOT							
PAGE 21	*AERIAL CABLE, STANCHIONS & PENNANT ASSEMBLIES & DRAWINGS REQUIRED TO INSURE PROPER INSTALLATION						PAGE21	
	NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY		NY (212) 267-6738	FAX (201) 339-3492			

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
6619	ROUND FRAME & 4-3/4" DIA. STRAINER GRATE DROP IN	REPL.STR. 15410 (REF.DRWG.5039)		C/P/B	105.85	1.2
6620	ROUND FRAME & 6" DIA. STRAINER GRATE	REPL.STR. 17520	GL/BRZ 112.25	C/P/B	130.55	
6621-SD	ROUND FRAME & 7-1/2" DIA. STRAINER GRATE SCREW DOWN	REPL.STR.18047-SD. (REF.DRWG.5032)		C/P/B	231.25	2.4
6622	ROUND FRAME & 7-1/2" DIA. STRAINER GRATE DROP IN ONLY	REPL.STR.18047-DROP IN. NOT AVAILABLE		C/P/B		2.9
6623-SD	ROUND FRAME & 6" DIA. STRAINER GRATE SCREW DOWN	REPL.STR. 17520		C/P/B		2.9
6624-SD	ROUND FRAME & 7-1/2" DIA. STRAINER GRATE SCREW DOWN	REPL.STR.18047-SD		C/P/B	255.75	4.2
6625-SD	ROUND FRAME & 8" DIA. STRAINER GRATE SCREW DOWN	REPL.STR.17534-SD (REF.DRWG.5040)		C/P/B	352.70	5.7
6626-SD	ROUND FRAME & 8" DIA. STRAINER GRATE SCREW DOWN	REPL.STR.17534-SD	GL/BRZ 227.75	C/P/B	272.40	3.5
6627-SD	ROUND FRAME & 9" DIA. STRAINER GRATE SCREW DOWN	REPL.STR.4449-SD	GL/BRZ 244.60	C/P/B	279.75	5.0
6628 SD	ROUND FRAME & 11" DIA. STRAINER GRATE SCREW DOWN	REPL.STR.5245-SD (REF.DRWG.5041)	GL/BRZ 411.05	C/P/B	482.10	6.7
6629	1-1/2" FPT DECK DRAIN (RECESSED STRAINER) 4367	(PARTS DRWG.6135) (REF.DRWG.5003)		C/P/B	197.80	3.3
6630	1-1/2" FPT DECK SPRAY INLET (RECESSED PLATE) 4368	(DRGS.5014-5150)		C/P/B	269.70	3.6
6631-SD	FRAME & 2-1/2" X 3-5/8" RECESSED STRAINER GRATE	(REF.DRWG.5097)		C/P/B	72.20	0.8
6632-SD	FRAME & 2-1/2" X 5-9/16" RECESSED STRAINER GRATE	REPL.STR.7304 (REF.DRWG.5098)		C/P/B	84.50	1.0
6633	1" FPT SPRAY INLET DRILLED HOLES 45' BODY	DRWGS.5013-5150 (4235 FACEPLATE)		C/P/B	289.65	4.0
6634	1" FPT SPRAY INLET SLOTTED HOLES 45' BODY	DRWGS.5013-5150 (4236 FACEPLATE)		C/P/B	291.85	4.0
6635	1/4" ROPE HOOK SMALL PATTERN	(REF.DRWG.5257)		C/P/B	19.50	0.3
6636	5/16" ROPE HOOK SMALL PATTERN			C/P/B	19.50	0.3
6637	3/8" ROPE HOOK SMALL PATTERN			C/P/B	19.50	0.3
6638	1/2"ROPE HOOK SMALL PATTERN			C/P/B	19.50	0.3
6666	FLOAT POSITIONERS FOR 3/8" ROPE	(REF. DRWG 5257)		NYLON	4.25	
6667	FLOAT POSITIONERS FOR 1/2" ROPE			NYLON	4.90	
6668	FLOAT POSITIONERS FOR 5/8" ROPE	(SEE 6122-2 ASSEMBLY)		NYLON	4.90	
6669	FLOAT POSITIONERS FOR 3/4" ROPE			NYLON	5.20	
6670	FLOAT POSITIONERS FOR 7/8" ROPE	(SEE 6123-2 ASSEMBLY)		NYLON	5.75	
6671	FLOAT POSITIONERS FOR 1" ROPE			NYLON	6.10	
6676	DIVING STAND SWIVEL SOCKET 1-1/2" PIPE	LESS FASTENERS (2) REQUIRED		C/P/B	121.00	3.0
6679	FILTER GAUGE PANEL ONLY GAGES BY OTHERS	DRAWING REQUIRED PROD. INFO SHEET 68	SPECIFY COLOR	ALUM		
6681	1/2"-13 THREAD. FLANGED ROPE EYE 1-1/4" LONG	1-1/8" DIAFLANGE 1-5/8" OD.X		C/P/B	30.45	0.3
6682	1/2"-13 THREAD. FLANGED ROPE EYE 2" LONG	1-1/8" DIAFLANGE 1-5/8" OD.X		C/P/B	34.45	0.4
6683	FLANGED ROPE EYE WITH WOOD SCREW INSERT	1-1/8" DIA. FLANGE	OLD YMCA SPBC.	C/P/B	26.75	0.4
6684	1/2"-13 THREADED ROPE EYE 3/4" LONG	REF.DRWG.5282 4167-4181-4187-4212 ASSY.	P/BRZ	C/P/B	23.30	0.2
6685	FILTER GAUGE PANEL ASSEMBLY COMPLETE WY. GAUGES	(DISCONTINUED) SEE 6687 GAUGE PANEL ONLY				
6686	1/2"-13 THREADED ROPE EYE 1-1/2"DIA 1/2" LONG	REF.DRWG.5282 (4216-4638 ASSY)	4216-TE	C/P/B	26.60	
6687	FILTER GAUGE PANEL ONLY STOCK PATTERN	GAGES BY OTHERS (USE 3-1/2"GAGE)		BL/AL	141.45	1.3
6688	3/4"-10 THREADED ROPE EYE 1-1/4" LONG	OLD 4169-TE 2-3/8" OD.	REF.DRWG.5285	C/P/B	45.60	0.8
6689	1/2"-13 THREAD FLANGED ROPE EYE 2-1/4" LONG	1-1/8" DIAFLANGE 1-5/8" OD.		C/P/B	38.70	0.4
6690	1/2"-13 THREAD FLANGED ROPE EYE 2-1/2" LONG	1-1/8" DIAFLANGE 1-5/8" OD.		C/P/B	42.45	0.4
6696	5/8"-11 THREADED ROPE EYE 7/8" LONG	NEW		C/P/B	57.10	0.3
6700	TUEC "TITAN" 18" VACUUM HEAD 0-700-A	(1)HOSE TERM. REQ (PARTS DRWG.6177)		BRZE	1312.20	19.0
6703-BE	"NO DIVING" PLAQUE BEVELED EDGE 2-3/8" X 6-1/8"	SURFACE MOUNT		OX/BRZ	53.40	0.8
6704	"NO DIVING" PLAQUE SQUARE EDGE 2-3/8" X 6-1/8"	INSERT TYPE		OX/BRZ	51.10	0.8
6714	THREADED ROPE EYE ASSY. WY (1) GASKET WASHER & NUT	1-1/8" DIAFLANGE NO.4247-TE		C/P/B	27.30	19.0
6730	FLANGED THREADED ROPE EYE 7/16"-14 FEMALE THREAD	1-1/2" DIAFLANGE (1-1/2" OD)		C/P/B	51.90	0.8
6731	FLANGED THREADED ROPE EYE 1/2"-13 FEMALE THREAD	1-1/2" DIAFLANGE (1-1/2" OD)		C/P/B	50.80	0.5
6732	FLAT OVAL ROPE EYE ASSY(2)4179 WY.(4) S/M SCREWS	SPECIAL ORDER	PRICED PER PKGE.	C/P/B	84.75	1.5
6733	FLAT OVAL ROPE EYE ASSY.(2)4189 WY.(4)S/M SCREWS	SPECIAL ORDER (2)4189-FE	PRICED PER PKGE.	C/P/B	45.95	0.7
6735	SPANNER WRENCH FOR 1" HYDRO RELIEF VALVE	FOR 4350 (REF.DRG.NO.5096)		BRZE	63.15	1.5
6736	SPANNER WRENCH FOR 1-1/2" HYDRO-RELIEF VALVE	FOR 4352 (REF.DRG.NO.5096)		BRZE	66.95	1.6
6736-SP	SPECIAL WRENCH FOR ABOVE 3 FT. LONG X 15 FT. HANDLE	6 FT.			P.O.A.	
6737	SPANNER WRENCH FOR 2" HYDRO-RELIEF VALVE	FOR 4353 (FOR 4273-4536)		BRZE	69.05	1.7
6737-SP	SPECIAL WRENCH FOR ABOVE 3 FT. LONG X 15 FT. HANDLE			ST.ST.	P.O.A.	3.5
6742	SAFETY LANE ASSY 3/8" ROPE WITH ROPE CLAMPS ONLY	SPECIAL ORDER (INFORMATION REQ)				
6743	SAFETY LANE ASSY AS ABOVE WY CLAMPS & 4199 HOOKS	SPECIAL ORDER (INFORMATION REQ)				
6744	SAFETY LANE ASSY AS ABOVE WY. CLAMPS & 4132 HOOKS	SPECIAL ORDER (INFORMATION REQ)				0.8
6744-SP	OTHER COMBINATIONS AVAILABLE	SPECIAL ORDER NEW		WH/AL		
6748-SP	BOND BEAM ANCHOR 1/2"-13 THREAD. COMBO ST.ST & BRONZE	SPECIAL TO ORDER (REF.DRWG.7102)	NEW	BRZE		
6749	STARTING PLATFORM SOCKET ASSEMBLY(2) PC. UNIT	WY.17546 T BOLT (REF.DRWG.5394)		C/P/B	153.45	
6750	STARTING PLATFORM SOCKET ASSEMBLY (3) PC. UNIT	WY.17546 T BOLT (REF.DRWG.5121)		C/P/B	174.05	
6751	BOND BEAM ANCHOR 8" RACING LANES 3/4"-10 THREAD.	SPECIAL ORDER (REF.DRWG.5393)	PRICED PER PAIR	BRZE	84.25	2.4
6752	BOND BEAM ANCHOR. 7-1/2" RACING LANES 3/4"-10 THREAD.	SPECIAL ORDER (REF.DRWG.5393)	PRICED PER PAIR	BRZE	94.70	2.3
6753	WATER VOLLEY BALL NET ASSEMBLY INFO REQUIRED	MADE TO ORDER		PLAST	P.O.A.	
6754-2	CURVED OVAL ROPE EYE ASSY. 3/4" RADIUS	WITH S/M SCREWS (2) 4176-C/E		C/P/B	41.30	0.7
6755-2	CURVED OVAL ROPE EYE ASSY. 1" RADIUS	WITH S/M SCREWS (2) 4177-C/E		C/P/B	41.30	0.7
6756-2	CURVED OVAL ROPE EYE ASSY. 1/4" RADIUS	WITH S/M SCREWS (2) 4182-C/E		C/P/B	41.30	0.8
6763	1/2"-13 THREADED ROPE EYE 1" LONG	SPECIAL ORDER 2-1/4"OD 1-1/4" ID	4863-4869 PATT.	C/P/B	41.95	0.4
6764-GS	1-1/2" FPT HVY. DUTY BOTTOM INLET WITH 17524 CAP	USE 5791 WRENCH REF DRWGS.5134-5495		C/P/B	292.45	4.4
6765-GS	2" FPT HVY. DUTY BOTTOM INLET WITH 17524 CAP	USE 5791 WRENCH (REF.DRWG.5134)	FLOW DRWG.5496	C/P/B	286.45	4.3
6777	OVAL ROPE EYE ASSY.4189 WITH ST.ST HARDWARE	4189-FE SCREWS, WASHER-NUTS		C/P/B		0.8
6790	OVAL ROPE EYE ASSY.4189 GASKETS ST.ST S/M SCREWS	(2) 4189-FE	PRICED PER PKGE	C/P/B	54.55	0.7
	*WALL MOUNTED HAND GRIP SUPPORT BAR ASSEMBLIES AVAILABLE IN VARIOUS COMBINATIONS - INFORMATION ON REQUEST					
	*FILTER GAUGE PANELS & NAMEPLATES MADE TO ORDER - IN A VARIETY OF MATERIALS AND FINISHES					
PAGE 22	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL					PAGE 22
NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY	NY (212) 267-6738	FAX (201) 339-3492			

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
6801	TUEC "AQUA-VAC" 15-1/2" VAC. HEAD 1-1/2" HOSE CONN.	TUEC 0-800	PARTS DRWG.6178	BRZE	1179.95	22.0
6808-SD	EXT. COLLAR 8-3/4" I/D.& 6810 COVERREF.DRWG.5392	FITS SWIMQUIP U-3	STA RITE 8650 & HAYWARD 1070	GL/BRZ	415.50	8.5
6810-SD	COVER PLATE FOR ABOVE 9-3/4" DIA.(3) HOLE MOUNT	FITS 6808-SD.& 7438-SD,ASSY.		GL/BRZ	227.15	3.6
6874	NEOPRENE PAD FOR 4432-4433 BUTT PLATE ASSEMBLIES			RUBBER	6.60	
6875	NEOPRENE PAD FOR PERSONALIZED 4411 BUTT PLATE ASSY.			RUBBER	6.60	
					10.00	
6876	BOTTOM PLATE FOR 4433 BUTT PLATE ASSY.			ALUM	14.20	0.3
6877	3" DIA NEOPRENE PAD FOR 4427 & DECK FLANGE			RUBBER	4.05	
6878	BOTTOM PLATE FOR 789 RECTANGULAR DECK FLANGE			BRZE	43.70	
6880-AL	3" DIA. BUTT WASHER ASSY. 4427-AL	PLATED STEEL HDWE		WH/ALUM	P.O.A.	
6881-BR	3" DIA BUTT WASHER ASSY. 4427-BR	ST.ST. HDWE		C/P/B	P.O.A.	
6886	8" LONG FULCRUM BAR FOR 1-1/2"PIPE (1.90")	SPECIAL ORDER		ST.ST.	196.30	
6887	21" LONG FULCRUM COVER FOR 1-1/2"PIPE (1.90")	NO LONGER AVAILABLE		RUBBER		
6888	28" LONG FULCRUM BAR FOR 2" PIPE (2.375")	SPECIAL ORDER		GAL/IRON		
6889	21" LONG FULCRUM COVER FOR 2" PIPE (2.375")	NO LONGER AVAILABLE		RUBBER		
6891	BACKSTROKE STANCHION 1-1/4" PIPE (1.66")	7"FT.ABOVE DECK	(REF. DRWG. 5491)	ST.ST.		
6895	20" LONG SPLIT FULCRUM FOR 101/2"PIPE (1.90")	SPECIAL ORDER		RUBBER	45.40	2.7
6896	22" LONG SPLIT FULCRUM FOR 1-1/2"PIPE (1.90")	SPECIAL ORDER	(REF.DRWG.5414)	RUBBER	45.40	3.4
6897	24" LONG SPLIT FULCRUM FOR 1-1/2"PIPE (1.90")	SPECIAL ORDER		RUBBER	45.40	3.7
6900	TUEC "COLOSSUS" 30" VACUUM HEAD TOW MODEL (0900) PARTS	DRWG. 6179	(1) HOSE TERM &(2) TOW ROPES REQ)	BRZE	4354.50	65.0
6902	BACKSTROKE STANCHION 1-1/2" PIPE (1.90") .065" WALL	7 FT ABOVE DECK	(YMCA SPEC)	(REF. DRWG. 5491)	ST. ST.	471.25
6903-A	FALSE START RECALL STAN. 1-1/2"PIPE (1.90") .065" WALL	3FT 5"ABOVE DECK	(DRWGS.5206-5493)	RH & LH REQ.	ST. ST.	460.55
6903-B	FALSE START RECALL STAN. 1-1/2"PIPE (1.90") .065" WALL	3FT 11"ABOVE DECK	(REF DRWG 5484)	RH & LH REQ.	ST. ST.	474.45
6904	TUEC "COLOSSUS" 30" VAC. HEAD HAND OR TOW MODEL	1 HOSE TERM REQ	(PARTS DRWG. 6179)	SPECIAL ORDER	BRZE	4514.75
6906	BACKSTROKE STANCHION 1-1/2"PIPE (1.90) .065"WALL	REF. DRWG. 5491		RH & LH REQ.	ST. ST.	
6908	1" FPT SPRAY INLET			C/P/B	82.80	0.6
6909	QUICK REL. BACKSTROKE STAN.1-1/2" PIPE (1.90")7 FEET	REF.DRWG.5491		RH & LH REQ.	ST. ST.	
6910	1-1/4" FPT SPRAY INLET	SPECIAL ORDER		C/P/B	79.25	0.8
6911	1-1/2" FPT SPRAY INLET			C/P/B	88.75	0.9
6912	2" FPT SPRAY INLET			C/P/B	127.00	2.0
6914	BACKSTROKE STANCHION 1-1/2" PIPE (1.90") .065"WALL	7 FT. ABOVE DECK	(REF. DRWG. 5491)	ST. ST.		
6917	HVY. DUTY FILL SPOUT 1-1/2" PIPE & 6918 SUPPORT POST	SPECIAL ORDER	REF.DRWGS.5430-51	ST. ST.	P.O.A.	26.0
6918	SUPPORT POST ASSEMBLY FOR 1-1/2",2" OR 3"PIPE SIZE	SPECIFY SIZE	(REF.DRWGS.5430-51)	C/P/B	P.O.A.	3.1
6920	STANCHION ASSY. PLAIN CAP WY. THREADED EYE 1-1/2" PIPE	REMOVABLE EYE	(SPECIFY THREAD EYE)	(REF.DRWG.5493)	ST. ST.	
6921	QUICK REL. BACKSTROKE STAN.1-1/2"PIPE (1.90") .065"WALL	7 FT. ABOVE DECK	(DRWGS.5205-5492)	ST. ST.		
6938	QUICK REL. BACKSTROKE STAN.1-1/2"PIPE (1.90") .065"WALL	7 FT. ABOVE DECK	(REF.DRWG.5491)	(REF.DRWG.5491)	ST. ST.	
6942	QUICK REL. BACKSTROKE STAN.1-1/2"PIPE (1.90") .065"WALL	7 FT. ABOVE DECK	(REF. DRWG. 5491)	(2) REQUIRED	ST. ST.	
6963-1	VOLLEY BALL STANCHION 1-1/2" PIPE (1.90") .065"WALL	5 FT. ABOVE DECK	(REF. DRWG. 5350)	(2) REQUIRED	ST. ST.	398.15
6963-2	BACKSTROKE STANCHION 1-1/2" PIPE (1.90") .065"WALL	7 FT. ABOVE DECK	(REF. DRWG. 5491)	(2) REQUIRED	ST. ST.	448.85
7000	TUEC. "TRITON" 24" VAC. HEAD TOW OR HAND MODEL	PARTS DRG.6180	(1) HOSE TERM &(2) TOW ROPES REQ	BRZE	2408.95	47.0
7011	WEIGHTED BRICK TRAINING AID	YMCA SPEC.	AMER.RED CROSS	RUBBER	P.O.A.	10.0
7027	BACKSTROKE WALL HOOK 10-1/4" PROJ. WITH WALL ANCHOR	YMCA SPEC.	SPECIAL ORDER	ST. ST.	P.O.A.	
7060	3-3/8" DIA. VENT FITTING PLATE CONVEX	SPECIAL ORDER		BRZE		3.3
7061	5" DIA. VENT FITTING PLATE CONVEX	SPECIAL ORDER		BRZE		2.7
7062	5-5/8" DIA. VENT FITTING PLATE CONVEX	SPECIAL ORDER		BRZE		3.0
7063	9-3/4" DIA. VENT FITTING PLATE CONVEX	SPECIAL ORDER		BRZE		3.0
7070	7-3/4" DIA. VENT FITTING PLATE CONCAVE	DISCONTINUED		BRZE		
7071	8" DIA VENT FITTING PLATE CONCAVE	DISCONTINUED		BRZE		
7072	8-1/4" DIA. VENT FITTING PLATE CONCAVE	DISCONTINUED		BRZE		
7073	11" DIA VENT FITTING PLATE CONCAVE	DISCONTINUED		BRZE		
7100	TUEC "OLYMPIC" 18" VAC HEAD HAND OR TOW MODEL	(1) HOSE TERM. REQ.	(PARTS DRWG.6181)	YMCA SPEC.	BRZE	2025.10
7110	DIVING BOARD WIDE X 16 FT. LONG	SPECIAL ORDER		ALUM		175.0
7115	HAND GRIP FOR 1-1/4" TUBE	SPECIAL ORDER		RUBBER		
7147	9" X 18" MULTI-STRAINER GRATES ONLY 1" HIGH	(2) 7159 STRS.		GL/BRZ	1359.15	12.0
7148	12" X 18" HVY. DUTY STRAINER GRATE 1" HIGH	(REF.DRWG.5443)		GL/BRZ	1552.70	13.5
7148-SP	AS ABOVE TO SUIT 7162 ASSY.12" X 18" 1" HIGH	(REF.DRWG.5438)		GL/BRZ		12.0
7149	HVY. DUTY FRAME & 9" X 9" STRAINER GRATE 1" HIGH	7159-SP STRS.	7137 FRAME	GL/BRZ	866.85	13.0
7151	HVY. DUTY FRAME & 12" X 12" STRAINER GRATE 1" HIGH	DRWG.5434 7160-SP STRS.	DRWG.5434 #7153 FR.	GL/BRZ	1196.85	18.0
7152	12" X 24" HVY DUTY STRAINER GRATE 1" HIGH		(REF.DRWG.5440-5165)	GL/BRZ	1613.70	17.0
7152-SP	AS ABOVE TO SUIT 5978 ASSY. 12" X 24" 7/8" HIGH		(REF.DRWG.5440)	GL/BRZ		15.8
7153	24" X 24" MULTI-STRAINER GRATES ONLY 1" HIGH	(2) 7152 STRS.	(REF.DRWG.5166)	GL/BRZ	3924.90	48.0
7154	18" X 18" HVY. DUTY STRAINER GRATE 1" HIGH		(REF.DRWG.5157)	C/P/BZ	1667.60	24.0
7155	18" X 36" MULTI-STRAINER GRATE ONLY 1" HIGH	(2) 7154 STRS.	(REF.DRWG.5441)	C/P/BZ	3054.10	49.6
7156-HS	17-7/8" HVY. DUTY STRAINER GRATE 7/8" HIGH	7159-SP.STR.	(REF.DRWG.5158)	C/P/BZ	1839.35	49.6
7157	HVY DUTY FRAME & 18" X 18" STRAIN. GRATE 1" HIGH	7154-SP.STRAINER	(REF.DRWG.5441)	C/P/BZ	3105.65	32.0
7158	MULTI ASSY FRAME & 9" X 18" STRAIN. GRATE 1" HIGH	7159-SP.STR.		GL/BRZ		
7159	9" X 9" HVY DUTY STRAINER GRATE 1" HIGH			CHR.	512.95	5.6
7159-SP	9" X 9" AS ABOVE TO SUIT 7149 ASSY. 7/8" HIGH			GL/BRZ		5.6
7160	12" X 12" HVY. DUTY STRAINER GRATE 1" HIGH			C/P/B	942.70	12.5
7160-SP	12" X 12" HVY. DUTY STRAINER GRATE 1" HIGH	MACHINED FOR SPECIAL APPLICATIONS		P.O.A.		12.5
	*REF. DRWG. 5359FOR REQ. INFO. TO INSURE CORRECT BACKSTROKE, FALSE START, SPLASH CURTAIN AND STANCHION ASSEMBLIES					
	*FILTER GAUGE PANELS & NAMEPLATES MADE TO ORDER - IN A VARIETY OF MATERIALS AND FINISHES					
PAGE 23	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT ASSEMBLIES - DRAWING NUMBERS AS INDICATED					PAGE 23
NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY			NY (212) 267-6738	FAX (201) 339-3492	

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
7161	MULTI-STRAINER GRATES ONLY 18" X 24" 1" HIGH (2)7148 STR.			GL/BRZ	3403.05	26.0
7162	HVY DUTY FRAME & 12" X 18" STRAIN. GRATE 1" HIGH 7148-SP.STRAINER (REF.DRWG.5438)	C/P/B	2834.10	GL/BRZ	2532.00	32.0
7163	MULTI STRAINER GRATES ONLY 20" X 24" 1" HIGH (2) 6556 STRS. (SECURED ASSEMBLY)		TO ORDER	GL/BRZ		
7164	MULTI ASSY. FRAME & 24"X 24" STRAIN GRATE 1" HIGH (2) 7152 SP. STRS (REF.DRWG.5442)		(1) 7140-FRAME	GL/BRZ	5439.25	44.0
7165	MULTI ASSY. FRAME & 18"X 24" STRAIN GRATE 1" HIGH (2)7148 SP. STRS. (REF.DRWG.5443)		(1) 7165 FRAME	GL/BRZ	4586.80	34.0
7166	MULTI ASSY. FRAME & 24"X 36" STRAIN GRATE 1" HIGH (4) 7148-SP.STRS. REF.DRWG.5445		(1) 7144 FRAME	GL/BRZ		
7167	MULTI ASSY. FRAME & 24"X 36" STRAIN GRATE 1" HIGH (3) 7152-SP.STRS. REF.DRWG.5446		(1) 7146 FRAME	GL/BRZ	6607.15	60.0
7168	MULTI ASSY. FRAME & 20"X 24" STRAIN GRATE 1" HIGH (2) 6556-SP.GRATES REF.DRWG.5455		(1) 6558-FRAME	GL/BRZ		37.0
7169	MULTI ASSY. FRAME & 12"X 36" STRAIN GRATE 1" HIGH (2) 7148-SP.STRS. (REF.DRWG.5443)		(1) 7175 FRAME	GL/BRZ	4502.05	48.0
7179-HS	9" SQUARE STRAINER TO SUIT HAYWARD SP-1031-B	GL/BRZ		C/P/B	P.O.A.	
7180-HS	11-3/4" SQUARE STRAINER TO SUIT HAYWARD'S SP-1032-B	GL/BRZ	1010.60	C/P/B	1192.35	10.6
7188	"COMPETITOR" WALL MODEL BATTERY PACE CLOCK 31" HIGH			POLY	P.O.A.	20.0
7189	"COMPETITOR" PORTABLE MODEL WITH STAND 31" HIGH				P.O.A.	25.0
7190	"COMPETITOR" WALL MODEL ELECTRIC PACE CLOCK 31" HIGH			POLY	P.O.A.	20.0
7193	"COMPETITOR" PORTABLE ELECTRIC MODEL WITH STAND 31"			POLY	P.O.A.	25.0
7195	"ROLL-AWAY" STANDARD 7188-7189-7190-7193 ASSEMBLIES				P.O.A.	9.0
7196-RW	"COMPETITOR" PORT. BATTERY OPERATED PACE CLOCK 15" SPECIFY RED OR WHITE				P.O.A.	10.0
7197						
7224	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 3/4" PIPE SPECIAL ORDER (SPECIFY C/L DIM.)	BRASS		ST.ST.		
7225	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 1" PIPE ITEMS (SEE 7224 FOLDER)	BRASS		ST.ST.		
7226	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 1-1/2" PIPE SPECIAL ORDER (REF.DRWG.5452)	BRASS		ST.ST.		
7227	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 2" PIPE SPECIAL ORDER	BRASS		ST.ST.		
7228	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 2-1/2" PIPE	BRASS		ST.ST.		
7229	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 3" PIPE HARDWARE ACCESS. OPTIONAL	BRASS		ST.ST.		
7230	HEAVY DUTY FILL SPOUTS WITH 90' ELBOW 4" PIPE (SEE 7224 FOLDER)	BRASS		ST.ST.		
7254	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 3/4" PIPE SPECIAL ORDER (SPECIFY C/L DIM.)	BRASS		ST.ST.		
7255	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 1" PIPE ITEMS	BRASS		ST.ST.		
7256	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 1-1/2" PIPE	BRASS		ST.ST.		
7257	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 2" PIPE (REF.DRWG.5452)	BRASS		ST.ST.		
7258	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 2-1/2" PIPE	BRASS		ST.ST.		
7259	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 3" PIPE SPECIFY C/L DIM.	BRASS		ST.ST.		
7260	HEAVY DUTY FILL SPOUTS WITH 45' ELBOW 4" PIPE	BRASS		ST.ST.		
7261	AERIAL CABLE STANCHION 1" TUBE (1.00") .083" WALL 7 FT. ABOVE DECK (REF.DRWGS.5483-5492)			ST.ST.		
7262	AERIAL CABLE STANCHION 1-1/4" PIPE (1.66") 7 FT. ABOVE DECK (REF.DRWGS.5483-5492)			ST.ST.		
7263	AERIAL CABLE STANCHION 1-1/2" PIPE (1.90") .065" WALL 7 FT. ABOVE DECK (REF.DRWGS.5483-5492)			ST.ST.		
7264	STANCHION ASSY. PLAIN CAP & THREADED EYE 2" TUBE (2.00") (REMOVABLE EYE) SPECIFY THREADED EYE (REF.DRWG.5493)			BRASS		
7265	MULTI ASSY. FRAME & STRAINER GRATES 36" SQUARE (2) 7154 STRAINERS NEW			GL/BRZ		
7266-SP	COVER PLATE TO SUIT A.P. EXTEN COLLAR 9-3/16" DIA. (5317-SP PATTERN) (A.P.REF.850005)	SPECIAL ORDER		GL/BRZ		
7300	TUEC "TOW MASTER" 24" VAC. HEAD HAND OR TOW MODEL (1) HOSE TERM. REQ. (PARTS DRWG.6182)	YMCA SPEC.		BRZE	3039.20	51.0
7301						
7303	RECESSED STRAINER 2-1/2" X 3-9/16" FOR 4050 ASSY. (REF.DRWG.5042)			C/P/B	40.40	0.4
7304	RECESSED STRAINER-2-1/2"X 5-9/16" FOR 4051 ASSY. (REF.DRWG.5043)			C/P/B	54.30	0.4
7305	FLUSH STRAINER 2-3/4" X 4" FOR 4052 ASSEMBLY NEW (REF.DRWG.5116)			C/P/B	39.60	
7306	FLUSH STRAINER 2-3/4" X 6" FOR 4053 ASSEMBLY (REF.DRWG.5116)			C/P/B	50.20	0.5
7307						
7430	ACCESS FRAME & 6" SQ. COVER PLATE (4) HOLE MOUNT 5/8" HIGH SPECIAL ORDER ITEM			P/BRZ		4.0
7431	ACCESS FRAME & 8" SQ. COVER PLATE (4) HOLE MOUNT			P/BRZ		4.9
7432	ACCESS FRAME & 10" SQ. COVER PLATE (4) HOLE MOUNT USING 5317-PATTERN			P/BRZ		13.7
7433	ACCESS FRAME & 12" SQ. COVER PLATE(2) HOLE MOUNT			P/BRZ		18.0
7434	ACCESS FRAME & 15" SQ. COVER PLATE (4) HOLE MOUNT			P/BRZ		27.6
7435	ACCESS FRAME & 18" SQ. COVER PLATE (4) HOLE MOUNT 5/8" HIGH			C/P/B		47.4
7436	ACCESS FRAME & 12" SQ. COVER PLATE (4) HOLE MOUNT 1-1/4" HIGH (SPECIAL ORDER ITEM)			C/P/B		18.0
7438-SD	EXTENS. COLLAR 7446 & 6810-SD.COVER PLATE 9-5/8" DIA REF.DRWG.5405 FOR BAKER HYDRO 50B-1051 & AM/PR #20			GL/BRZ	453.85	9.5
7439-SD	COVER PLATE 10-1/8" DIA.(3) HOLE MOUNT	GL/BRZ		C/P/B		
7440-SP	COVER PLATES SPECIAL DIAMETERS TO ORDER	GL/BRZ		C/P/B		
7550-57	PIPE NIPPLES, THREADED BOTH ENDS 3/4" TO 4 PIPE SPECIAL ORDER (SPECIFY LENGTH)	BRASS		ST.ST.		
7624-SD	EXTEN. COLLAR 7624-C & 5855-SD.COVER PLATE 9-5/8" DIA. FOR ALL RD. PAC-FAB (SKIMMERS DRWG.5660)			GL/BRZ	563.45	11.0
7631	CASCADE JET 3/4" FPT 5-5/16" HIGH (REF.DRWG.6402)		*SEE FOOTNOTE	BRZE	179.60	2.2
7632	CASCADE JET 1-1/2" FPT 9" HIGH NEW (REF.DRWG.6402)			BRZE	427.55	6.8
7633	2" FPT CASCADE JET AND 7634 3" FPT CASCADE JET NO LONGER AVAILABLE (REF.DRWG.6402)			BRZE		
7635 SD	EXTEN. COLLAR 7635 & 19040-SD COVER PLATE 10" SQUARE REF.DRWG.7475 FITS HAYWARD 1082			C/P/B	705.30	17.0
7648	5" DOME ONLY FOR STANDPIPE OVERFLOWS			BRZE	255.65	
7649	5-1/2" DOME ONLY FOR STANDPIPE OVERFLOWS			BRZE	264.05	
7650	STANDPIPE OVERFLOW 18" HIGH WITH WATER STOP 1-1/2" FPT ECONOMY MODEL (REF.DRWG.6401)	WY 7648 5" DOME		GL/BRZ		
7651	STANDPIPE OVERFLOW 18" HIGH.WITH WATER STOP 2" FPT WITH 7648 5" DOME			GL/BRZ		P.O.A.
7652	STANDPIPE OVERFLOW 18" HIGH WITH WATER STOP 2-1/2" FPT WY 7649 5-1/2"DOME			GL/BRZ		P.O.A.
7653	STANDPIPE OVERFLOW 18" HIGH WITH WATER STOP 3-1/2" FPT WY 7649 5-1/2"DOME			GL/BRZ		P.O.A.
7654	STANDPIPE OVERFLOW 18" HIGH WITH WATER STOP 4" FPT			GL/BRZ		P.O.A.
7665	ANTI VORTEX PLATE WITH WATER STOP EXPERIMENTAL			GL/BRZ		P.O.A.
7670	STANDPIPE OVERFLOW 18" HIGH WITH WATER STOP 1-1/2" FPT DELUXE MODEL (REF.DRWG.6401)		*SEE FOOTNOTE	GL/BRZ	507.15	9.5
	*PARTS LISTS AVAILABLE ON MOST POOL EQUIPMENT ASSEMBLIES - DRAWING NUMBERS AS INDICATED					
	*STANCHION ASSEMBLIES: INDICATE-DECK TO WATER LEVEL, HGT. ABOVE DECK & DEPTH OF SOCKET					
PAGE 24	*SPRAY INLETS AVAILABLE WITH SPECIAL MACHINING - INFORMATION ON REQUEST					PAGE 24
NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY	NY (212) 267-6738	FAX (201) 339-3492			

NUMBER	DESCRIPTION	FINISH	LIST EA	FINISH	LIST EA	WGT.
7671	STANDPIPE OVERFLOW 18" H WITH WATER STOP 2" FPT	SPECIALS TO ORDER (WITH 7648 5"DOME)		GL/BRZ	555.10	11.5
7672	STANDPIPE OVERFLOW 18" H WITH WATER STOP 2 1/2" FPT	(WY. 7649 5-1/2"DOME)		GL/BRZ	730.80	17.0
7673	STANDPIPE OVERFLOW 18" H. WITH WATER STOP 3" FPT	SPECIALS TO ORDER (WY.7649 5-1/2"DOME)		GL/BRZ	1212.70	21.5
7674	STANDPIPE OVERFLOW 18" H. WITH WATER STOP 4" FPT			GL/BRZ	1561.00	
7680	FOUNTAIN DRAIN WITH PLUG 1-1/2" FPT	(REF.DRWG.6401)		*SEE FOOTNOTE	BR	93.40 2.5
7681	FOUNTAIN DRAIN WITH PLUG 2" FPT			BR	123.75	3.1
7682	FOUNTAIN DRAIN WITH PLUG 2-1/2" FPT			BR	188.40	4.9
7683	FOUNTAIN DRAIN WITH PLUG 3" FPT			BR	424.35	5.6
7684	FOUNTAIN DRAIN WITH PLUG 4" FPT			BR	523.70	9.2
7700-6	FOUNTAIN RING BODY CASTING (6) ARM OUTLETS	(EXPERIMENTAL) DRWGS.5454-5-6				
7700-8	FOUNTAIN RING BODY CASTING (8) ARM OUTLETS	(EXPERIMENTAL)				
8005	UNDERWATER SPEAKER NICHE WITH C/P/BZ PROTECTOR GRILL	FOR UNDERWATER SPEAKERS USE 5242	JUNCT. BOX	BRZE	909.90	18.0
8005-N	UNDERWATER SPEAKER NICHE COMPLETE WY GRND. LUGS	REPLACEMENT PART		BRZE		
8006	PROTECTIVE SPEAKER GRILL 10-1/2" DIA. FOR ABOVE	REPLACEMENT PART WY (6) MOUNT SCREWS 10/24 X 3/4" FH		C/P/B	354.85	4.2
8014	SPEAKER ONLY FOR ABOVE WITH 50 FEET OF CABLE	7-3/16" DIA X 2.610" DEEP-REPLACE. PART		A.B.S.	1104.00	6.6
8014-SP	SPEAKER ONLY ON SPECIAL ORDER WITH 100 FEET OF CABLE	REPLACEMENT PART		A.B.S.	1171.00	
15000-A	THREADED HANDLE SWIVEL 1"-8 FEMALE CONN.	(SPECIAL ORDER)		B/ALUM	21.35	0.2
15000-B	THREADED HANDLE SWIVEL 1"-8 FEMALE CONN.	LESS.15130 BOLTS & NUTS		B/CHR	31.10	0.5
15001-P	BOLTED HANDLE SWIVEL 1-1/4" DIA. TUBE	LESS.15130 BOLTS & NUTS	B/BRZE 25.70	CYCOL	12.90	0.8
15001-A	BOLTED HANDLE SWIVEL 1-1/4" DIA. TUBE			ALUM	22.30	0.2
15001-B	BOLTED HANDLE SWIVEL 1-1/4" DIA. TUBE	LESS 15130 BOLTS & NUTS	B/BRZE 32.00	B/CHR.	37.45	0.8
15003	HOSE SWIVEL FOR 1-1/2" HOSE REPLACEMENT FOR (5116)		B/BRZE 46.15	CHR	51.70	1.0
15004	HOSE SWIVEL FOR 2" HOSE REPLACEMENT FOR 5116		B/BRZE 46.15	CHR	51.70	1.0
15012	BRUSH WITH FINGERS (5116)VAC HEAD			NYLON	76.50	
15013	COMPLETE BRUSH ASSEM. 15-1/4" LONG 5116 VAC. HEAD			NYLON	83.90	
15014	WHEEL AXLE (5116) OTHERS			ST.ST.	2.45	
15015	ECCENTRIC WHEEL BUSHING FOR 4383-5116-5117-5119-5990		(4) REQUIRED	NYLON	6.05	
15016	REPLACEMENT WHEEL 1-1/2" DIA.4383-5116-5117-5119	15015 ECCENTR. REQ.	(4) REQUIRED	RUBBER	8.20	0.1
15017	WIPER BLADE FOR 5116 VAC. HEAD		(2) REQUIRED	VINYL	8.20	0.5
15038	COMPLETE WHEEL ASSEMBLY FOR SAUCER VAC. HEADS	(NYLON WHEELS)	(3) REQUIRED	BRASS	23.55	
15039	COMPLETE WHEEL ASSEMBLY FOR SAUCER VAC. HEADS	(RUBBER WHEELS) (STOCK ASSEMBLY)	(3) REQUIRED	BRASS	23.55	
15070	RUBBER BUMPER FOR 9" VAC. HEADS 4502 THROUGH 4506			RUBBER	15.30	0.1
15071	WRAP AROUND BRUSH 9" VAC. HEADS 4502 TO 4506 & 5204			NYLON	19.40	
15074	RUBBER BUMPER FOR 12" VAC. HEADS FOR 5060 & 5061			RUBBER	15.25	
15075	WRAP AROUND BRUSH 12" VAC. HEADS FOR 5060 & 5061			NYLON	20.15	
15076						
15080	HOSE SWIVEL 1-1/2" HOSE 4495 & 5117 VAC. HEADS			C/P/BR.	51.05	0.5
15090	FRONT BRUSH -NOTCHED- FOR 5066 VAC. HEAD			NYLON	13.50	0.2
15091	SIDE BRUSHES -SOLID- FOR 5066 VAC. HEAD			NYLON	13.50	0.2
15107-B	THREADED HANDLE ADAPTER 1"-8 FEMALE THREAD PAD. STYLE			B/CHR	29.15	0.5
15108-A	BOLTED HANDLE ADAPTER 1-1/4" DIA. HANDLES PAD. STYLE		ALUM 16.05	WH/AL	18.45	0.2
15108-B	BOLTED HANDLE ADAPTER 1-1/4" DIA. HANDLES PAD. STYLE		BRZE	B/CHR		0.6
15108-P	BOLTED HANDLE ADAPTER 1-1/4" DIA. HANDLES PAD. STYLE			CYCOL	10.15	
15113	COMPLETE BRUSH ASSEMBLY 13-1/2" LONG 5190 VAC. HEAD			NYLON	71.35	1.5
15114						
15116	SCRAPER BLADE FOR 5117 VAC HEAD			PLAST	7.40	
15122	COMPLETE BRUSH ASSEMBLY 9" LONG FOR 5117 VAC. HEAD		(1) REQUIRED	PL/ST	64.10	
15125	CARRIAGE BOLT 1/2"13 THD.3-1/2" LONG, SPLIT WASHER & HEX. NUT	PARTS FOR 15546 ASSY.	(2) REQUIRED	ST.ST.	22.30	
15127	BOLTED HANDLE ADAPTER DRAGLEAFERS & ASSIST HOOKS	(LESS FASTENERS)		B/ALUM	29.20	
15128	THREADED HANDLE ADAPTER-DRAGLEAFERS & ASSIST HOOKS			B/ALUM	29.40	
15130	BOLT & WING NUT FOR 1-1/4" DIA. EXTENSION HANDLES			ST.ST.	6.60	
15142	LADDER BOLT & NUT3/8-16 THRD.2-1/2" LONG	15286 3-1/4" LONG		ST.ST.	7.80	0.1
15153	CARRIAGE BOLT, WASHER & NUT 3/8-16 THREAD. 3" LONG	(FOR 5035 ASSY)		ST.ST.	8.05	0.6
15156	MALE INSERT FOR 1-1/4" DIA. EXTEN .HANDLE 1"8 DIA. THREAD.	MINIMUM ORDER 20 PIECES		BRASS	22.30	
15158	CARRIAGE BOLT, WASHER & NUT 3/8-16 THRD. 3-1/2" LONG	(FOR 5036 ASSY)	(AS REQUIRED)	ST.ST.	8.40	0.6
15160	FEMALE INSERT FOR 1-1/4" DIA EXTEN. HANDLE 1"8 THREAD	MINIMUM ORDER 20 PIECES		BRASS	28.30	
15162	FLAT TYPE THREADED ROPE EYE 5/8"-11 THRD.1" LONG	(5419 ASSEMBLY) 3" WIDE		C/P/B	46.80	0.5
15164	CARRIAGE BOLT WASHER & NUT 7/16"-14 THREAD 2-1/2" LONG			ST.ST.	P.O.A.	
15165	REPLACEMENT BAG FOR 19" DRAGLEAFERS			NYLON	21.30	
15166	REPLACEMENT BAG FOR 24" DRAGLEAFERS			NYLON	22.30	
15167	PLASTIC PROTECTOR FOR 19" DRAGLEAFERS			PLAST		
15168	PLASTIC PROTECTOR FOR 24" DRAGLEAFERS			PLAST	P.O.A.	
15170	CARRIAGE BOLT, WASHER & NUT 7/16"-14 THRD.3" LONG	NO LONGER AVAILABLE		ST.ST.	21.30	
15171						
15183	REPLACEMENT WHEELS 2" DIA. FOR SUCTION VAC. HEADS		(AS REQUIRED)	NYLON	8.20	0.1
15184	REPLACEMENT WHEELS 2" DIA. FOR SUCTION VAC. HEADS		(AS REQUIRED)	RUBBER	9.60	0.2
15192	COMPLETE BRUSH ASSEMBLY 14-5/8" LONG 4393-4394			NYLON	70.90	0.6
15237-38	REPLACEMENT WHEELS 2" DIA. 4387-4388-4480-4481	(2) REQUIRED SPECIFY		NYLON OR RUBBER	9.60	
15252	COMPLETE WHEEL ASSEMBLY WY 3/4" LONG BOLT 5068-5069	RUBBER WHEELS (SYLVAN POOLS)		PRICE PER (3) PC	BRASS	43.70
15253	COMPLETE WHEEL ASSEMBLY WY 1" LONG BOLT 5068-5069	RUBBER WHEELS (SYLVAN POOLS)		PRICE PER (3) PC	BRASS	43.70 0.3
15286	LADDER BOLT & NUT 3/8"-16 THREAD 3-1/4" LONG			ST.ST.	8.65	0.1
*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED						
*FOUNTAIN ACCESSORIES ARE AVAILABLE IN A BLACK OXIDE FINISH - ON SPECIAL ORDERS AS INDICATED						
*STANCHION ASSEMBLIES: INDICATE-DECK TO WATER LEVEL. HGT. ABOVE DECK & DEPTH OF SOCKET						
PAGE 25						PAGE 25
NJ (201) 339-1351-2-3			STANDARD BRONZE COMPANY		NY (212) 267-6738 FAX (201) 339-3492	

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.
15290	DOUBLE BRIDLE ASSY (FOR 5116 TOW MODEL CONVERSION)	(OLD 15006)	NEW		(1) REQUIRED	POLY	34.20	1.3
15295	BRIDLE ADAPTER ASSY (FOR 5116 TOW MODEL CONVERSION)	(OLD 15006)			PRICED PER PAIR	BRASS	21.20	
15296								
15297	WRAP AROUND BRUSH 12" SIZE (FOR 6040 VAC. HEAD)					NYLON	21.20	
15298	REPLACEMENT SCRAPER BLADE(FOR21220-21221 SKIMMERS)					VINYL		0.2
15299	THREAD HANDLE ADAPTER 1"-8 FEMALE CONN. LEAF SKIMMERS	LESS FASTENERS				B/ALUM	33.50	0.4
15300								
15305	BOLTED HANDLE SWIVEL REPLACEMENT " ROLO-VAC.5076	P.O.A.		B/ALUM		BRZE		0.5
15306	RETAINER PAD ROLLERS (FOR 5076 VACUUM HEAD)	P.O.A.	(4) REQUIRED	ALUM		BRASS		0.1
15307-A	REPLACEMENT ROLLERS (FOR 5076 VACUUM HEAD)				(2) REQUIRED	NYLON	38.35	0.3
15307-SP	REPLACEMENT ROLLERS FOR OTHER MANUFACTURERS	SAMPLE REQUIRED			(2) REQUIRED	NYLON	29.15	0.3
15308	WHEEL AXLE ASSY WY WASHER & NUT (FOR 5990 VAC. HEAD)	OBSOLETE	SEE 15014		(4) REQUIRED	ST.ST.		
15310								
15325-A	BOLTED HANDLE SWIVEL FOR 1-1/2" HANDLES	LESS BOLTS & NUTS				B/ALUM	29.40	0.4
15325-B	BOLTED HANDLE SWIVEL FOR 1-1/2" HANDLES			BRZE	35.95	B/CHR	45.95	0.9
15327	FASTENERS CARRIAGE BOLTS, WASHERS & NUTS ASSEMBLY	(FOR 6676 SOCKET)				ST.ST.	20.15	0.6
15335	REPLACEMENT WHEEL 2" DIA. (FOR 5990 VAC. HEAD)		(4) REQUIRED (WITH 4 NO.15015 ECCENTRICS)			NYLON	9.75	0.1
15337								
15346	MALE INSERT FOR 1-1/2" DIA. EXTEN HANDLE 1"8 DIA THREAD		MINIMUM ORDER 20 PIECES			BRASS	38.00	
15347	FEMALE INSERT FOR 1-1/2" DIA EXTEN. HANDLE 1"8 THREAD		MINIMUM ORDER 20 PIECES			BRASS	41.80	
15348	SQUARE STRAINER 12" SQUARE(2) HOLE MOUNT FOR 5379-5439 ASSY	5439 ASSY. FITS	FROST 1/4" THICK	GL/BRZ	323.85	C/P/B	387.05	6.3
15349	RECTANGULAR STRAINER 3" X 24" (FOR 4620 ASSY.)	(REF.DRWG.5004)				GL/BRZ	265.25	2.6
15351								
15358	ST.ST. BOLT & ALUM WING NUT (FOR 1-1/2" DIA. EXTENSION HANDLES)		(2) REQUIRED			ST/AL	7.50	0.5
15400-WA	COMPLETE WEDGE ASSEMBLY SEE 15404 WA	(5/16"-18 THREAD)				BR	17.75	0.4
15404-WA	COMPLETE WEDGE ASSEMBLY (FOR 5720-5721 ANCHORS)	5/16"-18 THREAD	WITH BOLT & WASHER			BR	17.75	0.4
15405-WA	COMPLETE WEDGE ASSEMBLY (FOR 4298 ANCHORS)	W/BOLT & WASHER				BR	23.50	0.5
15406-WA	COMPLETE WEDGE ASSEMBLY (FOR 4400-4401 ANCHORS)	5/16"-18 THREAD	WITH BOLT & WASHER			BR	19.55	0.4
								0.4
15410	REPLACEMENT STRAINER 4-3/4" DIA. (4255-6619) DROP IN					C/P/B	66.95	0.5
15411	REPLACEMENT OUTER RING (FOR 4255-4256 DRAINS)	(REF.DRWG.507)				C/P/B	77.95	0.5
15412-WA	COMPLETE WEDGE ASSEMBLY (FOR 5041 ANCHOR)					BRZE	24.00	
15414-WA	COMPLETE WEDGE ASSEMBLY (FOR 3901-4031-4220 ANCHORS)	7/16"-14 THREAD.	(WEDGE ONLY21057-R)			BRZE	27.60	
15415								
15416	COMPLETE WEDGE ASSEMBLY (FOR 3977 ANCHOR)					BRZE	18.35	
15542	SPECIAL BOLT 7/16-14 THREAD (USED WY.4027 COVER PLATE)		REQ. FOR 4030 STOP COLLAR ASSEMBLY			ST.ST.	27.60	
15546	CLAMP FLANGE ONLY (FOR 5772 DIVING STAND SOCKET)		REPLACEMENT HDWE # 15125			SA/CHR	143.60	
15547								
15550	CLOSURE PLUG (FOR 4034 ANCHOR)		*SEE FOOTNOTE			ST.ST.	11.45	
15551	REPLACEMENT STRAINER 2-3/8" X 9-5/8"	4149-50 ASSEMBLY		GL/BRZ	89.35	C/P/B	101.55	0.6
15552	REPLACEMENT STRAINER 3-3/4" X 11-3/4"	(5365 ASSEMBLY)	(REF. DRWG. 5471)	GL/BRZ	156.05	C/P/B	174.90	2.2
15557-FP	DIFFUSER FACEPLATE 4-3/4" SQUARE (FOR 5857 INLET)		(REF. DRWG. 5133-R)			WB/BRZ	187.90	
15557-RG	GASKET ONLY (FOR 6630 SPRAY INLET)					RUBBER	10.15	
15558	CONTROL VALVE STEM (FOR 5857 INLET)					BRZE	81.00	
15575	FACEPLATE (FOR RECIRCULATING WALL INLET NO. 4237)	REPLACEMENT PART				C/P/B	P.O.A.	0.9
15576	FACEPLATE ONLY FOR 4742 SPRAY INLET		(REF.DRWG.5074)			C/P/B	113.05	
15578-A	COMPLETE CAP ASSY. (FOR 4837-4838-4839-5125 INLETS)	WITH 180' SLOT	(REF. DRWG. 5009)			C/P/B	69.55	
15578-B	AS ABOVE WITH 360' SLOTS					C/P/B		
15579-A	COMPLETE CAP ASSY. (FOR 4842 & 4843 INLETS)	WITH 180' SLOT	(REF. DRWG. 5008)			C/P/B	149.00	
15579-B	AS ABOVE WITH 360' SLOTS					C/P/B	153.30	
15603	DIFFUSER PLATE 6" SQUARE (FOR 5858 INLET)	(REF.DRWG.5133-R)				C/P/B	215.40	0.3
15604	CONTROL VALVE STEM (FOR 5858 INLET)					BRZE		
15606								
15607	REPLACEMENT SQUEEGEE BLADE 12" LONG 3981-3986					RUBBER	32.85	0.6
15608	REPLACEMENT SQUEEGEE BLADE 24" LONG 3983-4303					RUBBER	50.70	1.2
15609	REPLACEMENT ALGAE BRUSH ST/STEEL 5" LONG					POLY	37.45	0.2
15610	REPLACEMENT ALGAE BRUSH ST/STEEL 9" LONG					POLY	49.25	0.4
15611						RUBBER		1.2
15613	REPLACEMENT WHEEL 2" DIA. (FOR 5990 VAC. HEAD)	15015 ECCEN. REQ.			(4) REQUIRED	RUBBER		0.1
15615	REPLACEMENT 3 PC. NYLON BALL ASSY. 4656-57-58-60	5/8"-3/4"-1" HOLE	REF.DRWG.DRWG.5011 & 5226			NYLON	68.75	
15731	SCRAPER BLADE (FOR 21220 &2121 LEAF SKIMMERS)					VINYL	14.45	0.1
15732	SCRAPER BLADE (FOR5235,5279,17536-17583 LEAF SKIMMERS)					VINYL	14.55	0.2
15733	REPLACEMENT BAG (FOR 5235 & 5279 LEAF SKIMMERS)					NYLON	21.65	0.5
15735	REPLACEMENT CAP (FOR 1417-3569 & 3668 DECK SOCKETS)					C/P/B	56.90	0.6
15736	REPLACEMENT CAP (FOR 3568 DECK SOCKET)	SPECIAL ORDER				C/P/B	59.35	
15739	REPLACEMENT CAP (FOR 3585 DECK SOCKET)					C/P/B		
15740								
15741	REPLACEMENT STRAINER 9" X 9" 1/4" THICK	SPECIAL ORDER				GL BRZ		
15750	REPLACEMENT BRUSH 19" (FOR 5990 VAC. HEAD)		(NYLON BRISTLES)	EXPENDABLE		P.V.C.	92.90	0.6
15752	EXPENDABLE BRUSH ONLY 29-1/4" LONG. (FOR 15769 ASSY)	(NEW 6900-6904)	(NYLON BRISTLES)			P.V.C.	114.70	0.4
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED							
	*FITTINGS AVAILABLE IN CAST YELLOW BRASS, MANGANESE BRONZE GOLDEN & VALVE BRZ. RED IN A VARIETY OF FINISHES							
PAGE 26	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL						PAGE 26	

NUMBER	DESCRIPTION			FINISH	LIST EA	FINISH	LIST EA	WGT.	
15754	19-3/4" LONG EXPENDABLE BRUSH ONLY FOR 15770 ASSY.	NEW 7000	NYLON BRISTLES			P.V.C.	94.90	0.3	
15757	HOSE ADAPTER FLANGE FOR 5990 VAC. HEAD					BRZE	24.80	0.2	
15758									
15760	4" X 12" REPLACEMENT STRAINER GRATE FOR 5234 DRAIN			P/BRZE	157.85	C/P/B	174.05	2.4	
15769	29-1/4" LONG COMPLETE BRUSH ASSY. FOR 6900-6904 VAC. HDS.	NEW FOR 6900	EXPENDABLE BRUSH 15752			BRZE	303.35	3.5	
15770	21-1/4" LONG COMPLETE BRUSH ASSY. FOR 7000 VAC HD.	NEW EXPENDABLE BRUSH				BRZE	249.50	2.6	
15780	1/2"-13 THREADED ROPE EYE 2" LONG	4228-TE				C/P/B	24.00	0.3	
15782	7/16"-14 THREADED ROPE EYE 2" LONG	4228-TE	(SPECIAL ORDER)			C/P/B		0.3	
15783	SWIVEL SOCKET ASSEMBLY FOR 5028 LADDER SOCKETS		(DRWGS.5485-5486)	AS REQUIRED		C/P/B		1.4	
15786	COMPRESSION PLUG FOR 5028 LADDER SOCKETS		(DRWGS.5485-5486)	AS REQUIRED		RUBBER		0.2	
15787									
15789	ANCHOR INSERT ONLY 1-1/2" PIPE WITH TAPPED HOLE	5025-5028	(DRWGS.5430-5486)	AS REQUIRED		C/P/B		1.5	
15790	ANCHOR INSERT ONLY 1-1/2" PIPE PLAIN	5025-5028	(DRWGS.5430-5485)	AS REQUIRED		C/P/B		1.4	
15796-C	RETAINING PIN WY. CHAIN 5025-5028 LADDER SOCKETS	P.O.A.	REF.DRWG.5430-A-5486			ST.ST.		0.3	
15821	BRUSH REBRISTLED OUR FACTORY 14-5/8" 6801 VAC. HEAD	TUEC 0-618-A	TUEC ORIG.			BRZE	152.80		
15822	BRUSH REBRISTLED OUR FACTORY 21-1/4" 7000 VAC. HEAD	TUEC 0-643-A	(SEE NEW 15770 ASSY)	TUEC ORIG.		BRZE	209.50	2.8	
15823	BRUSH REBRISTLED OUR FACTORY 18-1/4" 6700 VAC. HEAD	TUEC 0-703-A		TUEC ORIG.		BRZE	201.30	1.3	
15824	BRUSH REBRISTLED OUR FACTORY 29-1/4" 6900-04 VACS	TUEC 0-904-A	(SEE NEW 15769 ASSY)	TUEC ORIG.		BRZE	282.90	4.8	
15825	BRUSH REBRISTLED AT OUR FACTORY 17" 7100 VAC. HEAD	TUEC 0-1103-A	SEE NEW 16004-C ASSY	TUEC ORIG.		BRZE	170.90	2.0	
15826	MALE HOSE TERMINAL 1-3/4" TAPER X 1-1/2" HOSE CONN	TUEC 0-193	(REF.DRWG.5161)			BRZE	76.00	1.0	
15827	MALE HOSE TERMINAL 2" TAPER X 2" HOSE CONN.4708	TUEC 0-673	(REF.DRWG.5161)			BRZE	83.20	1.6	
15828	FEMALE HOSE TERM.1-3/4" TAPER X 1-1/2" HOSE INSERT	TUEC 0-157	(SPECIAL ORDER)			BRZE	105.40	0.8	
15829	FEMALE HOSE CONN 2" TAPER X 1-1/2" HOSE INSERT	TUEC 0-676	(SPECIAL ORDER)			BRZE	130.75	2.0	
15832-A	125 FT. TOW ROPE ASSEMBLY WITH SNAP SWIVEL HOOK		REQUIRED ON ALL TOW MODEL VAC. HEADS	(2) REQUIRED		POLY	115.45	3.8	
15832-B	150 FT. TOW ROPE ASSEMBLY WITH SNAP SWIVEL HOOK			(2) REQUIRED		POLY	126.70	5.4	
15832-C	200 FT. TOW ROPE ASSEMBLY WITH SNAP SWIVEL HOOK		SPECIAL LENGTHS TO ORDER	(2) REQUIRED		POLY	152.80	6.1	
15832-D	250 FT. TOW ROPE ASSEMBLY WITH SNAP SWIVEL HOOK		SPECIAL ORDER	(2) REQUIRED		POLY		7.6	
15834	DETACHABLE BRIDLES WITH SNAP SWIVEL HOOKS		FOR TUEC TOW MODEL VAC. HEADS	(2) REQUIRED		POLY	41.90	0.7	
15841	18-1/4" LONG REPLACEMENT BRUSH FOR 6700 VAC HEAD	TUEC 0-703-A	TUEC ORIG.			BRZE	259.55	1.3	
15844	1-5/8" DIA.REPLACEMENT WHEELS 6700-6801-7100-7300 VAC HDS.	TUEC 0-706 R-W		AS REQUIRED		RUBBER	9.75	0.3	
15845	1-5/8" DIA.REPLACEMENT WHEELS 6700-6801-7100-7300 VAC HDS.	TUEC 0-706 N-W		AS REQUIRED		NYLON	9.75		
15853	2" DIA REPLACEMENT WHEELS FOR 6900-6904 VAC HDS.	TUEC 0-903-R	STOCK			RUBBER	9.75		
15854									
15856	29-1/4" LONG REPLACEMENT BRUSH FOR 6900-6904 VAC HDS.	TUEC 0-904-A	(SEE NEW 15769)			BRZE	519.20	4.8	
15859	BRUSH CLIPS FOR 6900,7100 & 7300 VAC. HEADS		NEW	AS REQUIRED		ST.ST.	10.30		
15863	REPLACEMENT WHEEL AXLE 6900			(4) REQUIRED		ST.ST.	6.95		
15868	21-1/4" LONG REPLACEMENT BRUSH FOR 7000 VAC HD.	TUEC 0-643-A	(SEE NEW 15770)			BRZE	354.95	2.8	
15869									
15871	1-3/4" DIA.REPLACEMENT WHEELS FOR 7000 VAC HD.	TUEC 0-671	TUEC ORIG.	(6) REQUIRED		NYLON	10.20		
15877	17" LONG REPLACEMENT BRUSH FOR 7100 VAC HD.	TUEC 0-1103-A	(SEE NEW 16004-C)			BRZE	289.85	2.0	
15883	MALE HOSE TERMINAL 1-3/4" TAPER X 2" HOSE CONN.	TUEC 0-674	(REF.DRWG.5161)			SPECIAL ORDER			
15887	18" DOUBLE ROW REPLACEMENT BRUSH 6164-65 BRUSHES	TUEC 0-685				BRZE	141.35	1.0	
15900	STRAINER BASKET 6169-6172 HAIR & LINT STRAINERS					BRZE	281.85	2.0	
15902	2" TAPER X 2" FPS WALL INLET	TUEC 0-672	TUEC ORIG.	(SEE NEW 6091)		CYCOL	P.O.A.		
15903	TAPERED PLUG 2" TAPER FOR 15902 & 15973 INLET	TUEC 0-675	TUEC ORIG.			BRZE	83.20	2.1	
15904	REPLACEMENT DEFLECTOR PLATE (FOR 7100 VAC. HEAD)			(2) REQUIRED		BRZE	75.50	1.1	
15906	1-3/4" TAPER X 2" MPS WALL INLET	TUEC 0-622	TUEC ORIG.	(SEE NEW 6091)		ST.ST.	90.20	0.9	
15907	1-3/4" TAPERED PLUG FOR ABOVE	TUEC 0-621	TUEC ORIG.			BRZE	91.85	1.2	
15908	1-5/8" DIA REPLACEMENT WHEELS FOR 6700 VAC HD.			(2) REQUIRED		BRZE	54.30	0.8	
15909	COMPLETE REAR WHEEL CASTER ASSY. FOR 6700 VAC. HEAD	TUEC 0-704-AN	NYLON WHEELS	(1) REQUIRED		NYLON	9.75		
15916	14-5/8"REPLACEMENT BRUSH FOR 6000 & 6801 VAC HDS.	TUEC 0-618-A	TUEC ORIG.			BRZE			
15917	COMPLETE REAR WHEEL CASTER ASSY. FOR 6700 VAC. HEAD	TUEC 0-704-AR	RUBBER WHEELS	(1) REQUIRED		BRZE	267.20	1.5	
15924	MALE HOSE TERMINAL 2" TAPER X 1-1/2" HOSE CONN.	TUEC 0-194	(REF. DRWG 5162)	SPECIAL ORDER		BRZE	94.90		
15926	REPLACEMENT BAG FOR21220 &21221 LEAF SKIMMERS					BRZE	142.50	1.3	
15929	REPLACEMENT GRIP NUT FOR WHEEL ASSEMBLY 6900			(4) REQUIRED		NYLON	24.70		
15938	1-5/8" DIA REPLACEMENT WHEELS FOR 6700 VAC HD.					ST.ST.	2.45		
15940	HOSE TERMINAL "O" RING 1-1/2" MPS X 1-1/2" HOSE CONN.	SHORT SUPPLY	(SEE 15981 SERIES)			RUBBER			
15941						BR			
15947	REPLACEMENT BAG FOR 17536 & 17583 LEAF SKIMMERS					NYLON	22.85		
15951	PUMP HOSE TERMINAL 1-1/2" MPT.X 1-1/2" HOSE CONN.	TUEC 0-57-A	(WITH 5550 ADAPTER)			BRZE	131.25	1.5	
15952	PUMP HOSE TERMINAL 2" MPT.X 1-1/2" HOSE CONN.	TUEC 0-58-A	(WITH 5551 ADAPTER)			BRZE	164.40	2.6	
15953	PUMP HOSE TERMINAL 2" MPT.X 2" HOSE CONN.	TUEC 0-59-A	(WITH 5551 ADAPTER)			BRZE	158.60	2.6	
15954-A	HANDLE CONN.1-1/2" DIA. TUBE WITH BOLTS & W/NUTS	15358-BOLT & W/NUT	SPECIAL ORDER			B/ALUM	46.80	0.8	
15954-B	HANDLE CONN.1-1/2" DIA. TUBE WITH BOLTS & W/NUTS	15358-BOLT & W/NUT				BRZE	69.55	2.0	
15956	1-3/4" DIA REPLACEMENT WHEELS FOR 7000 VACUUM HEAD		STOCK	(6) REQUIRED		RUBBER	9.75		
15962	2" MPT COMPRESSION TYPE HEXAGON NUT			SPECIAL ORDER		WR/CU			
15970	REPLACEMENT - WHEEL AXLE FOR 7000 BODY	TUEC 0-645	(2) REQUIRED			ST.ST.	6.90		
15971	REPLACEMENT - WHEEL AXLE FOR 7000 FRAME	TUEC 0-646	(4) REQUIRED			ST.ST.	6.90		
15973	2" TAPER X 2" MPS WALL INLET	TUEC 0-672	SEE NEW 6091			BRZE	89.65	2.3	
15981	MALE SPANNER SWIVEL "O" RING 1-1/2" MPS X 1-1/2" HOSE	TUEC 0-74	FOR BELOW WATER LEVEL			BRZE	82.35	1.2	
*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED									
PAGE 27	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL							PAGE 27	
NJ (201) 339-1351-2-3			STANDARD BRONZE COMPANY			NY (212) 267-6738 FAX (201) 339-3492			

NUMBER	DESCRIPTION		FINISH	LIST EA	FINISH	LIST EA	WGT.
15982	MALE SPANNER SWIVEL "O" RING 2" MPS X 1-1/2" HOSE	TUEC 0-74 -B	FOR BELOW WATER LEVEL		BRZE	121.75	1.8
15983	MALE SPANN. HOSE SWIVEL "O" RING 2" MPS X 2" HOSE	TUEC 0-77	FOR BELOW WATER LEVEL		BRZE	142.35	1.7
15984							
15995	REPLACEMENT DEFLECTOR PLATE FOR 7300 VAC. HEAD			(2) REQUIRED	ST.ST.	113.00	1.1
15996-C	REPLACEMENT BRUSH WITH CLIPS 23"FOR 7300 VAC. HEAD	NEW TUEC	EXPENDABLE		P.V.C.	125.80	0.6
15997	SCREWS FOR DEFLECTOR PLATE FOR 7100 VAC HEAD					1.45	
15998	3/8" HEX JAM NUT FOR 7300 VAC HEAD					5.55	
15999	WHEEL AXLE & NUT FOR 7100 VAC HEAD						
16000							
16004-C	REPLACEMENT BRUSH WITH CLIPS 17"FOR 7100 VAC. HEAD	NEW TUEC	EXPENDABLE		P.V.C.	125.10	0.5
16019-SP	2" DIAREPLACEMENT WHEELS FOR 6900-6904 VAC HDS.	TUEC 0-903-N		(4) REQUIRED	NYLON		
16100-WC	GAS ENGINE PUMPS WITH WHEEL CARTS TUEC SERIES	SPECIAL ORDER	AVAILABLE IN 3-5-7 & 8 HP SIZES				
16101-WC	ELECTRIC PUMPS ELECTRIC MOTOR PUMPS	SPECIAL ORDER	AVAILABLE IN VARIOUS SIZES				
17005	REPLACEMENT HEX NUT FOR 1" TUBE BUCK ANCHORS		3902-3910 ASSEMBLIES		CHR	59.25	
17006	SPLIT COMPRESSION RING FOR 1" TUBE BUCK ANCHORS	1-7/16" THREAD	3902-3910 ASSEMBLIES		ST.ST.	6.10	
17007	CLOSURE PLUG 1/2"-13 THREAD 5656 & 5657 ANCHORS		(REF.DRWG.5414)		ST.ST.	15.55	
17012	TOP CLAMP FLANGE REPLACEMENT PART 5041 ANCHOR	(REF.DRWG.5306-R)			GL/BRZ	128.65	1.6
17013							
17017	ADJ. TOP PLATE 1/2"-13 THREAD WITH GASKET 4692 & 4693	(SEE ALSO 17,019REF.DRWG.5306-R)			C/P/B	96.80	0.8
17019-SP	AS ABOVE 9/16"-12 THREAD LONDON REPLACEMENT	SPECIAL ORDER (SEE ALSO21428-SP)		*SEE FOOTNOTE	C/P/B		0.9
17020	SKIMMER EQUALIZER FLAP ASSEMBLY	SPECIAL ORDER			BRZE	41.00	0.8
17035	NEOPRENE SEALING GASKET FOR 4742 SPRAY INLET				NEO.	8.10	
17042	REPLACEMENT PLATE 8-1/4" DIAMETER 4585 ASSY.	(4860-4861 ASSY) (REF.DRWG.5473)			GL/BRZ	140.65	2.7
17043	REPLAC. COVER PLATE 9-1/8" OVERALL 4304 & ASSY.	((NON STOCK STD.))			GL/BRZ	145.85	3.5
17044	REPLACEMENT PLATE 6-1/2" DIAMETER 4584 & ASSY.				GL/BRZ	128.90	1.9
17048	REPL. HEX. NUT 2" MPS 7/8" THRD.1-1/2" BUCK ANCHORS	(REF. DRWG.5216) (SEE ALSO21007)			P/BRZ	57.05	65.60
17400	COMPLETE LADDER SOCKET INSERT ASSY.5025 PLAIN	SPECIFY A-B-C OR D (REF.DRWG.5427-30)		AS REQUIRED	OBSOLETE		
17401	AS ABOVE FOR 5025 ASSY. WITH RETAINING PIN HOLE	SPECIFY A-B-C OR D (REF.DRWG.5427-30)		AS REQUIRED	OBSOLETE		
17502	2-1/2" DIA ADJUSTABLE FACEPLATE ASSY. TEAR DROP	(2) PLATES & CENTER SCREW			CHR	29.35	
17503	2-1/2" DIA NON-ADJ. FACEPLATE ASSY. TEAR DROP				CHR	17.75	
17504	3-1/16" DIA ADJUSTABLE FACE TOP PLATE ONLY				ST.ST.	21.30	
17506	3-1/16" DIA ADJUSTABLE FACEPLATE ASSY. TEAR DROP	(2) PLATES & CENTER SCREW			ST.ST.	37.00	
17507	3-1/16" DIA NON-ADJ. FACEPLATE ONLY TEAR DROP				ST.ST.	21.95	
17508							
17510	3-7/16" DIA ADJUSTABLE FACEPLATE ASSY. TEAR DROP	(2) PLATES & CENTER SCREW			ST.ST.	43.45	
17511	3-7/16" DIA NON-ADJ. FACEPLATE ONLY TEAR DROP				ST.ST.	23.50	
17512							
17515	PYREX TUBE FOR 1-1/4" SITE GLASSES			(1) REQUIRED	PYREX	57.90	
17516	PYREX TUBE FOR 1-1/2" SITE GLASSES				PYREX	65.05	
17517	PYREX TUBE FOR 2" SITE GLASSES				PYREX	67.50	
17519	COVER PLATE (FOR HAYWARD'S NO. SP-1425 BOTTOM INLET)	P.O.A.			GL/BRZ		2.6
17520	6" DIA STRAINER GRATE 4369-4610 SD				GL/BRZ		0.9
17521	8" DIA STRAINER GRATE 4614 SD				GL/BRZ	111.80	2.0
17522	5-1/8" DIA STRAINER GRATE DROP IN 4955-4956				GL/BRZ	69.50	0.8
17523	5-3/8" DIA STRAINER GRATE DROP IN 4296-4954	NON STOCK STD			GL/BRZ	69.50	0.8
17524	2" MPS ADJUSTING CAP (FOR 6764-6765 BOTTOM INLETS)	FITS SWIM QUIP 8416-5,NORCAL 2045-F USE 5791 WRENCH			C/P/B	92.90	1.1
17528	REPLACEMENT CAP (FOR HAYWARD'S SP-426-B BOTTOM INLET)	SPECIAL ORDER 2-9/16" 12 THREAD.			BRZ	P.O.A.	1.1
17529							
17533	1-1/2" MPT. PIPE PLUG RECESSED HEAD	SPECIAL ORDER			BRZ		
17534-SD	8" DIA.SCREW DOWN STRAINER GRATE FOR 5230-6626 SD)				GL/BRZ	116.20	
17535-SD	8" DIA SCREW DOWN STRAINER GRATE FOR 6625 SD	NON STOCK STD.			GL/BRZ	116.20	2.0
17536-B	"BIG DIPPER" BAG SKIMMER 1-1/4" BOLTED CONN.	WY. BOLTS & NUTS REPL. SCRAPER 15732		REPL BAG 15947	ALUM	115.80	1.5
17537							
17540	CLOSURE PLUG (FOR 6549 DECK ANCHOR)	(REF.DRWG.5120)			ST.ST.	P.O.A.	
17544	CLOSURE PLUG (FOR 6550 DECK ANCHOR)				ST.ST.	P.O.A.	
17546	"TEE" BOLT 1/2"-13 THREAD (FOR 6749-6750 DECK ANCHOR)	(DRWGS. 5121-5394)			C/P/B	78.80	0.7
17548	SPRING FOR 4350, 4352, 4353 HYDRO RELIEF VALVES					1.75	
17575	GROUND COLLAR FOR 2" PIPE FILL SPOUT WY ADJ. SCREW				BRZE		
17583-T	"BIG DIPPER" BAG SKIMMER 1"-8 FEMALE THREADED CONN.	(REPL. BAG 15,947) (REPL. SCRAPER 15732)		(YMCA SPEC)	ALUM	152.05	1.7
17602	CAP WITH GASKET FOR 4350 HYDRO RELIEF VALVES 1"	(DRWG NO. 5005) SPARE PARTS ARE AVAILABLE			BRZE	43.00	
17603	CAP WITH GASKET FOR 4352 HYDRO RELIEF VALVES 1-1/2"	(DRWG NO. 5005) (ON SPECIAL ORDER)			BRZE	43.00	
17604	CAP WITH GASKET FOR 4353 HYDRO RELIEF VALVES 2"	(DRWG NO. 5005)			BRZE	43.00	
17605							
18000	HEXAGON HOSE SWIVEL 1-1/2" MPS X 1-1/2" HOSE	(DRWGS. 5044-5125)			BR	44.65	0.8
18001	HEXAGON HOSE SWIVEL 1-1/2" MPS X 1-1/4" HOSE	(DRWGS.5044-5125)			BR	48.50	0.9
18002	HEXAGON HOSE SWIVEL 2" MPS X 2" HOSE	(USE 4243 WRENCH) (REF. DRWG.5044)			BRZE	72.95	1.2
18003	HEXAGON HOSE SWIVEL 2" MPS X 1-1/2" HOSE	(USE 4243 WRENCH) (REF. DRWG.5044)			BR	80.25	1.4
18004	SPANNER HOSE SWIVEL 1-1/2" FPS X 1-1/2" HOSE	(USE 4243 WRENCH)			BR	61.75	0.8
18005	SPANNER HOSE SWIVEL 1-1/2" FPS X 1-1/4" HOSE	(REF. DRWG.5125)			BR	60.00	0.8
18006	SPANNER HOSE SWIVEL 2" FPS X 1-1/2" HOSE	(USE 4456 WRENCH)			BR	92.15	1.6
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED						
PAGE 28	*FOUNTAIN/POOL AND SPA FITTINGS FURNISHED WITH GROUND SCREWS WHERE PRACTICAL						PAGE 28
	NJ (201) 339-1351-2-3	STANDARD BRONZE COMPANY		NY (212) 267-6738	FAX (201) 339-3492		

NUMBER	DESCRIPTION		FINISH	LIST EA	FINISH	LIST EA	WGT.		
18007	SPANNER HOSE SWIVEL 2" FPS X 2" HOSE	(USE 4456 WRENCH)	(REF. DRWG. 5306-R)		BR	93.90	1.6		
18008	SPANNER HOSE SWIVEL 1-1/2" MPS X 1-1/2" HOSE	(USE 4456 WRENCH)	(REF. DRWG. 5306-R)		BR	57.20	1.6		
18009	SPANNER HOSE SWIVEL 1-1/2" MPS X 1-1/4" HOSE				BR	60.50	1.7		
18010	SPANNER HOSE SWIVEL 2" MPS X 1-1/2" HOSE	(USE 4243 WRENCH)			BR	90.70	1.7		
18011	SPANNER HOSE SWIVEL 2" MPS X 2" HOSE				BR	90.00	1.7		
18016	3/8" DIA X 3-1/2" LONG ANCHOR PIN FOR 5041 ASSY.	OPTIONAL	(REF. DRWG. 5306-R)		BR	91.75	0.5		
18017									
18030	"DRAGLEAFER" 19" SIZE WY.1"-8 FEMALE THREADED CONN.	(REPL. BAG 15165)	(REPL. HANDLE 15,127)		ALUM	76.50			
18031	"DRAGLEAFER" 19" SIZE WY.1"-8 FEMALE THREADED CONN.		(REPL. HANDLE 15128)		ALUM	78.95	1.4		
18032	"DRAGLEAFER" 24" SIZE WY.1-1/4" BOLTED HANDLE CONN.	(REPL. BAG 15166)			ALUM	80.60	1.5		
18033	"DRAGLEAFER" 24" SIZE WY.1"-8 FEMALE THREADED CONN.				ALUM	82.85	1.5		
18034	"DRAGLEAFER"19" SIZE WY.PROTECTOR 1-1/4" BOLTED CONN.	(REPL. BAG 15165)			ALUM	87.45	1.5		
18035	"DRAGLEAFER"19" SIZE WY.PROTECTOR 1"-8 FEMALE THREAD	(REPL. BAG 15128)			ALUM	90.60	1.4		
18036	"DRAGLEAFER"24" SIZE WY.PROTECTOR 1-1/4"BOLTED CONN.		(REPL. HANDLE 15128)		ALUM	91.55	1.4		
18037	"DRAGLEAFER"24" SIZE WY.PROTECTOR 1"-8 FEMALE THREAD	(REPL. BAG 15166)	(REPL. HANDLE 15127)		ALUM	94.70	1.5		
18038-SD	4-3/4" DIAMETER COVER PLATE FOR 5237 ASSEMBLY			GL/BRZ	77.90	C/P/B	86.60	0.5	
18039	7-5/16"DIAMETER COVER PLATE FOR 5345 ASSEMBLY	SPECIAL ORDER		GL/BRZ		C/P/B		1.1	
18039-A	7-5/16" DIA.PROX. COVER PLATE ONLY FOR POOL MISER	SPECIAL ORDER		GL/BRZ		C/P/B		0.5	
18040	BACK UP PLATE (FOR 4826 HOSE RACK)					B/ALUM	41.00	0.5	
18041	FENCE HOOK WITH WASHER & NUT (FOR 4826 HOSE RACK)	SPECIAL ORDER				STEEL	13.55	4.0	
18046	4-3/4" DIA STRAINER GRATE FOR 5229 DRAIN			GL/BRZ	60.55	C/P/B	74.50	0.8	
18047									
18047-SD.	7-1/2" DIA STRAINER GRATE SCREW DOWN			GL/BRZ		C/P/B	123.50	1.5	
18048	5-1/4" DIA COVER PLATE (FOR 4341 DECK BOX)			GL/BRZ	58.00	C/P/B	66.05	1.2	
18049	2" X 2" X 5-3/8" ANGLE STRAINER GRATE	4743-4783 DRAINS	(REF.DRWG.5020-R)	GL/BRZ	78.50	C/P/B	88.75	0.9	
18050	2-3/4" X 10" STRAINER GRATE FOR 5248-5249 DRAINS			GL/BRZ	85.50	C/P/B	95.50	2.4	
19003	6-7/16" DIA SPEC. STR. PLATE (FOR HAYWARD'S 1048-C)	ALSO 19010 & 19027	(3)HOLE MOUNT	SPECIAL ORDER		C/P/B			
19004	ADJ. INLET CAP FOR FROST 40661								
19015	7-1/4" DIA DROP IN STRAINER GRATE 5349 DRAIN			GL/BRZ	124.85	C/P/B	149.85		
19040-A	10" SQ.COVERPLATE(2) HOLE MOUNT FITS HAYWARD'S 1082-E &	1084-E	(REF.DRWG.5481)	SPECIAL ORDER		GL BRZ	378.75	5.2	
19040-B	10" SQ.COVERPLATE (4)HOLE MOUNT (FOR 5833 ASSY.)		(REF.DRWG.5452)			GL BRZ	355.50	5.2	
19040-C	10" SQ.COVERPLATE (4)HOLE MOUNT (FOR 7635 ASSY.)					GL BRZ			
19042									
19050-SP.	6-3/4" DIAMETER DRAIN STRAINER PLATE			SPECIAL ORDER		C/P/B		2.1	
19051-SP.	7-7/8" DIAMETER DRAIN STRAINER PLATE					C/P/B			
19052-SP	ADJUST. CAP ASSY. REPLACEMENT (JACUZZI) BOTTOM INLET	3-5/8" DIA.	(JACUZZI ARF-12-5)	SPECIAL ORDER		C/P/B		0.7	
19053-SP	ADJUST. CAP ASSY. REPLACEMENT (JACUZZI) BOTTOM INLET	4-1/4" DIA.	(JACUZZI ARF-20)	SPECIAL ORDER		C/P/B		1.2	
19054-SP	ADJUST. CAP REPLACEMENT 1-1/2"MPSFOR SWIMQUIP 8415-5	NORCAL 2044-F 1-1/2"	BOTTOM INLETS	SPECIAL ORDER		C/P/B	121.00	1.0	
19055-SP	DRAIN STRAINER PLATE 4-1/2" DIA. (WADE 5-S)			SPECIAL ORDER		C/P/B			
19058-SP	DRAIN STRAINER PLATE 7-5/8" DIA.					C/P/B			
19067	5-5/8" DIA. DRAIN GRATE			SPECIAL ORDER		C/P/B			
19068									
19071	4-7/16" DIA. DRAIN GRATE			SPECIAL ORDER		C/P/B			
19075-SP	8-3/4" DIA PROX. COVERPLATE (TO FIT HAYWARD SKIMMER)	P.O.A	SPECIAL ORDER	BRZE		C/P/B	P.O.A.	0.8	
19085-SP	10-7/8" DIAMETER DRAIN GRATE	USE 5245 PATTERN		SPECIAL ORDER		C/P/B		8.5	
21001	SLIP TYPE SOCKET 4-1/8" HIGH 2"-14THREAD.1-1/4"PIPE	USE 5797 PLUG	(REF.DRWG.5353)	BRZE	99.45	C/P/B	116.55	2.3	
21002	SPLIT COMPRESSION RING 1-1/4" PIPE BUCK ANCHORS					ST.ST.	6.10	1.6	
21007	REPL. HEX. NUT 2" FPS 7/8"THREAD 1-1/2" BUCK ANCHORS	REF.DRWG.5216	(SEE ALSO P/N 17048)			B/BRZ	53.60	0.6	
21008	SPLIT COMPRESSION RING 1-1/2" PIPE BUCK ANCHOR					ST.ST.	6.10		
21021	CARR.BOLTS(POL.HEAD)1/2"X 5-1/2"LG.WASHERS & NUTS	FOR 4411 PERSONALIZED BUTT PLATES		PRICED PER PAIR		ST.ST.	74.75		
21046	ADJ. SLIP FLANGE (WITH SET SCREWS)1-1/2" PIPE (1.90")	SPECIAL ORDER		P/BRASS		C/P/B		1.5	
21050	ADJ. SLIP FLANGE (WITH SET SCREWS)2" TUBE (2.00")	SPECIAL ORDER	(REF.DRWG.5388)			C/P/B		2.1	
21051	3-9/16" DIA. REPLACEMENT STRAINER		(FOR 4374-4375 ASSY)			C/P/B			
21052	ADJ. SLIP FLANGE 1-1/4" PIPE (1.66")	SPECIAL ORDER	(REF.DRWG.5388)	P/BRASS		C/P/B		2.6	
21053	2" FPS 4" HIGH SLIP TYPE ANCHOR SOCKET 1-1/2"PIPE	(USE 5795 PLUG)	(REF. DRWG 5354)	BRZE	83.90	C/P/B	97.00	2.3	
21054	2" FPS 6" HIGH SLIP TYPE ANCHOR SOCKET 1-1/2"PIPE	(USE 5795 PLUG)		BRZE		C/P/B	115.15	3.6	
21055	2" FPS 9" HIGH SLIP TYPE ANCHOR SOCKET 1-1/2"PIPE	(USE 5795 PLUG)	NO LONGER AVAIL.	BRZE		C/P/B		5.3	
21057-R	WEDGE ONLY 4028 7/16"-14 THREAD (LESS HARDWARE)					BR	17.00		
21098	REPLACEMENT GASKET (FOR 4237 SPRAY INLETS)					NEO.		3.1	
21102	REPLACEMENT GASKET (FOR 4255-56,6034-35 DRAINS)					NEO.	16.10	3.4	
21170	COVER PLATE (FOR 4342 & 4343 DECK BOXES)					ST.ST.		2.0	
21220	"SCOOPMASTER" JR 19" WIDE 1-1/4" DIA (BOLTED CONN)	WITH BOLTS & NUTS	(REPL. SCRAPER 15731)			ALUM	108.80	1.2	
21221	"SCOOPMASTER" JR.19" WIDE 1"-8(FEMALE THREADED CONN)	REPL. BAG 15,926	(REPL.HANDLENO.15299)			ALUM	136.65	1.6	
21300-SP	OUR STANDARD PENNANT ASSEMBLIES 12" WIDE X 18" LONG	(YMCA SPECS)	IN THIS SEQUENCE		BLUE-RED & WHITE	VINYL	P.O.A.		
21423	3-3/4" DIA ADJUSTABLE TOP PLATE ONLY (ROUND HOLES)	(LESS HARDWARE)				C/P/B		0.4	
21424	3-3/4" DIA ADJUSTABLE TOP PLATE ASSY. (ROUND HOLES)		4548-5449 ASSEM.			C/P/B		0.8	
21425	3-3/4" DIA.NON-ADJ.FACEPLATE (ROUND HOLES)		4374-4375 ASSEM.	(REF.DRG.5447)		C/P/B		0.4	
21426	HANDLE COVER ADAPTER 1-1/2"BOLT X 1-5/16"-18 THREAD	SPECIAL ORDER	FRAME			B/BRZE			
21427-FR	2-3/4" X 3-3/16" REPLACEMENT COVER PLATE	SPECIAL ORDER	FROST-40048			GL/BRZ		116.80	
								118.35	
	*REPLACEMENT PARTS FOR SOME OBSOLETE PRODUCTS OF OTHER MANUFACTURERS AVAILABLE ON SPECIAL ORDER - SAMPLE REQUIRED								
PAGE 29								PAGE 29	
	NJ (201) 339-1351-2-3		STANDARD BRONZE COMPANY		NY (212) 267-6738		FAX (201) 339-3492		

